# JMAP REGENTS BY STATE STANDARD: TOPIC

NY Geometry Regents Exam Questions from Spring 2014 to January 2024 Sorted by State Standard: Topic

www.jmap.org

#### **TABLE OF CONTENTS**

TOPIC	STANDARD	SUBTOPIC QUEST	FION NUMBER
TOOLS OF GEOMETRY	G.GMD.B.4	Rotations of Two-Dimensions Objects	
	G.GMD.B.4	Cross-Sections of Three-Dimensional Objects	
	G.CO.D.12	Constructions	
	G.CO.D.13	Constructions	50
LINES AND ANGLES	G.GPE.B.6	Directed Line Segments	
	G.CO.C.9	Lines and Angles	79
	G.GPE.B.5	Parallel and Perpendicular Lines	91
TRIANGLES	G.SRT.C.8	30-60-90 Triangles	110
	G.SRT.B.5	Isosceles Triangle Theorem	112
	G.CO.C.10	Side Splitter Theorem	114
	G.CO.C.10	Interior and Exterior Angles of Triangles	138
	G.CO.C.10	Exterior Angle Theorem	143
	G.CO.C.10	Angle Side Relationship	148
	G.CO.C.10	Midsegments	150
	G.CO.C.10	Medians, Altitudes and Bisectors	156
	G.CO.C.10	Centroid, Orthocenter, Incenter and Circumcenter	160
	G.GPE.B.4	Triangles in the Coordinate Plane	164
POLYGONS	G.CO.C.11	Interior and Exterior Angles of Polygons	
	G.CO.C.11	Parallelograms	
	G.CO.C.11	Trapezoids	
	G.CO.C.11	Special Quadrilaterals	
	G.GPE.B.4	Quadrilaterals in the Coordinate Plane	
	G.GPE.B.7	Polygons in the Coordinate Plane	
	GCA2	Chords Secants and Tangents	255
CONICS	G.C.A.3	Inscribed Quadrilaterals	
	G.GPE.A.1	Equations of Circles	
	G.GPE.B.4	Circles in the Coordinate Plane	
MEASURING IN THE PLANE AND SPACE	G.MG.A.3	Area of Polygons	
	G.MG.A.3	Surface Area	
	G.GMD.A.1	Circumference	
	G.MG.A.3	Compositions of Polygons and Circles	
	G.C.B.5	Arc Length	
	G.C.B.5	Sectors	
	G.GMD.A.1	Volume	
	G.GMD.A.3	Volume	
	G.MG.A.2	Density	411
TRANSFORMATIONS	G.SRT.A.1	Line Dilations	
	G.CO.A.5	Rotations	
	G.CO.A.5	Reflections	471
	G.SRT.A.2	Dilations	
	G.CO.A.3	Mapping a Polygon onto Itself	
	G.CO.A.5	Compositions of Transformations	511
	G.SRT.A.2	Compositions of Transformations	537
	G.CO.B.6	Properties of Transformations	
	G.CO.A.2	Identifying Transformations	
	G.CO.A.2	Analytical Representations of Transformations	
	G.SKT.B.5	Similarity	
TRIGONOMETRY	G.SRT.C.6	Irigonometric Ratios	
	GSRT.C./	Lorunctions	
	GSBTCS	Using Trigonometry to Find a Side	
LOGIC	<u>U.SKI.U.8</u>	Using Trigonometry to Find an Angle	
	G.CO.B./	Triangle Congruency	
	U.CU.B.8	Triangle Congruency	
	U.SKI.B.3	Triangle Congruency	
	C SPT P 5	Triangle Proofs	
	G CO C 11	Inangie Flouis	132 117
	G SPT P 5	Quadrilateral Proofs	/44 7/7
	G SRT R 5	Circle Proofs	
	G SRT A 3	Similarity Proofs	
	GCA1	Similarity Proofs	
	0.С.А.Т	Similarity 110015	

### Geometry Regents Exam Questions by State Standard: Topic

TOOLS OF GEOMETRY G.GMD.B.4: ROTATIONS OF TWO-DIMENSIONAL OBJECTS

1 Which object is formed when right triangle RST shown below is rotated around leg  $\overline{RS}$ ?



- 1) a pyramid with a square base
- 2) an isosceles triangle
- 3) a right triangle
- 4) a cone
- 2 If the rectangle below is continuously rotated about side *w*, which solid figure is formed?



- 1) pyramid
- 2) rectangular prism
- 3) cone
- 4) cylinder

3 The rectangle drawn below is continuously rotated about side *S*.



Which three-dimensional figure is formed by this rotation?

- 1) rectangular prism
- 2) square pyramid
- 3) cylinder
- 4) cone
- 4 Circle *O* is centered at the origin. In the diagram below, a quarter of circle *O* is graphed.



Which three-dimensional figure is generated when the quarter circle is continuously rotated about the *y*-axis?

- 1) cone
- 2) sphere
- 3) cylinder
- 4) hemisphere

- 5 If an equilateral triangle is continuously rotated around one of its medians, which 3-dimensional object is generated?
  - 1) cone
  - 2) pyramid
  - 3) prism
  - 4) sphere
- 6 If a rectangle is continuously rotated around one of its sides, what is the three-dimensional figure formed?
  - 1) rectangular prism
  - 2) cylinder
  - 3) sphere
  - 4) cone
- 7 A circle is continuously rotated about its diameter. Which three-dimensional object will be formed?
  - 1) cone
  - 2) prism
  - 3) sphere
  - 4) cylinder

8 A student has a rectangular postcard that he folds in half lengthwise. Next, he rotates it continuously about the folded edge. Which three-dimensional object below is generated by this rotation?



9 Triangle *ABC*, with vertices at A(0,0), B(3,5), and C(0,5), is graphed on the set of axes shown below.



Which figure is formed when  $\triangle ABC$  is rotated continuously about  $\overline{BC}$ ?



10 As shown in the diagram below, right triangle *ABC* has side lengths of 8 and 15.



If the triangle is continuously rotated about  $\overline{AC}$ , the resulting figure will be

- a right cone with a radius of 15 and a height of 8
- a right cone with a radius of 8 and a height of 15
- 3) a right cylinder with a radius of 15 and a height of 8
- 4) a right cylinder with a radius of 8 and a height of 15
- 11 An isosceles right triangle whose legs measure 6 is continuously rotated about one of its legs to form a three-dimensional object. The three-dimensional object is a
  - 1) cylinder with a diameter of 6
  - 2) cylinder with a diameter of 12
  - 3) cone with a diameter of 6
  - 4) cone with a diameter of 12
- 12 Square *MATH* has a side length of 7 inches. Which three-dimensional object will be formed by continuously rotating square *MATH* around side  $\overline{AT}$ ?
  - 1) a right cone with a base diameter of 7 inches
  - 2) a right cylinder with a diameter of 7 inches
  - 3) a right cone with a base radius of 7 inches
  - 4) a right cylinder with a radius of 7 inches

- 13 Which three-dimensional figure will result when a rectangle 6 inches long and 5 inches wide is continuously rotated about the longer side?
  - 1) a rectangular prism with a length of 6 inches, width of 6 inches, and height of 5 inches
  - 2) a rectangular prism with a length of 6 inches, width of 5 inches, and height of 5 inches
  - 3) a cylinder with a radius of 5 inches and a height of 6 inches
  - 4) a cylinder with a radius of 6 inches and a height of 5 inches
- 14 In the diagram below, right triangle *ABC* has legs whose lengths are 4 and 6.



What is the volume of the three-dimensional object formed by continuously rotating the right triangle around  $\overline{AB}$ ?

- 1) 32π
- 2) 48π
- 96π
- 4) 144π

15 A rectangle whose length and width are 10 and 6, respectively, is shown below. The rectangle is continuously rotated around a straight line to form an object whose volume is  $150\pi$ .



Which line could the rectangle be rotated around?

- 1) a long side
- 2) a short side
- 3) the vertical line of symmetry
- 4) the horizontal line of symmetry
- 16 In right triangle *MTH* shown below,  $m \angle H = 90^{\circ}$ , HT = 8, and HM = 5.



Determine and state, to the *nearest tenth*, the volume of the three-dimensional solid formed by rotating  $\Delta MTH$  continuously around  $\overline{MH}$ .

17 In isosceles triangle *ABC* shown below,  $\overline{AB} \cong \overline{AC}$ , and altitude  $\overline{AD}$  is drawn.



The length of  $\overline{AD}$  is 12 cm and the length of  $\overline{BC}$  is 10 cm. Determine and state, to the *nearest cubic centimeter*, the volume of the solid formed by continuously rotating  $\triangle ABC$  about  $\overline{AD}$ .

#### G.GMD.B.4: CROSS-SECTIONS OF THREE-DIMENSIONAL OBJECTS

18 In the diagram below, a plane intersects a square pyramid parallel to its base.



Which two-dimensional shape describes this cross section?

- 1) circle
- 2) square
- 3) triangle
- 4) pentagon

19 A square pyramid is intersected by a plane passing through the vertex and perpendicular to the base.



Which two-dimensional shape describes this cross section?

- 1) square
- 2) triangle
- 3) pentagon
- 4) rectangle
- 20 A plane intersects a cylinder perpendicular to its bases.



This cross section can be described as a

- 1) rectangle
- 2) parabola
- 3) triangle
- 4) circle

21 A right hexagonal prism is shown below. A two-dimensional cross section that is perpendicular to the base is taken from the prism.



Which figure describes the two-dimensional cross section?

- 1) triangle
- 2) rectangle
- 3) pentagon
- 4) hexagon
- 22 Which figure can have the same cross section as a sphere?



23 William is drawing pictures of cross sections of the right circular cone below.



Which drawing can *not* be a cross section of a cone?



- 24 The cross section of a regular pyramid contains the altitude of the pyramid. The shape of this cross section is a
  - 1) circle
  - 2) square
  - 3) triangle
  - 4) rectangle

- 25 A right cylinder is cut perpendicular to its base. The shape of the cross section is a
  - 1) circle
  - 2) cylinder
  - 3) rectangle
  - 4) triangular prism
- 26 A plane intersects a hexagonal prism. The plane is perpendicular to the base of the prism. Which two-dimensional figure is the cross section of the plane intersecting the prism?
  - 1) triangle
  - 2) trapezoid
  - 3) hexagon
  - 4) rectangle
- 27 A plane intersects a sphere. Which two-dimensional shape is formed by this cross section?
  - 1) rectangle
  - 2) triangle
  - 3) square
  - 4) circle
- 28 A two-dimensional cross section is taken of a three-dimensional object. If this cross section is a triangle, what can *not* be the three-dimensional object?
  - 1) cone
  - 2) cylinder
  - 3) pyramid
  - 4) rectangular prism

- 29 Which figure(s) below can have a triangle as a two-dimensional cross section?
  - I. cone
  - II. cylinder
  - III. cube
  - IV. square pyramid
  - 1) I, only
  - 2) IV, only
  - 3) I, II, and IV, only
  - 4) I, III, and IV, only
- 30 A right circular cylinder has a diameter of 8 inches and a height of 12 inches. Which two-dimensional figure shows a cross section that is perpendicular to the base and passes through the center of the base?



#### G.CO.D.12: CONSTRUCTIONS

31 Use a compass and straightedge to construct a line parallel to  $\overrightarrow{AB}$  through point *C*, shown below. [Leave all construction marks.]



- 32 Using a compass and straightedge, construct the line of reflection over which triangle *RST* reflects onto triangle *R'S'T'*. [Leave all construction marks.]
- 33 Given  $\overline{MT}$  below, use a compass and straightedge to construct a 45° angle whose vertex is at point *M*. [Leave all construction marks.]



34 Using the construction below, state the degree measure of  $\angle CAD$ . Explain why.



35 Using a compass and straightedge, construct the angle bisector of  $\angle ABC$ . [Leave all construction marks.]



36 Using a compass and straightedge, construct an altitude of triangle *ABC* below. [Leave all construction marks.]



37 In  $\triangle ABC$  below, use a compass and straightedge to construct the altitude from *C* to  $\overline{AB}$ . [Leave all construction marks.]



9

38 In the diagram of  $\triangle ABC$  shown below, use a compass and straightedge to construct the median to  $\overline{AB}$ . [Leave all construction marks.]



40 Using a compass and straightedge, construct a midsegment of  $\triangle AHL$  below. [Leave all construction marks.]



39 Using a compass and straightedge, construct the median to side  $\overline{AC}$  in  $\triangle ABC$  below. [Leave all construction marks.]



41 Segment *CA* is drawn below. Using a compass and straightedge, construct isosceles right triangle *CAT* where  $\overline{CA \perp CT}$  and  $\overline{CA} \cong \overline{CT}$ . [Leave all construction marks.]

42 Triangle XYZ is shown below. Using a compass and straightedge, on the line below, construct and label  $\triangle ABC$ , such that  $\triangle ABC \cong \triangle XYZ$ . [Leave all construction marks.] Based on your construction, state the theorem that justifies why  $\triangle ABC$  is congruent to  $\triangle XYZ$ .

44 Using a compass and straightedge, construct and label  $\Delta A'B'C'$ , the image of  $\Delta ABC$  after a dilation with a scale factor of 2 and centered at *B*. [Leave all construction marks.] Describe the relationship between the lengths of  $\overline{AC}$  and  $\overline{A'C}$ .



43 Using a compass and straightedge, dilate triangle *ABC* by a scale factor of 2 centered at *C*. [Leave all construction marks.]



- 45 Triangle *ABC* is shown below. Using a compass and straightedge, construct the dilation of  $\triangle ABC$ centered at *B* with a scale factor of 2. [Leave all construction marks.]
- 47 Given: Trapezoid *JKLM* with  $\overline{JK} \parallel \overline{ML}$ Using a compass and straightedge, construct the altitude from vertex *J* to  $\overline{ML}$ . [Leave all construction marks.]



48 In the diagram below, radius  $\overline{OA}$  is drawn in circle O. Using a compass and a straightedge, construct a line tangent to circle O at point A. [Leave all construction marks.]



Is the image of  $\triangle ABC$  similar to the original triangle? Explain why.

46 Given points *A*, *B*, and *C*, use a compass and straightedge to construct point *D* so that *ABCD* is a parallelogram. [Leave all construction marks.]





B

- 49 In the circle below,  $\overline{AB}$  is a chord. Using a compass and straightedge, construct a diameter of the circle. [Leave all construction marks.]
- 51 Construct an equilateral triangle inscribed in circle *T* shown below. [Leave all construction marks.]



52 Use a compass and straightedge to construct an inscribed square in circle T shown below. [Leave all construction marks.]

#### G.CO.D.13: CONSTRUCTIONS

50 Given circle O with radius  $\overline{OA}$ , use a compass and straightedge to construct an equilateral triangle inscribed in circle O. [Leave all construction marks.]





53 The diagram below shows circle O with diameter  $\overline{AB}$ . Using a compass and straightedge, construct a square that is inscribed in circle O. [Leave all construction marks.]



54 Using a straightedge and compass, construct a square inscribed in circle *O* below. [Leave all construction marks.]

55 Using a compass and straightedge, construct a regular hexagon inscribed in circle *O*. [Leave all construction marks.]



56 Using a compass and straightedge, construct a regular hexagon inscribed in circle *O* below. Label it *ABCDEF*. [Leave all construction marks.]



If chords  $\overline{FB}$  and  $\overline{FC}$  are drawn, which type of triangle, according to its angles, would  $\triangle FBC$  be? Explain your answer.



Determine the measure of the arc intercepted by two adjacent sides of the constructed square. Explain your reasoning.

# LINES AND ANGLES G.GPE.B.6: DIRECTED LINE SEGMENTS

57 In the diagram below,  $\overline{AC}$  has endpoints with coordinates A(-5,2) and C(4,-10).



If *B* is a point on  $\overline{AC}$  and AB:BC = 1:2, what are the coordinates of *B*?

1) 
$$(-2, -2)$$
  
2)  $\left(-\frac{1}{2}, -4\right)$   
3)  $\left(0, -\frac{14}{3}\right)$   
4)  $(1, -6)$ 

- 58 Point Q is on  $\overline{MN}$  such that MQ:QN = 2:3. If M has coordinates (3,5) and N has coordinates (8,-5), the coordinates of Q are
  - 1) (5,1)
  - 2) (5,0)
  - 3) (6,-1)
  - 4) (6,0)

- 59 Line segment *RW* has endpoints *R*(-4,5) and *W*(6,20). Point *P* is on *RW* such that *RP:PW* is 2:3. What are the coordinates of point *P*?
  1) (2,9)
  - 2) (0,11)
  - 3) (2,14)
  - 4) (10,2)
- 60 Directed line segment *DE* has endpoints *D*(-4,-2) and *E*(1,8). Point *F* divides *DE* such that *DF*:*FE* is 2:3. What are the coordinates of *F*?
  1) (-3.0)
  2) (-2,2)
  3) (-1,4)
  - (1, -1)
- 61 The coordinates of the endpoints of directed line segment *ABC* are *A*(-8,7) and *C*(7,-13). If *AB:BC* = 3:2, the coordinates of *B* are
  1) (1,-5)
  2) (-2,-1)
  - 3) (-3,0)
  - 4) (3,-6)
- 62 What are the coordinates of point *C* on the directed segment from A(-8,4) to B(10,-2) that partitions the segment such that AC:CB is 2:1?
  - 1) (1,1)
  - 2) (-2,2)
  - 3) (2,-2)
  - 4) (4,0)

- 63 The coordinates of the endpoints of QS are Q(-9,8) and S(9,-4). Point *R* is on QS such that QR:RS is in the ratio of 1:2. What are the coordinates of point *R*?
  - 1) (0,2)
  - 2) (3,0)
  - 3) (-3,4)
  - 4) (-6,6)
- 64 The endpoints of directed line segment PQ have coordinates of P(-7,-5) and Q(5,3). What are the coordinates of point A, on  $\overline{PQ}$ , that divide  $\overline{PQ}$  into a ratio of 1:3?
  - 1) A(-1,-1)
  - 2) A(2,1)
  - 3) A(3,2)
  - 4) *A*(-4,-3)
- 65 The endpoints of  $\overline{AB}$  are A(-5,3) and B(7,-5). Point *P* is on  $\overline{AB}$  such that AP:PB = 3:1. What are the coordinates of point *P*?
  - 1) (-2,-3)
  - 2) (1,-1)
  - 3) (-2,1)
  - 4) (4,-3)
- 66 Directed line segment AJ has endpoints whose coordinates are A(5,7) and J(-10,-8). Point E is on  $\overline{AJ}$  such that AE:EJ is 2:3. What are the coordinates of point E?
  - 1) (1,-1)
  - 2) (-5,-3)
  - 3) (-4, -2)
  - 4) (-1,1)

- 67 Point *P* divides the directed line segment from point A(-4,-1) to point B(6,4) in the ratio 2:3. The coordinates of point *P* are
  - 1) (-1,1)
  - 2) (0,1)
  - 3) (1,0)
  - 4) (2,2)
- 68 The coordinates of the endpoints of AB are A(-8,-2) and B(16,6). Point P is on AB. What are the coordinates of point P, such that AP:PB is 3:5?
  1) (1,1)
  - 2) (7,3)
  - 3) (9.6,3.6)
  - 4) (6.4,2.8)
- 69 What are the coordinates of the point on the directed line segment from K(-5, -4) to L(5, 1) that partitions the segment into a ratio of 3 to 2?
  - 1) (-3, -3)2) (-1, -2)
  - (-1, -2)
  - 3)  $0, -\frac{3}{2}$
  - 4) (1,-1)
- 70 The coordinates of the endpoints of  $\overline{SC}$  are S(-7,3)and C(2,-6). If point *M* is on  $\overline{SC}$ , what are the coordinates of *M* such that *SM*:*MC* is 1:2?
  - 1) (-4,0)
  - 2) (0,-4)
  - 3) (-1,-3)
  - $4) \quad \left(-\frac{5}{2}, -\frac{3}{2}\right)$

- 71 Point *M* divides *AB* so that AM:MB = 1:2. If *A* has coordinates (-1, -3) and *B* has coordinates (8, 9), the coordinates of *M* are
  - 1) (2,1)
  - 2)  $\left(\frac{5}{3},0\right)$
  - 3) (5,5) 4)  $\left(\frac{23}{3}, 8\right)$
- 72 Point *P* is on the directed line segment from point X(-6,-2) to point Y(6,7) and divides the segment in the ratio 1:5. What are the coordinates of point *P*?
  - 1)  $\left(4,5\frac{1}{2}\right)$ 2)  $\left(-\frac{1}{2},-4\right)$ 3)  $\left(-4\frac{1}{2},0\right)$ 4)  $\left(-4,-\frac{1}{2}\right)$

73 The coordinates of the endpoints of  $\overline{AB}$  are A(-6,-5) and B(4,0). Point P is on  $\overline{AB}$ . Determine and state the coordinates of point P, such that AP:PB is 2:3. [The use of the set of axes below is optional.]



74 Directed line segment *PT* has endpoints whose coordinates are P(-2, 1) and T(4, 7). Determine the coordinates of point *J* that divides the segment in the ratio 2 to 1. [The use of the set of axes below is optional.]



75 Directed line segment *AB* has endpoints whose coordinates are A(-2,5) and B(8,-1). Determine and state the coordinates of *P*, the point which divides the segment in the ratio 3:2. [The use of the set of axes below is optional.]



76 Line segment PQ has endpoints P(-5,1) and Q(5,6), and point R is on  $\overline{PQ}$ . Determine and state the coordinates of R, such that PR:RQ = 2:3. [The use of the set of axes below is optional.]



- 77 The endpoints of  $\overline{DEF}$  are D(1,4) and F(16,14). Determine and state the coordinates of point *E*, if DE:EF = 2:3.
- 78 Point P is on segment AB such that AP:PB is 4:5. If A has coordinates (4,2), and B has coordinates (22,2), determine and state the coordinates of P.

#### G.CO.C.9: LINES AND ANGLES

79 In the diagram below,  $\overline{AEFB} \parallel \overline{CGD}$ , and  $\overline{GE}$  and  $\overline{GF}$  are drawn.



If  $m \angle EFG = 32^{\circ}$  and  $m \angle AEG = 137^{\circ}$ , what is  $m \angle EGF$ ? 1) 11° 2) 43° 3) 75°

- 4) 105°
- 80 As shown in the diagram below,  $\overrightarrow{ABC} \parallel \overleftarrow{EFG}$  and  $\overrightarrow{BF} \cong \overrightarrow{EF}$ .



If  $m \angle CBF = 42.5^{\circ}$ , then  $m \angle EBF$  is 1)  $42.5^{\circ}$ 2)  $68.75^{\circ}$ 3)  $95^{\circ}$ 

4) 137.5°

81 In the diagram below,  $\overrightarrow{ABCD} \parallel \overleftarrow{EHK}$ , and  $\overrightarrow{MBHP}$ and  $\overrightarrow{NCHL}$  are drawn such that  $\overrightarrow{BC} \cong \overrightarrow{BH}$ .



If  $m \angle NCD = 62^\circ$ , what is  $m \angle PHK$ ?

- 1) 118°
- 2) 68°
- 3) 62°
- 4) 56°
- 82 In the diagram below,  $\overline{DB}$  and  $\overline{AF}$  intersect at point C, and  $\overline{AD}$  and  $\overline{FBE}$  are drawn.



If AC = 6, DC = 4, FC = 15,  $m \angle D = 65^{\circ}$ , and  $m \angle CBE = 115^{\circ}$ , what is the length of  $\overline{CB}$ ? 1) 10 2) 12

- 3) 17
- 4) 22.5

83 In the diagram below,  $\overline{FAD} \parallel \overline{EHC}$ , and  $\overline{ABH}$  and  $\overline{BC}$  are drawn.



If  $m \angle FAB = 48^{\circ}$  and  $m \angle ECB = 18^{\circ}$ , what is  $m \angle ABC$ ? 1) 18° 2) 48° 3) 66° 4) 114°

84 In the diagram below,  $\overline{AB} \parallel \overline{DEF}$ ,  $\overline{AE}$  and  $\overline{BD}$ intersect at C, m $\angle B = 43^\circ$ , and m $\angle CEF = 152^\circ$ .



Which statement is true?

- 1)  $m \angle D = 28^{\circ}$
- 2)  $m \angle A = 43^{\circ}$
- 3) m $\angle ACD = 71^{\circ}$
- 4)  $m \angle BCE = 109^{\circ}$

85 In the diagram below,  $\overline{AFKB} \parallel \overline{CHLM}, \overline{FH} \cong \overline{LH},$  $\overline{FL} \cong \overline{KL}$ , and  $\overline{LF}$  bisects  $\angle HFK$ .



Which statement is always true?

- 1)  $2(m \angle HLF) = m \angle CHE$
- 2)  $2(m \angle FLK) = m \angle LKB$
- 3)  $m \angle AFD = m \angle BKL$
- 4)  $m \angle DFK = m \angle KLF$
- 86 Steve drew line segments *ABCD*, *EFG*, *BF*, and *CF* as shown in the diagram below. Scalene  $\triangle BFC$  is formed.



Which statement will allow Steve to prove  $\overrightarrow{ABCD} \parallel \overrightarrow{EFG}$ ?

- 1)  $\angle CFG \cong \angle FCB$
- 2)  $\angle ABF \cong \angle BFC$
- 3)  $\angle EFB \cong \angle CFB$
- 4)  $\angle CBF \cong \angle GFC$

87 In the diagram below,  $\overrightarrow{FE}$  bisects  $\overrightarrow{AC}$  at *B*, and  $\overleftrightarrow{GE}$  bisects  $\overrightarrow{BD}$  at *C*.



Which statement is always true?

- 1)  $\overline{AB} \cong \overline{DC}$
- 2)  $\overline{FB} \cong \overline{EB}$
- 3)  $\overrightarrow{BD}$  bisects  $\overline{GE}$  at C.
- 4)  $\overrightarrow{AC}$  bisects  $\overline{FE}$  at B.
- 88 In the diagram below, lines  $\ell$ , m, n, and p intersect line r.



Which statement is true?

- 1)  $\ell \parallel n$
- 2)  $\ell \parallel p$
- 3)  $m \parallel p$
- 4)  $m \parallel n$

- 89 Segment *CD* is the perpendicular bisector of  $\overline{AB}$  at *E*. Which pair of segments does *not* have to be congruent?
  - 1)  $\overline{AD}, \overline{BD}$
  - 2)  $\overline{AC}, \overline{BC}$
  - 3)  $\overline{AE}, \overline{BE}$
  - 4)  $\overline{DE}, \overline{CE}$
- 90 In the diagram below,  $\overline{EF}$  intersects  $\overline{AB}$  and  $\overline{CD}$  at  $\overline{G}$  and  $\overline{H}$ , respectively, and  $\overline{GI}$  is drawn such that  $\overline{GH} \cong \overline{IH}$ .



If m $\angle EGB = 50^{\circ}$  and m $\angle DIG = 115^{\circ}$ , explain why  $\overline{AB} \parallel \overline{CD}$ .

#### G.GPE.B.5: PARALLEL AND PERPENDICULAR LINES

91 Given MN shown below, with M(-6, 1) and N(3,-5), what is an equation of the line that passes through point P(6, 1) and is parallel to MN?



1) 
$$y = -\frac{2}{3}x + 5$$
  
2)  $y = -\frac{2}{3}x - 3$   
3)  $y = \frac{3}{2}x + 7$   
4)  $y = \frac{3}{2}x - 8$ 

- 92 Which equation represents the line that passes through the point (-2, 2) and is parallel to
  - $y = \frac{1}{2}x + 8?$ 1)  $y = \frac{1}{2}x$ 2) y = -2x - 33)  $y = \frac{1}{2}x + 3$ 4) y = -2x + 3

93 Which equation represents a line parallel to the line whose equation is -2x + 3y = -4 and passes through the point (1,3)?

1) 
$$y-3 = -\frac{3}{2}(x-1)$$
  
2)  $y-3 = \frac{2}{3}(x-1)$   
3)  $y+3 = -\frac{3}{2}(x+1)$   
4)  $y+3 = \frac{2}{3}(x+1)$ 

94 The equation of a line is 3x - 5y = 8. All lines perpendicular to this line must have a slope of

1) 
$$\frac{3}{5}$$
  
2)  $\frac{5}{3}$   
3)  $-\frac{3}{5}$   
4)  $-\frac{5}{3}$ 

95 Which equation represents a line that is perpendicular to the line represented by

$$y = \frac{2}{3}x + 1?$$
  
1)  $3x + 2y = 12$   
2)  $3x - 2y = 12$   
3)  $y = \frac{3}{2}x + 2$ 

4) 
$$y = -\frac{2}{3}x + 4$$

96 What is an equation of a line that is perpendicular to the line whose equation is 2y + 3x = 1?

1) 
$$y = \frac{2}{3}x + \frac{5}{2}$$
  
2)  $y = \frac{3}{2}x + 2$   
3)  $y = -\frac{2}{3}x + 1$   
4)  $y = -\frac{3}{2}x + \frac{1}{2}$ 

97 Which equation represents a line that is perpendicular to the line whose equation is y - 3x = 4?

1) 
$$y = -\frac{1}{3}x - 4$$
  
2)  $y = \frac{1}{3}x + 4$   
3)  $y = -3x + 4$   
4)  $y = 3x - 4$ 

- 98 Which equation represents a line that is perpendicular to the line represented by 2x y = 7?
  - 1)  $y = -\frac{1}{2}x + 6$ 2)  $y = \frac{1}{2}x + 6$ 3) y = -2x + 64) y = 2x + 6
- 99 An equation of a line perpendicular to the line represented by the equation  $y = -\frac{1}{2}x - 5$  and passing through (6,-4) is

1) 
$$y = -\frac{1}{2}x + 4$$

2) 
$$y = -\frac{1}{2}x - 1$$

$$3) \quad y = 2x + 14$$

4) y = 2x - 16

100 What is an equation of the line that passes through the point (6,8) and is perpendicular to a line with

equation 
$$y = \frac{3}{2}x + 5$$
?  
1)  $y - 8 = \frac{3}{2}(x - 6)$   
2)  $y - 8 = -\frac{2}{3}(x - 6)$   
3)  $y + 8 = \frac{3}{2}(x + 6)$   
4)  $y + 8 = -\frac{2}{3}(x + 6)$ 

101 What is an equation of a line that is perpendicular to the line whose equation is 2y = 3x - 10 and passes through (-6, 1)?

1) 
$$y = -\frac{2}{3}x - 5$$
  
2)  $y = -\frac{2}{3}x - 3$   
3)  $y = \frac{2}{3}x + 1$   
4)  $y = \frac{2}{3}x + 10$ 

102 An equation of the line perpendicular to the line whose equation is 4x - 5y = 6 and passes through the point (-2,3) is

1) 
$$y+3 = -\frac{5}{4}(x-2)$$
  
2)  $y-3 = -\frac{5}{4}(x+2)$ 

3) 
$$y+3 = \frac{4}{5}(x-2)$$

4) 
$$y-3 = \frac{4}{5}(x+2)$$

103 What is an equation of a line which passes through (6,9) and is perpendicular to the line whose equation is 4x - 6y = 15?

1) 
$$y-9 = -\frac{3}{2}(x-6)$$
  
2)  $y-9 = \frac{2}{3}(x-6)$   
3)  $y+9 = -\frac{3}{2}(x+6)$   
4)  $y+9 = \frac{2}{3}(x+6)$ 

104 What is an equation of the perpendicular bisector of the line segment shown in the diagram below?



- 1) y + 2x = 02) y - 2x = 03) 2y + x = 0
- 4) 2y x = 0

105 Line segment *NY* has endpoints N(-11,5) and Y(5,-7). What is the equation of the perpendicular bisector of  $\overline{NY}$ ?

1) 
$$y+1 = \frac{4}{3}(x+3)$$
  
2)  $y+1 = -\frac{3}{4}(x+3)$   
3)  $y-6 = \frac{4}{3}(x-8)$   
4)  $y-6 = -\frac{3}{4}(x-8)$ 

106 Segment JM has endpoints J(-5, 1) and M(7, -9). An equation of the perpendicular bisector of  $\overline{JM}$  is

- 1)  $y-4 = \frac{5}{6}(x+1)$ 2)  $y+4 = \frac{5}{6}(x-1)$
- 3)  $y-4 = \frac{6}{5}(x+1)$ 4)  $y+4 = \frac{6}{5}(x-1)$
- 107 The endpoints of  $\overline{AB}$  are A(0,4) and B(-4,6). Which equation of a line represents the perpendicular bisector of  $\overline{AB}$ ?
  - 1)  $y = -\frac{1}{2}x + 4$ 2) y = -2x + 1
  - 3) y = 2x + 1
  - 4) y = 2x + 9
- 108 Write an equation of the line that is parallel to the line whose equation is 3y + 7 = 2x and passes through the point (2,6).

109 Determine and state an equation of the line perpendicular to the line 5x - 4y = 10 and passing through the point (5, 12).

## TRIANGLES G.SRT.C.8: 30-60-90 TRIANGLES

110 The diagram shows rectangle *ABCD*, with diagonal  $\overline{BD}$ .



What is the perimeter of rectangle *ABCD*, to the *nearest tenth*?

- 1) 28.4
- 2) 32.8
- 3) 48.0
- 4) 62.4
- 111 An equilateral triangle has sides of length 20. To the *nearest tenth*, what is the height of the equilateral triangle?
  - 1) 10.0
  - 2) 11.5
  - 3) 17.3
  - 4) 23.1

#### G.SRT.B.5: ISOSCELES TRIANGLE THEOREM

112 In the diagram below of  $\triangle AED$  and  $\overline{ABCD}$ ,  $\overline{AE} \cong \overline{DE}$ .



Which statement is always true?

- 1)  $EB \cong EC$
- 2)  $\overline{AC} \cong \overline{DB}$
- 3)  $\angle EBA \cong \angle ECD$
- 4)  $\angle EAC \cong \angle EDB$
- 113 In triangle *CEM*, CE = 3x + 10, ME = 5x 14, and CM = 2x 6. Determine and state the value of x that would make *CEM* an isosceles triangle with the vertex angle at *E*.

#### G.SRT.B.5: SIDE SPLITTER THEOREM

114 In the diagram of  $\triangle ADC$  below,  $\overline{EB} \parallel \overline{DC}$ , AE = 9, ED = 5, and AB = 9.2.



What is the length of  $\overline{AC}$ , to the *nearest tenth*?

- 1) 5.1
- 2) 5.2
- 3) 14.3
- 4) 14.4
- 115 In the diagram of  $\triangle ABC$ , points *D* and *E* are on  $\overline{AB}$  and  $\overline{CB}$ , respectively, such that  $\overline{AC} \parallel \overline{DE}$ .



If AD = 24, DB = 12, and DE = 4, what is the length of  $\overline{AC}$ ?

1) 8

- 2) 12
- 3) 16
- 4) 72

116 Given  $\triangle MRO$  shown below, with trapezoid *PTRO*, MR = 9, MP = 2, and PO = 4.



What is the length of  $\overline{TR}$ ?

- 1) 4.5
- 2) 5
- 3) 3
- 4) 6
- 117 In the diagram below, triangle ACD has points B and E on sides  $\overline{AC}$  and  $\overline{AD}$ , respectively, such that  $\overline{BE} \parallel \overline{CD}, AB = 1, BC = 3.5$ , and AD = 18.



What is the length of  $\overline{AE}$ , to the *nearest tenth*?

- 1) 14.0
- 2) 5.1
- 3) 3.3
- 4) 4.0

118 In the diagram of  $\triangle ABC$  below,  $\overline{DE}$  is parallel to  $\overline{AB}$ , CD = 15, AD = 9, and AB = 40.



The length of  $\overline{DE}$  is

- 1) 15
- 2) 24
- 3) 25
- 4) 30
- 119 In the diagram below of  $\triangle PQR$ ,  $\overline{ST}$  is drawn parallel to  $\overline{PR}$ , PS = 2, SQ = 5, and TR = 5.



What is the length of  $\overline{QR}$ ?

1) 7 2) 2 3)  $12\frac{1}{2}$ 4)  $17\frac{1}{2}$ 

120 In triangle *ABC*, points *D* and *E* are on sides  $\overline{AB}$  and  $\overline{BC}$ , respectively, such that  $\overline{DE} \parallel \overline{AC}$ , and AD:DB = 3:5.



If DB = 6.3 and AC = 9.4, what is the length of DE, to the *nearest tenth*?

- 1) 3.8
- 2) 5.6
- 3) 5.9
- 4) 15.7
- 121 In right triangle *ABC* shown below, point *D* is on  $\overline{AB}$  and point *E* is on  $\overline{CB}$  such that  $\overline{AC} \parallel \overline{DE}$ .



If AB = 15, BC = 12, and EC = 7, what is the length of  $\overline{BD}$ ?

- 1) 8.75
- 2) 6.25
- 3) 5
- 4) 4

122 In the diagram below of  $\triangle ABC$ , D is a point on  $\overline{BA}$ , E is a point on  $\overline{BC}$ , and  $\overline{DE}$  is drawn.



If BD = 5, DA = 12, and BE = 7, what is the length of  $\overline{BC}$  so that  $\overline{AC} \parallel \overline{DE}$ ?

- 1) 23.8
- 2) 16.8
- 3) 15.6
- 4) 8.6
- 123 In the diagram below,  $\overline{BC}$  connects points *B* and *C* on the congruent sides of isosceles triangle *ADE*, such that  $\triangle ABC$  is isosceles with vertex angle *A*.



If AB = 10, BD = 5, and DE = 12, what is the length of  $\overline{BC}$ ?

- 1) 6
- 2) 7
- 3) 8
- 4) 9

124 In the diagram below of  $\triangle RST$ , *L* is a point on  $\overline{RS}$ , and *M* is a point on  $\overline{RT}$ , such that  $LM \parallel ST$ .



If RL = 2, LS = 6, LM = 4, and ST = x + 2, what is the length of  $\overline{ST}$ ?

- 1) 10
- 2) 12
- 3) 14
- 4) 16
- 125 In the diagram below of  $\triangle CER$ ,  $\overline{LA} \parallel \overline{CR}$ .



If CL = 3.5, LE = 7.5, and EA = 9.5, what is the length of  $\overline{AR}$ , to the *nearest tenth*?

- 1) 5.5
- 2) 4.4
- 3) 3.0
- 4) 2.8

126 In triangle <u>ABC</u> below, <u>D</u> is a point on <u>AB</u> and <u>E</u> is a point on <u>AC</u>, such that <u>DE</u> || <u>BC</u>.



If AD = 12, DB = 8, and EC = 10, what is the length of  $\overline{AC}$ ?

- 1) 15
- 2) 22
- 3) 24
- 4) 25
- 127 In the diagram of  $\triangle SRA$  below,  $\overline{KP}$  is drawn such that  $\angle SKP \cong \angle SRA$ .



If SK = 10, SP = 8, and PA = 6, what is the length of  $\overline{KR}$ , to the *nearest tenth*?

- 1) 4.8
- 2) 7.5
- 3) 8.0
- 4) 13.3

128 In the diagram of  $\triangle ABC$  below, points *D* and *E* are on sides  $\overline{AB}$  and  $\overline{CB}$  respectively, such that  $\overline{DE} \parallel \overline{AC}$ .



If *EB* is 3 more than DB, AB = 14, and CB = 21, what is the length of  $\overline{AD}$ ?

- 1) 6
- 2) 8
- 3) 9
- 4) 12
- 129 In the diagram below of  $\triangle ABC$ ,  $\overline{TV}$  intersects  $\overline{AB}$ and  $\overline{AC}$  at points T and V respectively, and  $m \angle ATV = m \angle ABC$ .



If AT = 4, BC = 18, TB = 5, and AV = 6, what is the perimeter of quadrilateral *TBCV*?

- 1) 38.5
- 2) 39.5
- 3) 40.5
- 4) 44.9

130 In the diagram below,  $\triangle ABC \sim \triangle ADE$ .



Which measurements are justified by this similarity?

- 1) AD = 3, AB = 6, AE = 4, and AC = 12
- 2) AD = 5, AB = 8, AE = 7, and AC = 10
- 3) AD = 3, AB = 9, AE = 5, and AC = 10
- 4) AD = 2, AB = 6, AE = 5, and AC = 15
- 131 In triangle <u>ABC</u> below, <u>D</u> is a point on <u>AB</u> and <u>E</u> is a point on <u>AC</u>, such that <u>DE</u>  $\parallel \underline{BC}$ .



Which statement is always true?

- 1)  $\angle ADE$  and  $\angle ABC$  are right angles.
- 2)  $\triangle ADE \sim \triangle ABC$
- 3)  $DE = \frac{1}{2}BC$
- 4)  $\overline{AD} \cong \overline{DB}$

132 Triangle *ADF* is drawn and  $\overline{BC} \parallel \overline{DF}$ .



Which statement must be true?

- 1)  $\frac{AB}{BC} = \frac{BD}{DF}$
- $2) \quad BC = \frac{1}{2}DF$
- $3) \quad AB:AD = AC:CF$
- $4) \quad \angle ACB \cong \angle AFD$
- 133 In the diagram below of right triangle *AED*,  $\overline{BC} \parallel \overline{DE}$ .



Which statement is always true?

- 1)  $\frac{AC}{BC} = \frac{DE}{AE}$
- 2)  $\frac{AB}{AD} = \frac{BC}{DE}$

3) 
$$\frac{AC}{CE} = \frac{BC}{DE}$$

4)  $\overline{BC} = \overline{AB}$ 

134 In  $\triangle ABC$  below,  $\overline{DE}$  is drawn such that D and E are on  $\overline{AB}$  and  $\overline{AC}$ , respectively.



If  $\overline{DE} \parallel \overline{BC}$ , which equation will always be true?

- 1)  $\frac{AD}{DE} = \frac{DB}{BC}$ 2)  $\frac{AD}{DE} = \frac{AB}{BC}$ 3)  $\frac{AD}{BC} = \frac{DE}{DB}$ 4)  $\frac{AD}{BC} = \frac{DE}{AB}$
- 135 In the diagram below of  $\triangle ACT$ ,  $\overrightarrow{ES}$  is drawn parallel to  $\overrightarrow{AT}$  such that *E* is on  $\overrightarrow{CA}$  and *S* is on  $\overrightarrow{CT}$ .



Which statement is always true?

1)  $\frac{CE}{CA} = \frac{CS}{ST}$ 2)  $\frac{CE}{ES} = \frac{EA}{AT}$ 3)  $\frac{CE}{EA} = \frac{CS}{ST}$ 4)  $\frac{CE}{ST} = \frac{EA}{CS}$ 

136 The diagram below shows triangle ABC with point X on side  $\overline{AB}$  and point Y on side  $\overline{CB}$ .



Which information is sufficient to prove that  $\triangle BXY \sim \triangle BAC$ ?

- 1)  $\angle B$  is a right angle.
- 2) XY is parallel to AC.
- 3)  $\triangle ABC$  is isosceles.
- 4)  $\overline{AX} \cong \overline{CY}$
- 137 In  $\triangle$  *CED* as shown below, points *A* and *B* are located on sides  $\overline{CE}$  and  $\overline{ED}$ , respectively. Line segment *AB* is drawn such that AE = 3.75, AC = 5, EB = 4.5, and BD = 6.



Explain why *AB* is parallel to *CD*.

#### G.CO.C.10: INTERIOR AND EXTERIOR ANGLES OF TRIANGLES

138 In the diagram below of  $\triangle ACD$ ,  $\overline{DB}$  is a median to  $\overline{AC}$ , and  $\overline{AB} \cong \overline{DB}$ .



If  $m \angle DAB = 32^\circ$ , what is  $m \angle BDC$ ?

- 1) 32°
- 2) 52°
- 3) 58°
- 4) 64°
- 139 In the diagram below,  $\overline{DE}$  divides  $\overline{AB}$  and  $\overline{AC}$ proportionally, m $\angle C = 26^\circ$ , m $\angle A = 82^\circ$ , and  $\overline{DF}$ bisects  $\angle BDE$ .



The measure of angle *DFB* is

- 1) 36°
- 2) 54°
- 3) 72°
- 4) 82°

140 In the diagram below of triangle *MNO*,  $\angle M$  and  $\angle O$  are bisected by  $\overline{MS}$  and  $\overline{OR}$ , respectively. Segments *MS* and *OR* intersect at *T*, and  $m \angle N = 40^{\circ}$ .



If  $m \angle TMR = 28^\circ$ , the measure of angle *OTS* is

- 1) 40°
- 2) 50°
- 3) 60°
- 4) 70°
- 141 In the diagram of  $\triangle ABC$  below,  $\overline{AE}$  bisects angle *BAC*, and altitude  $\overline{BD}$  is drawn.



If  $m \angle C = 50^{\circ}$  and  $m \angle ABC = 60^{\circ}$ ,  $m \angle FEB$  is

- 1) 35°
- 2) 40°
- 3) 55°
- 4) 85°

142 In the diagram below,  $m \angle BDC = 100^\circ$ ,  $m \angle A = 50^\circ$ , and  $m \angle DBC = 30^\circ$ .



Which statement is true?

- 1)  $\triangle ABD$  is obtuse.
- 2)  $\triangle ABC$  is isosceles.
- 3)  $m \angle ABD = 80^{\circ}$
- 4)  $\triangle ABD$  is scalene.

#### G.CO.C.10: EXTERIOR ANGLE THEOREM

143 Given  $\triangle ABC$  with m $\angle B = 62^\circ$  and side  $\overline{AC}$  extended to *D*, as shown below.



Which value of x makes  $AB \cong CB$ ?

- 1) 59°
- 2) 62°
- 3) 118°
- 4) 121°

144 In  $\triangle ABC$  shown below, side  $\overline{AC}$  is extended to point D with  $m \angle DAB = (180 - 3x)^\circ$ ,  $m \angle B = (6x - 40)^\circ$ , and  $m \angle C = (x + 20)^\circ$ .



- 2) 40°
- 3) 60°
- 4) 80°
- 145 In the diagram below of triangle ABC,  $\overline{AC}$  is extended through point C to point D, and  $\overline{BE}$  is drawn to  $\overline{AC}$ .



Which equation is always true?

- 1)  $m \angle 1 = m \angle 3 + m \angle 2$
- 2)  $m \angle 5 = m \angle 3 m \angle 2$
- 3)  $m \angle 6 = m \angle 3 m \angle 2$
- 4)  $m \angle 7 = m \angle 3 + m \angle 2$

- 146 The measure of one of the base angles of an isosceles triangle is  $42^{\circ}$ . The measure of an exterior angle at the vertex of the triangle is 1)  $42^{\circ}$ 
  - 1) 42 2) 84°
  - 3) 96°
  - 4) 138°
- 147 If one exterior angle of a triangle is acute, then the triangle must be
  - 1) right
  - 2) acute
  - 3) obtuse
  - 4) equiangular

#### G.CO.C.10: ANGLE SIDE RELATIONSHIP

148 In the diagram of quadrilateral *NAVY* below,  $m \angle YNA = 30^\circ$ ,  $m \angle YAN = 38^\circ$ ,  $m \angle AVY = 94^\circ$ , and  $m \angle VAY = 46^\circ$ .



Which segment has the shortest length?

- 1) *AY*
- 2) *NY*
- 3) VA
- 4)  $\overline{V}$
- 149 In  $\triangle ABC$ , side  $\overline{BC}$  is extended through C to D. If  $m \angle A = 30^{\circ}$  and  $m \angle ACD = 110^{\circ}$ , what is the longest side of  $\triangle ABC$ ?
  - 1)  $\overline{AC}$
  - 2)  $\overline{BC}$
  - 3)  $\overline{AB}$
  - 4)  $\overline{CD}$

#### G.CO.C.10: MIDSEGMENTS

- 150 In  $\triangle ABC$ , *M* is the midpoint of  $\overline{AB}$  and *N* is the midpoint of  $\overline{AC}$ . If MN = x + 13 and BC = 5x 1, what is the length of  $\overline{MN}$ ?
  - 1) 3.5
  - 2) 9
  - 3) 16.5
  - 4) 22
- 151 In quadrilateral *ABCD* below,  $\overline{AB} \parallel \overline{CD}$ , and *E*, *H*, and *F* are the midpoints of  $\overline{AD}$ ,  $\overline{AC}$ , and  $\overline{BC}$ , respectively.



If AB = 24, CD = 18, and AH = 10, then FH is 1) 9

- 2) 10
- 3) 12
- 4) 21

152 In the diagram of equilateral triangle  $\underline{ABC}$  shown below, E and F are the midpoints of  $\overline{AC}$  and  $\overline{BC}$ , respectively.



If EF = 2x + 8 and AB = 7x - 2, what is the perimeter of trapezoid *ABFE*?

- 1) 36 2) 60
- 2) 60
  3) 100
- 4) 120
- 153 In the diagram below,  $\overline{DE}$ ,  $\overline{DF}$ , and  $\overline{EF}$  are midsegments of  $\triangle ABC$ .



The perimeter of quadrilateral *ADEF* is equivalent to

- 1) AB + BC + AC
- $2) \quad \frac{1}{2}AB + \frac{1}{2}AC$
- 3) 2AB + 2AC
- 4) AB + AC

154 In the diagram below of  $\triangle ABC$ , *D*, *E*, and *F* are the midpoints of  $\overline{AB}$ ,  $\overline{BC}$ , and  $\overline{CA}$ , respectively.



What is the ratio of the area of  $\triangle CFE$  to the area of  $\triangle CAB$ ?

- 1) 1:1
- 2) 1:2
- 3) 1:3
- 4) 1:4
- 155 The area of  $\triangle TAP$  is 36 cm<sup>2</sup>. A second triangle, *JOE*, is formed by connecting the midpoints of each side of  $\triangle TAP$ . What is the area of *JOE*, in square centimeters?
  - 1) 9
  - 2) 12
  - 3) 18
  - 4) 27

#### G.CO.C.10: MEDIANS, ALTITUDES AND BISECTORS

- 156 Segment *AB* is the perpendicular bisector of *CD* at point *M*. Which statement is always true?
  - 1)  $\overline{CB} \cong \overline{DB}$
  - 2)  $\overline{CD} \cong \overline{AB}$
  - 3)  $\triangle ACD \sim \triangle BCD$
  - 4)  $\triangle ACM \sim \triangle BCM$

157 In triangle  $\underline{MAH}$  below,  $\overline{MT}$  is the perpendicular bisector of  $\overline{AH}$ .



Which statement is not always true?

- 1)  $\triangle MAH$  is isosceles.
- 2)  $\triangle MAT$  is isosceles.
- 3) *MT* bisects  $\angle AMH$ .
- 4)  $\angle A$  and  $\angle TMH$  are complementary.
- 158 In  $\triangle ABC$ ,  $\overline{BD}$  is the perpendicular bisector of  $\overline{ADC}$ . Based upon this information, which statements below can be proven?
  - I.  $\overline{BD}$  is a median.
  - II.  $\overline{BD}$  bisects  $\angle ABC$ .
  - III.  $\triangle ABC$  is isosceles.
  - 1) I and II, only
  - 2) I and III, only
  - 3) II and III, only
  - 4) I, II, and III
- 159 In isosceles  $\triangle MNP$ , line segment *NO* bisects vertex  $\angle MNP$ , as shown below. If MP = 16, find the length of  $\overline{MO}$  and explain your answer.



#### <u>G.CO.C.10: CENTROID, ORTHOCENTER,</u> <u>INCENTER & CIRCUMCENTER</u>

- 160 If the altitudes of a triangle meet at one of the triangle's vertices, then the triangle is
  - 1) a right triangle
  - 2) an acute triangle
  - 3) an obtuse triangle
  - 4) an equilateral triangle
- 161 In triangle *SRK* below, medians  $\overline{SC}$ ,  $\overline{KE}$ , and  $\overline{RL}$  intersect at *M*.



Which statement must always be true?

- 1) 3(MC) = SC
- $2) \quad MC = \frac{1}{3} (SM)$
- 3) RM = 2MC
- 4) SM = KM

162 In the diagram below of isosceles triangle *ABC*,  $\overline{AB} \cong \overline{CB}$  and angle bisectors  $\overline{AD}$ ,  $\overline{BF}$ , and  $\overline{CE}$  are drawn and intersect at X.



If  $m \angle BAC = 50^\circ$ , find  $m \angle AXC$ .

163 In  $\triangle XYZ$ , shown below, medians  $\overline{XE}$ ,  $\overline{YF}$ , and  $\overline{ZD}$  intersect at C.



If CE = 5, YF = 21, and XZ = 15, determine and state the perimeter of triangle *CFX*.

G.GPE.B.4: TRIANGLES IN THE COORDINATE PLANE

164 In the diagram below,  $\triangle ABC$  has vertices A(4,5), B(2,1), and C(7,3).



What is the slope of the altitude drawn from A to  $\overline{BC}$ ?

- 1)  $\frac{2}{5}$ 2)  $\frac{3}{2}$
- 3)  $-\frac{1}{2}$ 4)  $-\frac{5}{2}$

165 On the set of axes below,  $\triangle ABC$ , altitude  $\overline{CG}$ , and median  $\overline{CM}$  are drawn.



Which expression represents the area of  $\triangle ABC$ ?

- 1)  $\frac{(BC)(AC)}{2}$ 2)  $\frac{(GC)(BC)}{2}$ 3)  $\frac{(CM)(AB)}{2}$ 4)  $\frac{(GC)(AB)}{2}$
- 166 The coordinates of the vertices of  $\triangle RST$  are R(-2,-3), S(8,2), and T(4,5). Which type of triangle is  $\triangle RST$ ?
  - 1) right
  - 2) acute
  - 3) obtuse
  - 4) equiangular

167 A triangle has vertices A(-2,4), B(6,2), and C(1,-1). Prove that  $\triangle ABC$  is an isosceles right triangle. [The use of the set of axes below is optional.]



168 Triangle *ABC* has vertices with coordinates A(-1,-1), B(4,0), and C(0,4). Prove that  $\triangle ABC$  is an isosceles triangle but *not* an equilateral triangle. [The use of the set of axes below is optional.]



169 Triangle *ABC* has vertices with A(x,3), B(-3,-1), and C(-1,-4). Determine and state a value of x that would make triangle *ABC* a right triangle. Justify why  $\triangle ABC$  is a right triangle. [The use of the set of axes below is optional.]



170 On the set of axes below,  $\triangle DEF$  has vertices at the coordinates D(1,-1), E(3,4), and F(4,2), and point *G* has coordinates (3,1). Owen claims the median from point *E* must pass through point *G*. Is Owen correct? Explain why.



171 Triangle *RST* has vertices with coordinates R(-3,-2), S(3,2) and T(4,-4). Determine and state an equation of the line parallel to  $\overline{RT}$  that passes through point *S*. [The use of the set of axes below is optional.]



172 Triangle *PQR* has vertices P(-3,-1), Q(-1,7), and R(3,3), and points *A* and *B* are midpoints of  $\overline{PQ}$  and  $\overline{RQ}$ , respectively. Use coordinate geometry to prove that  $\overline{AB}$  is parallel to  $\overline{PR}$  and is half the length of  $\overline{PR}$ . [The use of the set of axes below is optional.]



### POLYGONS G.CO.C.11: INTERIOR AND EXTERIOR ANGLES OF POLYGONS

173 In the diagram of parallelogram FRED shown below,  $\overline{ED}$  is extended to A, and  $\overline{AF}$  is drawn such that  $\overline{AF} \cong \overline{DF}$ .



If  $m \angle R = 124^\circ$ , what is  $m \angle AFD$ ?

- 1) 124°
- 2) 112°
- 3) 68°
- 4) 56°
- 174 In the diagram below, *ABCD* is a parallelogram,  $\overline{AB}$  is extended through *B* to *E*, and  $\overline{CE}$  is drawn.



If  $CE \cong BE$  and  $m \angle D = 112^\circ$ , what is  $m \angle E$ ?

- 1) 44°
- 2) 56°
- 3) 68°
- 4) 112°

175 In the diagram below of parallelogram *ROCK*,  $m \angle C$  is 70° and  $m \angle ROS$  is 65°.





- 3) 115°
- 4) 135°
- 176 In parallelogram *PQRS*,  $\overline{QP}$  is extended to point *T* and  $\overline{ST}$  is drawn.





- 3) 65°
- 4) 50°

177 In parallelogram *ABCD* shown below,  $\overline{EB}$  bisects  $\angle ABC$ .



- 3) 110°
- 4) 140°
- 178 In the diagram below of parallelogram <u>ABCD</u>, diagonal <u>BED</u> and <u>EF</u> are drawn, <u>EF</u>  $\perp$  <u>DFC</u>, m $\angle DAB = 111^{\circ}$ , and m $\angle DBC = 39^{\circ}$ .



What is m $\angle DEF$ ?

- 1) 30°
- 2) 51°
- 3) 60°
- 4) 120°

179 In parallelogram QRST shown below, diagonal  $\overline{TR}$  is drawn, U and V are points on  $\overline{TS}$  and  $\overline{QR}$ , respectively, and  $\overline{UV}$  intersects  $\overline{TR}$  at W.



If  $m \angle S = 60^\circ$ ,  $m \angle SRT = 83^\circ$ , and  $m \angle TWU = 35^\circ$ , what is  $m \angle WVQ$ ?

- 1) 37°
- 2) 60°
- 3) 72°
- 4) 83°
- 180 In the diagram below of parallelogram *ABCD*,  $\overline{AFGB}$ ,  $\overline{CF}$  bisects  $\angle DCB$ ,  $\overline{DG}$  bisects  $\angle ADC$ , and  $\overline{CF}$  and  $\overline{DG}$  intersect at *E*.



If m $\angle B = 75^\circ$ , then the measure of  $\angle EFA$  is

- 1) 142.5°
- 2) 127.5°
- 3) 52.5°
- 4) 37.5°

181 Quadrilateral *EBCF* and  $\overline{AD}$  are drawn below, such that  $\underline{ABCD}$  is a parallelogram,  $\overline{EB} \cong \overline{FB}$ , and  $\overline{EF} \perp \overline{FH}$ .



If  $m \angle E = 62^\circ$  and  $m \angle C = 51^\circ$ , what is  $m \angle FHB$ ?

- 1) 79°
- 2) 76°
- 3) 73°
- 4) 62°
- 182 In the diagram below, point *E* is located inside square *ABCD* such that  $\triangle ABE$  is equilateral, and  $\overline{CE}$  is drawn.



What is m $\angle BEC$ ?

- 1) 30°
- 2) 60°
- 3) 75°
- 4) 90°

183 The diagram below shows parallelogram *LMNO* with diagonal  $\overline{LN}$ , m $\angle M = 118^{\circ}$ , and m $\angle LNO = 22^{\circ}$ .



Explain why m∠NLO is 40 degrees.

184 In parallelogram *ABCD* shown below,  $m\angle DAC = 98^{\circ}$  and  $m\angle ACD = 36^{\circ}$ .



What is the measure of angle *B*? Explain why.

185 In parallelogram *ABCD* shown below, the bisectors of  $\angle ABC$  and  $\angle DCB$  meet at *E*, a point on  $\overline{AD}$ .



If  $m \angle A = 68^\circ$ , determine and state  $m \angle BEC$ .

186 Trapezoid *ABCD*, where  $\overline{AB} \parallel \overline{CD}$ , is shown below. Diagonals  $\overline{AC}$  and  $\overline{DB}$  intersect  $\overline{MN}$  at *E*, and  $\overline{AD} \cong \overline{AE}$ .



If  $m \angle DAE = 35^{\circ}$ ,  $m \angle DCE = 25^{\circ}$ , and  $m \angle NEC = 30^{\circ}$ , determine and state  $m \angle ABD$ .

187 Parallelogram ABCD is adjacent to rhombus DEFG, as shown below, and  $\overline{FC}$  intersects  $\overline{AGD}$  at H.



If  $m \angle B = 118^\circ$  and  $m \angle AHC = 138^\circ$ , determine and state  $m \angle GFH$ .

#### G.CO.C.11: PARALLELOGRAMS

- 188 Which statement about parallelograms is always true?
  - 1) The diagonals are congruent.
  - 2) The diagonals bisect each other.
  - 3) The diagonals are perpendicular.
  - 4) The diagonals bisect their respective angles.
- 189 A quadrilateral must be a parallelogram if
  - 1) one pair of sides is parallel and one pair of angles is congruent
  - 2) one pair of sides is congruent and one pair of angles is congruent
  - 3) one pair of sides is both parallel and congruent
  - 4) the diagonals are congruent
- 190 Parallelogram *HAND* is drawn below with diagonals  $\overline{HN}$  and  $\overline{AD}$  intersecting at *S*.



Which statement is always true?

1) 
$$AN = \frac{1}{2}AD$$
  
2)  $AS = \frac{1}{2}AD$ 

- 3)  $\angle AHS \cong \angle ANS$
- 4)  $\angle HDS \cong \angle NDS$

- 191 Quadrilateral *MATH* has both pairs of opposite sides congruent and parallel. Which statement about quadrilateral *MATH* is always true?
  - 1)  $\overline{MT} \cong \overline{AH}$
  - 2)  $\overline{MT} \perp \overline{AH}$
  - 3)  $\angle MHT \cong \angle ATH$
  - 4)  $\angle MAT \cong \angle MHT$
- 192 In quadrilateral *BLUE* shown below,  $\overline{BE} \cong \overline{UL}$ .



Which information would be sufficient to prove quadrilateral *BLUE* is a parallelogram?

- 1)  $BL \parallel EU$
- 2)  $\overline{LU} \parallel \overline{BE}$
- 3)  $\overline{BE} \cong \overline{BL}$
- 4)  $\overline{LU} \cong \overline{EU}$

193 In the diagram below, lines l and m intersect lines n and p to create the shaded quadrilateral as shown.



Which congruence statement would be sufficient to prove the quadrilateral is a parallelogram?

- 1)  $\angle 1 \cong \angle 6 \text{ and } \angle 9 \cong \angle 14$
- 2)  $\angle 5 \cong \angle 10 \text{ and } \angle 6 \cong \angle 9$
- 3)  $\angle 5 \cong \angle 7$  and  $\angle 10 \cong \angle 15$
- 4)  $\angle 6 \cong \angle 9$  and  $\angle 9 \cong \angle 11$
- 194 In the diagram below, lines k and  $\ell$  intersect lines m and n at points A, B, C, and D.



Which statement is sufficient to prove *ABCD* is a parallelogram?

- 1)  $\angle 1 \cong \angle 3$
- 2)  $\angle 4 \cong \angle 7$
- 3)  $\angle 2 \cong \angle 5$  and  $\angle 5 \cong \angle 7$
- 4)  $\angle 1 \cong \angle 3$  and  $\angle 3 \cong \angle 4$

- 195 In quadrilateral *QRST*, diagonals  $\overline{QS}$  and  $\overline{RT}$ intersect at *M*. Which statement would always prove quadrilateral *QRST* is a parallelogram?
  - 1)  $\angle TQR$  and  $\angle QRS$  are supplementary.
  - $QM \cong SM$  and  $QT \cong RS$ 2)
  - 3)  $\overline{QR} \cong \overline{TS}$  and  $\overline{QT} \cong \overline{RS}$
  - 4)  $\overline{OR} \cong \overline{TS}$  and  $\overline{OT} \parallel \overline{RS}$
- 196 Quadrilateral *ABCD* with diagonals  $\overline{AC}$  and  $\overline{BD}$  is shown in the diagram below.



Which information is *not* enough to prove *ABCD* is a parallelogram?

- 1)  $AB \cong CD$  and  $AB \parallel DC$
- 2)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \cong \overline{DA}$
- 3)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \parallel \overline{AD}$
- $\overline{AB} \parallel \overline{DC}$  and  $\overline{BC} \parallel \overline{AD}$ 4)
- 197 Quadrilateral ABCD has diagonals  $\overline{AC}$  and  $\overline{BD}$ . Which information is *not* sufficient to prove ABCD is a parallelogram?
  - $\overline{AC}$  and BD bisect each other. 1)
  - 2)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \cong \overline{AD}$
  - 3)  $\overline{AB} \cong \overline{CD}$  and  $\overline{AB} \parallel \overline{CD}$
  - 4)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \parallel \overline{AD}$

- 198 Quadrilateral BEST has diagonals that intersect at point D. Which statement would not be sufficient to prove quadrilateral BEST is a parallelogram?
  - $\overline{BD} \cong \overline{SD}$  and  $\overline{ED} \cong \overline{TD}$ 1)
  - 2)  $\overline{BE} \cong \overline{ST}$  and  $\overline{ES} \cong \overline{TB}$
  - 3)  $\overline{ES} \cong \overline{TB}$  and  $\overline{BE} \parallel \overline{TS}$
  - 4)  $\overline{ES} \parallel \overline{BT}$  and  $\overline{BE} \parallel \overline{TS}$
- 199 In parallelogram ABCD with  $AC \perp BD$ , AC = 12and BD = 16. What is the perimeter of *ABCD*?
  - 1) 10
  - 2) 24 40
  - 3)
  - 4) 56

#### G.CO.C.11: TRAPEZOIDS

200 In trapezoid *ABCD* below,  $AB \parallel CD$ .



If AE = 5.2, AC = 11.7, and CD = 10.5, what is the length of *AB*, to the *nearest tenth*?

- 4.7 1)
- 2) 6.5
- 3) 8.4
- 4) 13.1

Geometry Regents Exam Questions by State Standard: Topic

201 In the diagram below of isosceles trapezoid *STAR*, diagonals  $\overline{AS}$  and  $\overline{RT}$  intersect at *O* and  $\overline{ST} \parallel \overline{RA}$ , with nonparallel sides  $\overline{SR}$  and  $\overline{TA}$ .



Which pair of triangles are not always similar?

- 1)  $\triangle STO$  and  $\triangle ARO$
- 2)  $\triangle SOR$  and  $\triangle TOA$
- 3)  $\triangle SRA$  and  $\triangle ATS$
- 4)  $\triangle SRT$  and  $\triangle TAS$

### G.CO.C.11: SPECIAL QUADRILATERALS

- 202 Which information is *not* sufficient to prove that a parallelogram is a square?
  - 1) The diagonals are both congruent and perpendicular.
  - 2) The diagonals are congruent and one pair of adjacent sides are congruent.
  - 3) The diagonals are perpendicular and one pair of adjacent sides are congruent.
  - 4) The diagonals are perpendicular and one pair of adjacent sides are perpendicular.
- 203 A parallelogram must be a rectangle when its
  - 1) diagonals are perpendicular
  - 2) diagonals are congruent
  - 3) opposite sides are parallel
  - 4) opposite sides are congruent
- 204 A parallelogram is always a rectangle if
  - 1) the diagonals are congruent
  - 2) the diagonals bisect each other
  - 3) the diagonals intersect at right angles
  - 4) the opposite angles are congruent

- 205 A parallelogram must be a rhombus if its diagonals
  - 1) are congruent
  - 2) bisect each other
  - 3) do not bisect its angles
  - 4) are perpendicular to each other
- 206 Which set of statements would describe a parallelogram that can always be classified as a rhombus?

I. Diagonals are perpendicular bisectors of each other.

II. Diagonals bisect the angles from which they are drawn.

III. Diagonals form four congruent isosceles right triangles.

- 1) I and II
- 2) I and III
- 3) II and III
- 4) I, II, and III
- 207 In the diagram below, if  $\triangle ABE \cong \triangle CDF$  and  $\overline{AEFC}$  is drawn, then it could be proven that quadrilateral *ABCD* is a



- 1) square
- 2) rhombus
- 3) rectangle
- 4) parallelogram

- 208 Which polygon does *not* always have congruent diagonals?
  - 1) square
  - 2) rectangle
  - 3) rhombus
  - 4) isosceles trapezoid
- 209 A quadrilateral has diagonals that are perpendicular but *not* congruent. This quadrilateral could be
  - 1) a square
  - 2) a rhombus
  - 3) a rectangle
  - 4) an isosceles trapezoid
- 210 Which quadrilateral has diagonals that are always perpendicular?
  - 1) rectangle
  - 2) rhombus
  - 3) trapezoid
  - 4) parallelogram
- 211 In the diagram below of square CASH, diagonals  $\overline{AH}$  and  $\overline{CS}$  intersect at Z.



Which statement is true?

- 1)  $m \angle ACZ > m \angle ZCH$
- 2)  $m \angle ACZ < m \angle ASZ$
- 3)  $m \angle AZC = m \angle SHC$
- 4)  $m \angle AZC = m \angle ZCH$

212 Parallelogram *BETH*, with diagonals  $\overline{BT}$  and  $\overline{HE}$ , is drawn below.



What additional information is sufficient to prove that *BETH* is a rectangle?

- 1)  $BT \perp HE$
- 2)  $\overline{BE} \parallel \overline{HT}$
- 3)  $\overline{BT} \cong \overline{HE}$
- 4)  $\overline{BE} \cong \overline{ET}$
- 213 In parallelogram *ABCD*, diagonals *AC* and *BD* intersect at *E*. Which statement proves *ABCD* is a rectangle?
  - 1)  $AC \cong BD$
  - 2)  $\overline{AB} \perp \overline{BD}$
  - 3)  $\overline{AC} \perp \overline{BD}$
  - 4) AC bisects  $\angle BCD$

214 The diagram below shows parallelogram ABCDwith diagonals  $\overline{AC}$  and  $\overline{BD}$  intersecting at E.



What additional information is sufficient to prove that parallelogram *ABCD* is also a rhombus?

- 1) BD bisects AC.
- 2)  $\overline{AB}$  is parallel to  $\overline{CD}$ .
- 3)  $\overline{AC}$  is congruent to  $\overline{BD}$ .
- 4)  $\overline{AC}$  is perpendicular to  $\overline{BD}$ .
- 215 If *ABCD* is a parallelogram, which statement would prove that *ABCD* is a rhombus?
  - 1)  $\angle ABC \cong \angle CDA$
  - 2)  $\overline{AC} \cong \overline{BD}$
  - 3)  $\overline{AC} \perp \overline{BD}$
  - 4)  $\overline{AB} \perp \overline{CD}$
- 216 Parallelogram *EATK* has diagonals *ET* and *AK*. Which information is always sufficient to prove *EATK* is a rhombus?
  - 1)  $\overline{EA} \perp \overline{AT}$
  - 2)  $\overline{EA} \cong \overline{AT}$
  - 3)  $\overline{ET} \cong \overline{AK}$
  - 4)  $\overline{ET} \cong \overline{AT}$

- 217 In parallelogram *ABCD*, diagonals  $\overline{AC}$  and  $\overline{BD}$  intersect at *E*. Which statement does *not* prove parallelogram *ABCD* is a rhombus?
  - 1)  $\underline{AC} \cong \underline{DB}$
  - 2)  $\overline{AB} \cong \overline{BC}$
  - 3)  $\overline{AC} \perp \overline{DB}$
  - 4)  $\overline{AC}$  bisects  $\angle DCB$
- 218 In rhombus *TIGE*, diagonals  $\overline{TG}$  and  $\overline{IE}$  intersect at *R*. The perimeter of *TIGE* is 68, and TG = 16.



What is the length of diagonal  $\overline{IE}$ ?

- 1) 15
- 2) 30
- 3) 34
- 4) 52
- 219 In rhombus *VENU*, diagonals  $\overline{VN}$  and  $\overline{EU}$  intersect at *S*. If VN = 12 and EU = 16, what is the perimeter of the rhombus?
  - 1) 80
  - 2) 40
  - 3) 20
  - 4) 10

220 In the diagram of rhombus *PQRS* below, the diagonals  $\overline{PR}$  and  $\overline{QS}$  intersect at point *T*, PR = 16, and QS = 30. Determine and state the perimeter of *PQRS*.



#### G.GPE.B.4: QUADRILATERALS IN THE COORDINATE PLANE

221 On the set of axes below, the coordinates of three vertices of trapezoid *ABCD* are A(2,1), B(5,4), and D(-2,3).



Which point could be vertex C?

- 1) (1,5)
- 2) (4,10)
- 3) (-1,6)
- 4) (-3,8)

- 222 The coordinates of the vertices of parallelogram *CDEH* are *C*(-5,5), *D*(2,5), *E*(-1,-1), and *H*(-8,-1). What are the coordinates of *P*, the point of intersection of diagonals  $\overline{CE}$  and  $\overline{DH}$ ?
  - 1) (-2,3)
  - 2) (-2,2)3) (-3,2)
  - 4) (-3,-2)
- 223 Rectangle *ABCD* has two vertices at coordinates A(-1,-3) and B(6,5). The slope of  $\overline{BC}$  is 1)  $-\frac{7}{8}$ 2)  $\frac{7}{8}$ 3)  $-\frac{8}{7}$ 4)  $\frac{8}{7}$
- 224 Parallelogram *ABCD* has coordinates A(0,7) and C(2,1). Which statement would prove that *ABCD* is a rhombus?
  - 1) The midpoint of  $\overline{AC}$  is (1,4).
  - 2) The length of  $\overline{BD}$  is  $\sqrt{40}$ .
  - 3) The slope of  $\overline{BD}$  is  $\frac{1}{3}$ .
  - 4) The slope of  $\overline{AB}$  is  $\frac{1}{3}$ .
- 225 The diagonals of rhombus *TEAM* intersect at P(2,1). If the equation of the line that contains diagonal  $\overline{TA}$  is y = -x + 3, what is the equation of a line that contains diagonal *EM*?
  - $1) \quad y = x 1$
  - $2) \quad y = x 3$
  - $3) \quad y = -x 1$
  - $4) \quad y = -x 3$

- 226 A quadrilateral has vertices with coordinates (-3, 1), (0, 3), (5, 2), and (-1, -2). Which type of quadrilateral is this?
  - 1) rhombus
  - 2) rectangle
  - 3) square
  - 4) trapezoid
- 227 In the coordinate plane, the vertices of  $\triangle RST$  are R(6,-1), S(1,-4), and T(-5,6). Prove that  $\triangle RST$  is a right triangle. State the coordinates of point *P* such that quadrilateral *RSTP* is a rectangle. Prove that your quadrilateral *RSTP* is a rectangle. [The use of the set of axes below is optional.]



228 In the coordinate plane, the vertices of triangle *PAT* are P(-1,-6), A(-4,5), and T(5,-2). Prove that  $\triangle PAT$  is an isosceles triangle. State the coordinates of *R* so that quadrilateral *PART* is a parallelogram. Prove that quadrilateral *PART* is a parallelogram. [The use of the set of axes below is optional.]



229 The coordinates of the vertices of  $\triangle ABC$  are A(1,2), B(-5,3), and C(-6,-3). Prove that  $\triangle ABC$  is isosceles. State the coordinates of point *D* such that quadrilateral *ABCD* is a square. Prove that your quadrilateral *ABCD* is a square. [The use of the set of axes below is optional.]



230 The coordinates of the vertices of  $\triangle ABC$  are A(-2,4), B(-7,-1), and C(-3,-3). Prove that  $\triangle ABC$  is isosceles. State the coordinates of  $\triangle A'B'C'$ , the image of  $\triangle ABC$ , after a translation 5 units to the right and 5 units down. Prove that quadrilateral AA'C'C is a rhombus. [The use of the set of axes below is optional.]



231 Given: Triangle *DUC* with coordinates D(-3, -1), U(-1,8), and C(8,6)Prove:  $\Delta DUC$  is a right triangle Point *U* is reflected over  $\overline{DC}$  to locate its image point, *U'*, forming quadrilateral *DUCU'*. Prove quadrilateral *DUCU'* is a square. [The use of the set of axes below is optional.]



232 In square *GEOM*, the coordinates of *G* are (2,-2) and the coordinates of *O* are (-4,2). Determine and state the coordinates of vertices *E* and *M*. [The use of the set of axes below is optional.]



233 The coordinates of the vertices of quadrilateral *HYPE* are H(-3,6), Y(2,9), P(8,-1), and E(3,-4). Prove *HYPE* is a rectangle. [The use of the set of axes below is optional.]



234 The vertices of quadrilateral *MATH* have coordinates M(-4,2), A(-1,-3), T(9,3), and H(6,8). Prove that quadrilateral *MATH* is a parallelogram. Prove that quadrilateral *MATH* is a rectangle. [The use of the set of axes below is optional.]



235 The coordinates of the vertices of quadrilateral *ABCD* are A(0,4), B(3,8), C(8,3), and D(5,-1). Prove that *ABCD* is a parallelogram, but not a rectangle. [The use of the set of axes below is optional.]



236 Quadrilateral *NATS* has coordinates N(-4,-3), A(1,2), T(8,1), and S(3,-4). Prove quadrilateral *NATS* is a rhombus. [The use of the set of axes below is optional.]



237 Parallelogram *MATH* has vertices M(-7,-2), A(0,4), T(9,2), and H(2,-4). Prove that parallelogram *MATH* is a rhombus. [The use of the set of axes below is optional.] Determine and state the area of *MATH*.



238 In rhombus *MATH*, the coordinates of the endpoints of the diagonal  $\overline{MT}$  are M(0,-1) and T(4,6). Write an equation of the line that contains diagonal  $\overline{AH}$ . [Use of the set of axes below is optional.] Using the given information, explain how you know that your line contains diagonal  $\overline{AH}$ .



239 Quadrilateral *PQRS* has vertices P(-2,3), Q(3,8), R(4,1), and S(-1,-4). Prove that *PQRS* is a rhombus. Prove that *PQRS* is *not* a square. [The use of the set of axes below is optional.]



240 Riley plotted A(-1,6), B(3,8), C(6,-1), and D(1,0)to form a quadrilateral. Prove that Riley's quadrilateral *ABCD* is a trapezoid. [The use of the set of axes below is optional.] Riley defines an isosceles trapezoid as a trapezoid with congruent diagonals. Use Riley's definition to prove that *ABCD* is *not* an isosceles trapezoid.



241 Quadrilateral *MATH* has vertices with coordinates M(-1,7), A(3,5), T(2,-7), and H(-6,-3). Prove that quadrilateral *MATH* is a trapezoid. State the coordinates of point *Y* such that point *A* is the midpoint of  $\overline{MY}$ . Prove that quadrilateral *MYTH* is a rectangle. [The use of the set of axes below is optional.]



## G.GPE.B.7: POLYGONS IN THE COORDINATE PLANE

242 On the set of axes below, the vertices of  $\triangle PQR$  have coordinates *P*(-6,7), *Q*(2,1), and *R*(-1,-3).



What is the area of  $\triangle PQR$ ?

- 1) 10
- 2) 20
- 3) 25
- 4) 50

243 On the set of axes below,  $\triangle BLU$  has vertices with coordinates B(-3,-2), L(-2,5), and U(1,1).



What is the area of  $\triangle BLU$ ?

- 1) 11
- 2) 12.5
- 3) 14
- 4) 17.1

244 Triangle DAN is graphed on the set of axes below. The vertices of  $\Delta DAN$  have coordinates D(-6,-1), A(6,3), and N(-3,10).



What is the area of  $\Delta DAN$ ?

- 1) 60
- 2) 120
- 3)  $20\sqrt{13}$
- 4)  $40\sqrt{13}$
- 245 Triangle *RST* is graphed on the set of axes below.



How many square units are in the area of  $\triangle RST$ ?

- 1)  $9\sqrt{3} + 15$
- 2)  $9\sqrt{5} + 15$
- 3) 45
- 4) 90

246 On the set of axes below, rectangle *WIND* has vertices with coordinates W(-4,2), I(4,0), N(3,-4), and D(-5,-2).



What is the area of rectangle WIND?

- 1) 17
- 2) 31
- 3) 32
- 4) 34

247 On the set of axes below, rhombus *ABCD* has vertices whose coordinates are A(1,2), B(4,6), C(7,2), and D(4,-2).



What is the area of rhombus *ABCD*?

- 1) 20
- 2) 24
- 3) 25
- 4) 48
- 248 The vertices of square *RSTV* have coordinates R(-1,5), S(-3,1), T(-7,3), and V(-5,7). What is the perimeter of *RSTV*?
  - 1)  $\sqrt{20}$
  - 2)  $\sqrt{40}$
  - 3)  $4\sqrt{20}$
  - 4)  $4\sqrt{40}$
- 249 Rhombus *STAR* has vertices S(-1,2), T(2,3), A(3,0), and R(0,-1). What is the perimeter of rhombus *STAR*?

1) 
$$\sqrt{34}$$

2) 
$$4\sqrt{34}$$

3)  $\sqrt{10}$ 

4) 
$$4\sqrt{10}$$

- 250 The endpoints of one side of a regular pentagon are (-1,4) and (2,3). What is the perimeter of the pentagon?
  - 1)  $\sqrt{10}$
  - 2)  $5\sqrt{10}$
  - 3)  $5\sqrt{2}$
  - 4)  $25\sqrt{2}$
- 251 The coordinates of vertices A and B of  $\triangle ABC$  are A(3,4) and B(3,12). If the area of  $\triangle ABC$  is 24 square units, what could be the coordinates of point C?
  - 1) (3,6)
  - 2) (8,-3)
  - 3) (-3,8)
  - 4) (6,3)
- 252 Determine and state the area of triangle *PQR*, whose vertices have coordinates P(-2,-5), Q(3,5), and R(6,1). [The use of the set of axes below is optional.]



253 The vertices of  $\triangle ABC$  have coordinates A(-2,-1), B(10,-1), and C(4,4). Determine and state the area of  $\triangle ABC$ . [The use of the set of axes below is optional.]



Triangle *ABC* with coordinates A(-2,5), B(4,2), and C(-8,-1) is graphed on the set of axes below.



Determine and state the area of  $\triangle ABC$ .

G.C.A.2: CHORDS, SECANTS AND TANGENTS

255 In the diagram below of circle O, chord  $\overline{DF}$  bisects chord  $\overline{BC}$  at E.



If BC = 12 and FE is 5 more than DE, then FE is

- 1) 13
- 2) 9
- 6 3)
- 4) 4
- 256 In the diagram below of circle O, chords  $\overline{JT}$  and ER intersect at M.



- If EM = 8 and RM = 15, the lengths of  $\overline{JM}$  and TM could be
- 12 and 9.5 1)
- 2) 14 and 8.5
- 16 and 7.5 3)
- 18 and 6.5 4)

257 In the diagram below, chords  $\overline{PQ}$  and  $\overline{RS}$  of circle O intersect at T.



Which relationship must always be true?

- 1) RT = TQ
- 2) RT = TS
- 3) RT + TS = PT + TQ
- 4)  $RT \times TS = PT \times TQ$
- 258 A circle centered at the origin passes through A(-3,4).



What is the equation of the line tangent to the circle at A?

- 1)  $y-4 = \frac{4}{3}(x+3)$ 2)  $y-4 = \frac{3}{4}(x+3)$
- 3)  $y+4 = \frac{4}{3}(x-3)$
- 4)  $y+4 = \frac{3}{4}(x-3)$

259 In the figure shown below, quadrilateral *TAEO* is circumscribed around circle *D*. The midpoint of  $\overline{TA}$  is *R*, and  $\overline{HO} \cong \overline{PE}$ .



If AP = 10 and EO = 12, what is the perimeter of quadrilateral *TAEO*?

- 1) 56
- 2) 64
- 3) 72
- 4) 76
- 260 In the diagram shown below,  $\overline{AC}$  is tangent to circle O at A and to circle P at C,  $\overline{OP}$  intersects  $\overline{AC}$  at B, OA = 4, AB = 5, and PC = 10.



What is the length of *BC*?

- 1) 6.4
- 2) 8
- 3) 12.5
- 4) 16

261 Lines AE and BD are tangent to circles O and P at A, E, B, and D, as shown in the diagram below. If AC:CE = 5:3, and BD = 56, determine and state the length of  $\overline{CD}$ .



262 In the circle below, secants *TSR* and *TMH* intersect at *T*, *SR* = 5, *HM* = 9, *TM* = 3, and *TS* = x.



Which equation could be used to find the value of x?

- 1) x(x+5) = 36
- 2) x(x+5) = 27
- 3) 3x = 45
- 4) 5x = 43
- 263 In circle O, secants ADB and AEC are drawn from external point A such that points D, B, E, and C are on circle O. If AD = 8, AE = 6, and EC is 12 more than BD, the length of  $\overline{BD}$  is
  - 1) 6
  - 2) 22
  - 3) 36
  - 4) 48

264 In the diagram below, secants  $\overline{RST}$  and  $\overline{RQP}$ , drawn from point R, intersect circle O at S, T, Q, and P.



If RS = 6, ST = 4, and RP = 15, what is the length of RQ?

265 In the diagram shown below,  $\overline{PA}$  is tangent to circle T at A, and secant  $\overline{PBC}$  is drawn where point *B* is on circle *T*.



If PB = 3 and BC = 15, what is the length of  $\overline{PA}$ ? 1)  $3\sqrt{5}$ 

- 2)  $3\sqrt{6}$
- 3) 3
- 4) 9

266 Circle *O* is drawn below with secant  $\overline{BCD}$ . The length of tangent AD is 24.



If the ratio of *DC*:*CB* is 4:5, what is the length of  $\overline{CB?}$ 

- 36 1)
- 2) 20
- 3) 16
- 4) 4
- 267 In the diagram below of circle O, secant  $\overline{ABC}$  and tangent AD are drawn.



If CA = 12.5 and CB = 4.5, determine and state the length of DA.

268 In the diagram below of circle *O*, chord  $\overline{CD}$  is parallel to diameter  $\overline{AOB}$  and  $\widehat{mCD} = 130$ .



What is  $\widehat{mAC}$ ?

- 1) 25
- 2) 50
- 3) 65
- 4) 115
- 269 In the diagram below of circle O with diameter  $\overline{BC}$  and radius  $\overline{OA}$ , chord  $\overline{DC}$  is parallel to chord  $\overline{BA}$ .



If  $m \angle BCD = 30^\circ$ , determine and state  $m \angle AOB$ .

270 In the diagram below of circle O, chords  $\overline{AB}$  and  $\overline{CD}$  intersect at E.



If  $\widehat{mAC} = 72^\circ$  and  $\underline{m}\angle AEC = 58^\circ$ , how many degrees are in  $\widehat{mDB}$ ?

- 1) 108°
- 2) 65°
- 3) 44°
- 4) 14°
- 271 In circle A below, chord  $\overline{BC}$  and diameter  $\overline{DAE}$  intersect at F.



If  $\widehat{mCD} = 46^\circ$  and  $\widehat{mDB} = 102^\circ$ , what is  $m\angle CFE$ ?

272 In the diagram below,  $\overline{DC}$ ,  $\overline{AC}$ ,  $\overline{DOB}$ ,  $\overline{CB}$ , and  $\overline{AB}$  are chords of circle O,  $\overline{FDE}$  is tangent at point D, and radius  $\overline{AO}$  is drawn. Sam decides to apply this theorem to the diagram: "An angle inscribed in a semi-circle is a right angle."



Which angle is Sam referring to?

- 1)  $\angle AOB$
- 2)  $\angle BAC$
- 3) ∠*DCB*
- 4) ∠*FDB*
- 273 In the diagram below,  $\widehat{mABC} = 268^{\circ}$ .



What is the number of degrees in the measure of  $\angle ABC$ ?

- 1) 134°
- 2) 92°
- 3) 68°
- 4) 46°

274 In the diagram below of Circle *O*, diameter  $\overline{AOB}$ and chord  $\overline{CB}$  are drawn, and  $m \angle B = 28^{\circ}$ .





- 1) 56°
- 2) 124°
- 3) 152°
- 4) 166°
- 275 In the diagram below,  $\overline{BC}$  is the diameter of circle A.



Point D, which is unique from points B and C, is plotted on circle A. Which statement must always be true?

- 1)  $\triangle BCD$  is a right triangle.
- 2)  $\triangle BCD$  is an isosceles triangle.
- 3)  $\triangle BAD$  and  $\triangle CBD$  are similar triangles.
- 4)  $\triangle BAD$  and  $\triangle CAD$  are congruent triangles.

276 In the diagram below of circle  $O, \overline{OB}$  and  $\overline{OC}$  are radii, and chords  $\overline{AB}$ ,  $\overline{BC}$ , and  $\overline{AC}$  are drawn.



Which statement must always be true?

- $\angle BAC \cong \angle BOC$ 1)
- $m \angle BAC = \frac{1}{2} m \angle BOC$ 2)
- $\triangle BAC$  and  $\triangle BOC$  are isosceles. 3)
- The area of  $\triangle BAC$  is twice the area of  $\triangle BOC$ . 4)
- 277 In circle *M* below, diameter  $\overline{AC}$ , chords  $\overline{AB}$  and  $\overline{BC}$ , and radius  $\overline{MB}$  are drawn.



Which statement is *not* true?

- 1)  $\triangle ABC$  is a right triangle.
- 2)  $\triangle ABM$  is isosceles.

3) mBC = m
$$\angle BMC$$

4) 
$$\mathbf{m}\widehat{AB} = \frac{1}{2}\mathbf{m}\angle ACB$$

278 In the diagram of circle A shown below, chords  $\overline{CD}$ and  $\overline{EF}$  intersect at G, and chords  $\overline{CE}$  and  $\overline{FD}$  are drawn.



Which statement is not always true?

- $\overline{CG} \cong \overline{FG}$ 1)
- $\angle CEG \cong \angle FDG$ 2)
- $\frac{CE}{EG} = \frac{FD}{DG}$ 3)
- $\triangle CEG \sim \triangle FDG$ 4)
- 279 In the diagram below of circle O, chords  $\overline{AD}$  and  $\overline{BC}$  intersect at *E*, and chords  $\overline{AB}$  and  $\overline{CD}$  are drawn.



Which statement must always be true?

- $AB \cong CD$ 1)
- $\overline{AD} \cong \overline{BC}$ 2)
- $\angle B \cong \angle C$ 3)
- 4)  $\angle A \cong \angle C$

280 In the diagram below of circle *O*, points *K*, *A*, *T*, *I*, and *E* are on the circle,  $\triangle KAE$  and  $\triangle ITE$  are drawn,  $\overline{KE} \cong \widehat{EI}$ , and  $\angle EKA \cong \angle EIT$ .



Which statement about  $\triangle KAE$  and  $\triangle ITE$  is always true?

- 1) They are neither congruent nor similar.
- 2) They are similar but not congruent.
- 3) They are right triangles.
- 4) They are congruent.
- 281 In the diagram below of circle O, secants  $\overline{CFD}$  and  $\overline{CHE}$  are drawn from external point C.



- If  $\widehat{mDE} = 136^\circ$  and  $\underline{m} \angle C = 44^\circ$ , then  $\widehat{mFH}$  is
- 1) 46°
- 2) 48°
- 3) 68°
- 4) 88°

- 282 In circle *O* two secants,  $\overline{ABP}$  and  $\overline{CDP}$ , are drawn to external point *P*. If  $\widehat{mAC} = 72^\circ$ , and  $\widehat{mBD} = 34^\circ$ , what is the measure of  $\angle P$ ? 1) 19°
  - 2) 38°
  - 3) 53°
  - 4) 106°
- 283 As shown in the diagram below, secants  $\overrightarrow{PWR}$  and  $\overrightarrow{PTS}$  are drawn to circle O from external point P.



If  $m \angle RPS = 35^{\circ}$  and  $mRS = 121^{\circ}$ , determine and state mWT.

284 Diameter ROQ of circle O is extended through Q to point P, and tangent  $\overline{PA}$  is drawn. If  $\widehat{mRA} = 100^\circ$ , what is  $\underline{m} \angle P$ ? 1) 10° 2) 20°

- 3) 40°
- 4) 50°

285 In the diagram below, tangent  $\overline{DA}$  and secant  $\overline{DBC}$  are drawn to circle *O* from external point *D*, such that  $\widehat{AC} \cong \widehat{BC}$ .



If  $\widehat{mBC} = 152^\circ$ , determine and state  $m \angle D$ .

286 In the diagram below of circle K, secant  $\overline{PLKE}$  and tangent  $\overline{PZ}$  are drawn from external point P.



If  $\widehat{mLZ} = 56^\circ$ , determine and state the degree measure of angle *P*.

287 In the circle below,  $\overline{AD}$ ,  $\overline{AC}$ ,  $\overline{BC}$ , and  $\overline{DC}$  are chords,  $\overleftarrow{EDF}$  is tangent at point *D*, and  $\overline{AD} \parallel \overline{BC}$ .



Which statement is always true?

- 1)  $\angle ADE \cong \angle CAD$
- 2)  $\angle CDF \cong \angle ACB$
- 3)  $\angle BCA \cong \angle DCA$
- 4)  $\angle ADC \cong \angle ADE$
- 288 In circle O shown below, diameter  $\overline{AC}$  is perpendicular to  $\overline{CD}$  at point C, and chords  $\overline{AB}$ ,  $\overline{BC}$ ,  $\overline{AE}$ , and  $\overline{CE}$  are drawn.



Which statement is not always true?

- 1)  $\angle ACB \cong \angle BCD$
- 2)  $\angle ABC \cong \angle ACD$
- 3)  $\angle BAC \cong \angle DCB$
- 4)  $\angle CBA \cong \angle AEC$
#### G.C.A.3: INSCRIBED QUADRILATERALS

289 In the diagram below, quadrilateral *ABCD* is inscribed in circle *P*.



What is m $\angle ADC$ ?

- 1) 70°
- 2) 72°
- 3) 108°
- 4) 110°
- 290 In the diagram below, quadrilateral *ABCD* is inscribed in circle *O*,  $m \angle A = (2x)^\circ$ ,  $m \angle B = (x - 10)^\circ$ , and  $m \angle C = (x + 15)^\circ$ .



What is  $m \angle D$ ?

- 1) 55°
- 2) 70°
- 3) 110°
- 4) 135°

291 Quadrilateral *ABCD* is inscribed in circle *O*, as shown below.



If  $m \angle A = 80^\circ$ ,  $m \angle B = 75^\circ$ ,  $m \angle C = (y + 30)^\circ$ , and  $m \angle D = (x - 10)^\circ$ , which statement is true?

- 1) x = 85 and y = 50
- 2) x = 90 and y = 45
- 3) x = 110 and y = 75
- 4) x = 115 and y = 70
- 292 Linda is designing a circular piece of stained glass with a diameter of 7 inches. She is going to sketch a square inside the circular region. To the *nearest tenth of an inch*, the largest possible length of a side of the square is
  - 1) 3.5
  - 2) 4.9
  - 3) 5.0
  - 4) 6.9

293 In the diagram below, quadrilateral *ABCD* is inscribed in circle *O*, and  $\widehat{mCD}:\widehat{mDA}:\widehat{mAB}:\widehat{mBC} = 2:3:5:5.$ 



Determine and state m $\angle B$ .

#### G.GPE.A.1: EQUATIONS OF CIRCLES

294 Kevin's work for deriving the equation of a circle is shown below.

$$x^{2} + 4x = -(y^{2} - 20)$$
  
STEP 1  $x^{2} + 4x = -y^{2} + 20$   
STEP 2  $x^{2} + 4x + 4 = -y^{2} + 20 - 4$   
STEP 3  $(x + 2)^{2} = -y^{2} + 20 - 4$   
STEP 4  $(x + 2)^{2} + y^{2} = 16$ 

In which step did he make an error in his work?

- 1) Step 1
- 2) Step 2
- 3) Step 3
- 4) Step 4

295 If  $x^2 + 4x + y^2 - 6y - 12 = 0$  is the equation of a circle, the length of the radius is

- 1) 25
- 2) 16
- 3) 5
- 4) 4

- 296 The equation of a circle is  $x^2 + y^2 + 6y = 7$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (0,3) and radius 4
  - 2) center (0, -3) and radius 4
  - 3) center (0,3) and radius 16
  - 4) center (0,-3) and radius 16
- 297 What are the coordinates of the center and length of the radius of the circle whose equation is
  - $x^{2} + 6x + y^{2} 4y = 23?$
  - 1) (3,-2) and 36
  - 2) (3,-2) and 6
  - 3) (-3,2) and 36
  - 4) (-3,2) and 6
- 298 What are the coordinates of the center and the length of the radius of the circle represented by the equation  $x^2 + y^2 4x + 8y + 11 = 0$ ?
  - 1) center (2, -4) and radius 3
  - 2) center (-2, 4) and radius 3
  - 3) center (2,-4) and radius 9
  - 4) center (-2,4) and radius 9
- 299 The equation of a circle is  $x^2 + y^2 12y + 20 = 0$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (0,6) and radius 4
  - 2) center (0,-6) and radius 4
  - 3) center (0,6) and radius 16
  - 4) center (0, -6) and radius 16

- 300 The equation of a circle is  $x^2 + y^2 6x + 2y = 6$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (-3, 1) and radius 4
  - 2) center (3,-1) and radius 4
  - 3) center (-3, 1) and radius 16
  - 4) center (3,-1) and radius 16
- 301 The equation of a circle is  $x^2 + 8x + y^2 12y = 144$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (4, -6) and radius 12
  - 2) center (-4, 6) and radius 12
  - 3) center (4, -6) and radius 14
  - 4) center (-4, 6) and radius 14
- 302 What are the coordinates of the center and the length of the radius of the circle whose equation is

 $x^{2} + y^{2} = 8x - 6y + 39?$ 

- 1) center (-4,3) and radius 64
- 2) center (4, -3) and radius 64
- 3) center (-4,3) and radius 8
- 4) center (4, -3) and radius 8
- 303 What are the coordinates of the center and length of the radius of the circle whose equation is

 $x^2 + y^2 + 2x - 16y + 49 = 0?$ 

- 1) center (1,-8) and radius 4
- 2) center (-1, 8) and radius 4
- 3) center (1,-8) and radius 16
- 4) center (-1, 8) and radius 16

- 304 An equation of circle M is  $x^2 + y^2 + 6x 2y + 1 = 0$ . What are the coordinates of the center and the length of the radius of circle M?
  - 1) center (3,-1) and radius 9
  - 2) center (3,-1) and radius 3
  - 3) center (-3, 1) and radius 9
  - 4) center (-3, 1) and radius 3
- 305 The equation of a circle is  $x^2 + y^2 + 12x = -27$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (6,0) and radius 3
  - 2) center (6,0) and radius 9
  - 3) center (-6,0) and radius 3
  - 4) center (-6,0) and radius 9
- 306 What are the coordinates of the center and the length of the radius of the circle whose equation is  $x^2 + y^2 12y 20.25 = 0$ ?
  - 1) center (0,6) and radius 7.5
  - 2) center (0,-6) and radius 7.5
  - 3) center (0, 12) and radius 4.5
  - 4) center (0, -12) and radius 4.5
- 307 The equation of a circle is  $x^2 + y^2 6y + 1 = 0$ . What are the coordinates of the center and the length of the radius of this circle?
  - 1) center (0,3) and radius =  $2\sqrt{2}$
  - 2) center (0,-3) and radius =  $2\sqrt{2}$
  - 3) center (0,6) and radius =  $\sqrt{35}$
  - 4) center (0,-6) and radius =  $\sqrt{35}$

- 308 What is an equation of a circle whose center is (1,4) and diameter is 10?
  - 1)  $x^{2} 2x + y^{2} 8y = 8$ 2)  $x^{2} + 2x + y^{2} + 8y = 8$ 3)  $x^{2} - 2x + y^{2} - 8y = 83$
  - 4)  $x^2 + 2x + y^2 + 8y = 83$
- 309 What is an equation of a circle whose center is at (2, -4) and is tangent to the line x = -2?
  - 1)  $(x-2)^2 + (y+4)^2 = 4$
  - 2)  $(x-2)^2 + (y+4)^2 = 16$
  - 3)  $(x+2)^2 + (y-4)^2 = 4$
  - 4)  $(x+2)^2 + (y-4)^2 = 16$
- 310 An equation of circle *O* is  $x^2 + y^2 + 4x 8y = -16$ . The statement that best describes circle *O* is the
  - 1) center is (2,-4) and is tangent to the *x*-axis
  - 2) center is (2,-4) and is tangent to the *y*-axis
  - 3) center is (-2,4) and is tangent to the *x*-axis
  - 4) center is (-2,4) and is tangent to the *y*-axis

311 What is an equation of circle *O* shown in the graph below?



- 1)  $x^2 + 10x + y^2 + 4y = -13$
- 2)  $x^2 10x + y^2 4y = -13$
- 3)  $x^2 + 10x + y^2 + 4y = -25$
- 4)  $x^2 10x + y^2 4y = -25$
- 312 The graph below shows  $\overline{AB}$ , which is a chord of circle *O*. The coordinates of the endpoints of  $\overline{AB}$  are A(3,3) and B(3,-7). The distance from the midpoint of  $\overline{AB}$  to the center of circle *O* is 2 units.



What could be a correct equation for circle *O*?

- 1)  $(x-1)^2 + (y+2)^2 = 29$
- 2)  $(x+5)^2 + (y-2)^2 = 29$
- 3)  $(x-1)^2 + (y-2)^2 = 25$
- 4)  $(x-5)^2 + (y+2)^2 = 25$

- 313 Determine and state the coordinates of the center and the length of the radius of a circle whose equation is  $x^2 + y^2 - 6x = 56 - 8y$ .
- 314 Determine and state the coordinates of the center and the length of the radius of the circle whose equation is  $x^2 + y^2 + 6x = 6y + 63$ .
- 315 Determine and state the coordinates of the center and the length of the radius of the circle represented by the equation  $x^{2} + 16x + y^{2} + 12y - 44 = 0.$

# G.GPE.B.4: CIRCLES IN THE COORDINATE PLANE

- 316 The center of circle Q has coordinates (3,-2). If circle Q passes through R(7,1), what is the length of its diameter?
  - 1) 50
  - 2) 25
  - 3) 10
  - 4) 5
- 317 A circle whose center is the origin passes through the point (-5, 12). Which point also lies on this circle?
  - 1) (10,3)
  - 2) (-12,13)
  - 3)  $(11, 2\sqrt{12})$
  - 4)  $(-8, 5\sqrt{21})$
- 318 A circle has a center at (1,-2) and radius of 4.Does the point (3.4, 1.2) lie on the circle? Justify your answer.

## MEASURING IN THE PLANE AND SPACE G.MG.A.3: AREA OF POLYGONS

319 The surface of the roof of a house is modeled by two congruent rectangles with dimensions 40 feet by 16 feet, as shown below.



Roofing shingles are sold in bundles. Each bundle covers  $33\frac{1}{3}$  square feet. What is the minimum number of bundles that must be purchased to completely cover both rectangular sides of the roof?

- 1) 20
- 2) 2
- 3) 39
- 4) 4
- 320 A farmer has 64 feet of fence to enclose a rectangular vegetable garden. Which dimensions would result in the biggest area for this garden?
  - 1) the length and the width are equal
  - 2) the length is 2 more than the width
  - 3) the length is 4 more than the width
  - 4) the length is 6 more than the width

321 Keira has a square poster that she is framing and placing on her wall. The poster has a diagonal 58 cm long and fits exactly inside the frame. The width of the frame around the picture is 4 cm.



Determine and state the total area of the poster and frame to the *nearest tenth of a square centimeter*.

#### G.MG.A.3: SURFACE AREA

- 322 A gallon of paint will cover approximately 450 square feet. An artist wants to paint all the outside surfaces of a cube measuring 12 feet on each edge. What is the *least* number of gallons of paint he must buy to paint the cube?
  - 1) 1
  - 2) 2
  - 3) 3
  - 4) 4

#### G.GMD.A.1: CIRCUMFERENCE

323 A circle with a radius of 5 was divided into 24 congruent sectors. The sectors were then rearranged, as shown in the diagram below.



#### To the *nearest integer*, the value of *x* is

- 1) 31
- 2) 16
- 3) 12
- 4) 10
- 324 A designer needs to create perfectly circular necklaces. The necklaces each need to have a radius of 10 cm. What is the largest number of necklaces that can be made from 1000 cm of wire?
  - 1) 15
  - 2) 16
  - 3) 31
  - 4) 32

#### G.MG.A.3: COMPOSITIONS OF POLYGONS AND CIRCLES

325 A countertop for a kitchen is modeled with the dimensions shown below. An 18-inch by 21-inch rectangle will be removed for the installation of the sink.



What is the area of the top of the installed countertop, to the *nearest square foot*?

- 1) 26
- 2) 23
- 3) 22
- 4) 19
- 326 Francisco needs the three pieces of glass shown below to complete a stained glass window. The shapes, two triangles and a trapezoid, are measured in inches.



Glass can be purchased in rectangular sheets that are 12 inches wide. What is the minimum length of a sheet of glass, in inches, that Francisco must purchase in order to have enough to complete the window?

- 1)
   20
   3)
   29

   2)
   25
   4)
   24
- 2) 25 4) 34

327 A walking path at a local park is modeled on the grid below, where the length of each grid square is 10 feet. The town needs to submit paperwork to pave the walking path. Determine and state, to the nearest square foot, the area of the walking path.



328 A man is spray-painting the tops of 10 patio tables. Five tables have round tops, with diameters of 4 feet, and five tables have rectangular tops, with dimensions of 4 feet by 6 feet. A can of spray paint covers 25 square feet. How many cans of spray paint must be purchased to paint all of the tabletops?

#### G.C.B.5: ARC LENGTH

329 In the diagram below, the circle shown has radius 10. Angle *B* intercepts an arc with a length of  $2\pi$ .



What is the measure of angle *B*, in radians?

- $10 + 2\pi$ 1)
- $20\pi$ 2)
- $\frac{\pi}{5}$  $\frac{5}{\pi}$ 3)
- 4)

330 The diagram below shows circle O with radii  $\overline{OA}$  and  $\overline{OB}$ . The measure of angle AOB is 120°, and the length of a radius is 6 inches.



Which expression represents the length of arc *AB*, in inches?

- 1)  $\frac{120}{360}(6\pi)$
- 2) 120(6)
- 3)  $\frac{1}{3}(36\pi)$
- 4)  $\frac{1}{3}(12\pi)$

331 In the diagram below, two concentric circles with center *O*, and radii  $\overline{OC}$ ,  $\overline{OD}$ ,  $\overline{OGE}$ , and  $\overline{ODF}$  are drawn.



If OC = 4 and OE = 6, which relationship between the length of arc *EF* and the length of arc *CD* is always true?

- 1) The length of arc *EF* is 2 units longer than the length of arc *CD*.
- 2) The length of arc *EF* is 4 units longer than the length of arc *CD*.
- 3) The length of arc *EF* is 1.5 times the length of arc *CD*.
- 4) The length of arc *EF* is 2.0 times the length of arc *CD*.

332 In the diagram below, Circle 1 has radius 4, while Circle 2 has radius 6.5. Angle A intercepts an arc of length  $\pi$ , and angle B intercepts an arc of length  $\frac{13\pi}{8}$ .



Dominic thinks that angles *A* and *B* have the same radian measure. State whether Dominic is correct or not. Explain why.

#### G.C.B.5: SECTORS

333 In circle O, diameter  $\overline{AB}$ , chord  $\overline{BC}$ , and radius  $\overline{OC}$  are drawn, and the measure of arc BC is 108°.



Some students wrote these formulas to find the area of sector *COB*:

Amy  $\frac{3}{10} \cdot \pi \cdot (BC)^2$ Beth  $\frac{108}{360} \cdot \pi \cdot (OC)^2$ Carl  $\frac{3}{10} \cdot \pi \cdot (\frac{1}{2}AB)^2$ Dex  $\frac{108}{360} \cdot \pi \cdot \frac{1}{2} (AB)^2$ 

Which students wrote correct formulas?

- 1) Amy and Dex
- 2) Beth and Carl
- 3) Carl and Amy
- 4) Dex and Beth

334 A circle with a diameter of 10 cm and a central angle of 30° is drawn below.



What is the area, to the *nearest tenth of a square centimeter*, of the sector formed by the 30° angle?

- 1) 5.2
- 2) 6.5
- 3) 13.1
- 4) 26.2
- 335 In the diagram below of circle O, GO = 8 and  $m \angle GOJ = 60^{\circ}$ .



What is the area, in terms of  $\pi$ , of the shaded region?

1) 
$$\frac{4\pi}{3}$$
  
2)  $20\pi$ 

$$\frac{2}{3} \frac{3}{32\pi}$$

$$\frac{3}{3}$$
  $\frac{3}{3}$ 

4) 
$$\frac{160\pi}{3}$$

336 Circle *O* with a radius of 9 is drawn below. The measure of central angle AOC is  $120^{\circ}$ .



What is the area of the shaded sector of circle O?

- 1) 6*π*
- 2) 12*π*
- 3)  $27\pi$
- 4) 54 $\pi$
- 337 In circle *P* below, diameter  $\overline{AC}$  and radius  $\overline{BP}$  are drawn such that  $m \angle APB = 110^{\circ}$ .



If AC = 12, what is the area of shaded sector *BPC*?

- 1)  $\frac{7}{6}\pi$
- 2) 7*π*
- 3)  $11\pi$
- 28π

338 Triangle FGH is inscribed in circle O, the length of radius  $\overline{OH}$  is 6, and  $\overline{FH} \cong \overline{OG}$ .



What is the area of the sector formed by angle FOH?

- 1)  $2\pi$
- $\frac{3}{2}\pi$ 2)
- $6\pi$ 3)
- 4)  $24\pi$
- 339 In circle *B* below, diameter  $\overline{RT}$ , radius  $\overline{BE}$ , and chord  $\overline{RE}$  are drawn.



If  $m \angle TRE = 15^{\circ}$  and BE = 9, then the area of sector EBR is

- 1)  $3.375\pi$
- 2) 6.75*π*
- $33.75\pi$ 3)
- 4)  $37.125\pi$

340 In the diagram below of circle O, tangent  $\overline{AB}$  is drawn from external point B, and secant BCOE and diameter AOD are drawn.



If  $m \angle OBA = 36^{\circ}$  and OC = 10, what is the area of shaded sector *DOE*?

- $3\pi$ 1) 10
- $3\pi$
- 2)  $10\pi$ 3)
- 4)  $15\pi$
- 341 In the diagram below of circle O,  $\overline{AC}$  and  $\overline{BC}$  are chords, and m $\angle ACB = 70^{\circ}$ .



If OA = 9, the area of the shaded sector AOB is

- 1) 3.5*π*
- $7\pi$ 2)
- 3)  $15.75\pi$
- 4)  $31.5\pi$

342 In the diagram below of circle *O*, the area of the shaded sector LOM is  $2\pi$  cm<sup>2</sup>.



If the length of  $\overline{NL}$  is 6 cm, what is m $\angle N$ ?

- 1)  $10^{\circ}$
- 2) 20°
- 3) 40°
- 4) 80°
- 343 What is the area of a sector of a circle with a radius of 8 inches and formed by a central angle that measures 60°?
  - $\frac{8\pi}{3}$ 1)  $16\pi$ 2)

$$\begin{array}{c} 3 \\ 3 \\ 3 \\ 4 \\ \end{array} \quad \begin{array}{c} 3 \\ \frac{32\pi}{3} \\ \frac{64\pi}{3} \end{array}$$

- 344 In a circle with a diameter of 32, the area of a sector is  $\frac{512\pi}{3}$ . The measure of the angle of the sector, in radians, is
  - $\frac{\pi}{3}$ 1)  $\frac{4\pi}{3}$ 2) 3)  $\frac{16\pi}{3}$  $\frac{64\pi}{3}$ 4)

- 345 The area of a sector of a circle with a radius measuring 15 cm is  $75\pi$  cm<sup>2</sup>. What is the measure of the central angle that forms the sector? 72°
  - 1)
  - 2) 120°
  - 3) 144°
  - 4) 180°
- 346 In the diagram below of circle *O*, the area of the shaded sector AOC is  $12\pi$  in<sup>2</sup> and the length of  $\overline{OA}$ is 6 inches. Determine and state m $\angle AOC$ .



347 In the diagram below, the circle has a radius of 25 inches. The area of the unshaded sector is  $500\pi \text{ in}^2$ .



Determine and state the degree measure of angle Q, the central angle of the shaded sector.

348 In the diagram below, circle *O* has a radius of 10.



- If  $\widehat{\mathbf{mAB}} = 72^\circ$ , find the area of shaded sector *AOB*, in terms of  $\pi$ .
- 349 The diagram below models the projection of light from a lighthouse, L. The sector has a radius of 38 miles and spans  $102^{\circ}$ .



Determine and state the area of the sector, to the *nearest square mile*.

350 In the diagram below of circle *O*, diameter  $\overline{AB}$  and radii  $\overline{OC}$  and  $\overline{OD}$  are drawn. The length of  $\overline{AB}$  is 12 and the measure of  $\angle COD$  is 20 degrees.



If  $\widehat{AC} \cong \widehat{BD}$ , find the area of sector *BOD* in terms of  $\pi$ .

351 In the diagram below of circle O, the measure of inscribed angle ABC is 36° and the length of  $\overline{OA}$  is 4 inches.



Determine and state, to the *nearest tenth of a square inch*, the area of the shaded sector.

- 352 Determine and state, in terms of  $\pi$ , the area of a sector that intercepts a 40° arc of a circle with a radius of 4.5.
- 353 A circle has a radius of 6.4 inches. Determine and state, to the *nearest square inch*, the area of a sector whose arc measures 80°.

#### G.GMD.A.1: VOLUME

354 Two stacks of 23 quarters each are shown below. One stack forms a cylinder but the other stack does not form a cylinder.



Use Cavelieri's principle to explain why the volumes of these two stacks of quarters are equal.

355 Sue believes that the two cylinders shown in the diagram below have equal volumes.



Is Sue correct? Explain why.

356 The diagram below shows two figures. Figure A is a right triangular prism and figure B is an oblique triangular prism. The base of figure A has a height of 5 and a length of 8 and the height of prism A is 14. The base of figure B has a height of 8 and a length of 5 and the height of prism B is 14.



Use Cavalieri's Principle to explain why the volumes of these two triangular prisms are equal.

#### G.GMD.A.3: VOLUME

- 357 A fish tank in the shape of a rectangular prism has dimensions of 14 inches, 16 inches, and 10 inches. The tank contains 1680 cubic inches of water. What percent of the fish tank is empty?
  - 1) 10
  - 2) 25
  - 3) 50
  - 4) 75
- 358 A gardener wants to buy enough mulch to cover a rectangular garden that is 3 feet by 10 feet. One bag contains 2 cubic feet of mulch and costs \$3.66. How much will the minimum number of bags cost to cover the garden with mulch 3 inches deep?
  - 1) \$3.66
  - 2) \$10.98
  - 3) \$14.64
  - 4) \$29.28

- 359 A sandbox in the shape of a rectangular prism has a length of 43 inches and a width of 30 inches. Jack uses bags of sand to fill the sandbox to a depth of 9 inches. Each bag of sand has a volume of 0.5 cubic foot. What is the minimum number of bags of sand that must be purchased to fill the sandbox?
  - 1) 14 2) 13
  - 2) 13 3) 7
  - 4) 4
- 360 Ian needs to replace two concrete sections in his sidewalk, as modeled below. Each section is 36 inches by 36 inches and 4 inches deep. He can mix

his own concrete for \$3.25 per cubic foot.



How much money will it cost Ian to replace the two concrete sections?

361 The volume of a triangular prism is 70 in<sup>3</sup>. The base of the prism is a right triangle with one leg whose measure is 5 inches. If the height of the prism is 4 inches, determine and state the length, in inches, of the other leg of the triangle.

362 Darnell models a cup with the cylinder below. He measured the diameter of the cup to be 10 cm and the height to be 9 cm.



If Darnell fills the cup with water to a height of 8 cm, what is the volume of the water in the cup, to the *nearest cubic centimeter*?

- 1) 628
- 2) 707
- 3) 2513
- 4) 2827
- 363 Tennis balls are sold in cylindrical cans with the balls stacked one on top of the other. A tennis ball has a diameter of 6.7 cm. To the *nearest cubic centimeter*, what is the minimum volume of the can that holds a stack of 4 tennis balls?
  - 1) 236
  - 2) 282
  - 3) 564
  - 4) 945
- 364 A cylindrical pool has a diameter of 16 feet and

height of 4 feet. The pool is filled to  $\frac{1}{2}$  foot below

the top. How much water does the pool contain, to the *nearest gallon*? [1  $ft^3 = 7.48$  gallons]

- 1) 704
- 2) 804
- 3) 5264
- 4) 6016

- 365 A small town is installing a water storage tank in the shape of a cylinder. The tank must be able to hold at least 100,000 gallons of water. The tank must have a height of exactly 30 feet. [1 cubic foot holds 7.48 gallons of water] What should the minimum diameter of the tank be, to the *nearest foot*?
  - 1) 12
  - 2) 24
  - 3) 65
  - 4) 75
- 366 A barrel of fuel oil is a right circular cylinder where the inside measurements of the barrel are a diameter of 22.5 inches and a height of 33.5 inches. There are 231 cubic inches in a liquid gallon. Determine and state, to the *nearest tenth*, the gallons of fuel that are in a barrel of fuel oil.
- 367 A large water basin is in the shape of a right cylinder. The inside of the basin has a diameter of

 $8\frac{1}{4}$  feet and a height of 3 feet. Determine and

state, to the *nearest cubic foot*, the number of cubic feet of water that it will take to fill the basin to a level of  $\frac{1}{2}$  foot from the top.

368 Theresa has a rectangular pool 30 ft long, 15 ft wide, and 4 ft deep. Theresa fills her pool using city water at a rate of \$3.95 per 100 gallons of water. Nancy has a circular pool with a diameter of 24 ft and a depth of 4 ft. Nancy fills her pool with a water delivery service at a rate of \$200 per 6000 gallons. If Theresa and Nancy both fill their pools 6 inches from the top of the pool, determine and state who paid more to fill her pool.

 $[1ft^3 water = 7.48 gallons]$ 

- 369 A child-sized swimming pool can be modeled by a cylinder. The pool has a diameter of  $6\frac{1}{2}$  feet and a height of 12 inches. The pool is filled with water to  $\frac{2}{3}$  of its height. Determine and state the volume of the water in the pool, to the *nearest cubic foot*. One cubic foot equals 7.48 gallons of water. Determine and state, to the *nearest gallon*, the number of gallons of water in the pool.
- 370 A small can of soup is a right circular cylinder with a base diameter of 7 cm and a height of 9 cm. A large container is also a right circular cylinder with a base diameter of 9 cm and a height of 13cm. Determine and state the volume of the small can and the volume of the large container to the *nearest cubic centimeter*. What is the minimum number of small cans that must be opened to fill the large container? Justify your answer.
- 371 A gas station has a cylindrical fueling tank that holds the gasoline for its pumps, as modeled below. The tank holds a maximum of 20,000 gallons of gasoline and has a length of 34.5 feet.



A metal pole is used to measure how much gas is in the tank. To the *nearest tenth of a foot*, how long does the pole need to be in order to reach the bottom of the tank and still extend one foot outside the tank? Justify your answer. [1 ft<sup>3</sup>=7.48 gallons]

372 A concrete footing is a cylinder that is placed in the ground to support a building structure. The cylinder is 4 feet tall and 12 inches in diameter. A contractor is installing 10 footings.



If a bag of concrete mix makes  $\frac{2}{3}$  of a cubic foot of concrete, determine and state the minimum number of bags of concrete mix needed to make all 10 footings.

373 A manufacturer is designing a new container for their chocolate-covered almonds. Their original container was a cylinder with a height of 18 cm and a diameter of 14 cm. The new container can be modeled by a rectangular prism with a square base and will contain the same amount of chocolate-covered almonds.



If the new container's height is 16 cm, determine and state, to the *nearest tenth of a centimeter*, the side length of the new container if both containers contain the same amount of almonds. A store owner who sells the chocolate-covered almonds displays them on a shelf whose dimensions are 80 cm long and 60 cm wide. The shelf can only hold one layer of new containers when each new container sits on its square base. Determine and state the maximum number of new containers the store owner can fit on the shelf. 374 As shown in the diagram below, a regular pyramid has a square base whose side measures 6 inches.



If the altitude of the pyramid measures 12 inches, its volume, in cubic inches, is

- 1) 72
- 2) 144
- 3) 288
- 4) 432

375 The Pyramid of Memphis, in Tennessee, stands 107 yards tall and has a square base whose side is 197 yards long.



What is the volume of the Pyramid of Memphis, to the *nearest cubic yard*?

- 1) 751,818
- 2) 1,384,188
- 3) 2,076,212
- 4) 4,152,563
- 376 A regular pyramid has a square base. The perimeter of the base is 36 inches and the height of the pyramid is 15 inches. What is the volume of the pyramid in cubic inches?
  - 1) 180
  - 2) 405
  - 3) 540
  - 4) 1215
- 377 A child's tent can be modeled as a pyramid with a square base whose sides measure 60 inches and whose height measures 84 inches. What is the volume of the tent, to the *nearest cubic foot*?
  - 1) 35
  - 2) 58
  - 3) 82
  - 4) 175

- 378 A tent is in the shape of a right pyramid with a square floor. The square floor has side lengths of 8 feet. If the height of the tent at its center is 6 feet, what is the volume of the tent, in cubic feet?
  - 1) 48
  - 2) 128
  - 3) 192
  - 4) 384
- 379 What is the volume, in cubic centimeters, of a right square pyramid with base edges that are 64 cm long and a slant height of 40 cm?
  - 1) 8192.0
  - 2) 13,653.3
  - 3) 32,768.0
  - 4) 54,613.3
- 380 The pyramid shown below has a square base, a height of 7, and a volume of 84.



What is the length of the side of the base?

- 1) 6
- 2) 12
- 3) 18
- 4) 36

- 381 The Great Pyramid of Giza was constructed as a regular pyramid with a square base. It was built with an approximate volume of 2,592,276 cubic meters and a height of 146.5 meters. What was the length of one side of its base, to the *nearest meter*?
  1) 73
  - 2) 77
  - 3) 133
  - 4) 230
  - 4) 230
- 382 The base of a pyramid is a rectangle with a width of 4.6 cm and a length of 9 cm. What is the height, in centimeters, of the pyramid if its volume is 82.8 cm<sup>3</sup>?
  - 1) 6
  - 2) 2
  - 3) 9
  - 4) 18
- 383 As shown in the diagram below, the radius of a cone is 2.5 cm and its slant height is 6.5 cm.



How many cubic centimeters are in the volume of the cone?

- 1) 12.5*π*
- 2) 13.5*π*
- 3)  $30.0\pi$
- 4)  $37.5\pi$

384 In the diagram below, a cone has a diameter of 16 inches and a slant height of 17 inches.



What is the volume of the cone, in cubic inches?

- 1) 320*π*
- 2) 363*π*
- 3) 960*π*
- 1280π
- 385 What is the volume of a right circular cone that has a height of 7.2 centimeters and a radius of 2.5 centimeters, to the *nearest tenth of a cubic centimeter*?
  - 1) 37.7
  - 2) 47.1
  - 3) 113.1
  - 4) 141.4
- 386 A water cup in the shape of a cone has a height of 4 inches and a maximum diameter of 3 inches. What is the volume of the water in the cup, to the *nearest tenth of a cubic inch*, when the cup is filled to half its height?
  - 1) 1.2
  - 2) 3.5
  - 3) 4.7
  - 4) 14.1

- 387 A cone has a volume of  $108\pi$  and a base diameter of 12. What is the height of the cone?
  - 1) 27
  - 2) 9
  - 3) 3
  - 4) 4
- 388 An ice cream waffle cone can be modeled by a right circular cone with a base diameter of 6.6 centimeters and a volume of  $54.45\pi$  cubic centimeters. What is the number of centimeters in the height of the waffle cone?
  - 1)  $3\frac{3}{4}$
  - 2) 5
  - 3) 15
  - 4)  $24\frac{3}{4}$
- 389 Jaden is comparing two cones. The radius of the base of cone A is twice as large as the radius of the base of cone B. The height of cone B is twice the height of cone A. The volume of cone A is
  - 1) twice the volume of cone B
  - 2) four times the volume of cone B
  - 3) equal to the volume of cone B
  - 4) equal to half the volume of cone *B*

390 In the diagram below, a right circular cone has a diameter of 10 and a slant height of 13.



Determine and state the volume of the cone, in terms of  $\pi$ .

391 A candle maker uses a mold to make candles like the one shown below.



The height of the candle is 13 cm and the circumference of the candle at its widest measure is 31.416 cm. Use modeling to approximate how much wax, to the *nearest cubic centimeter*, is needed to make this candle. Justify your answer.

392 Sally and Mary both get ice cream from an ice cream truck. Sally's ice cream is served as a cylinder with a diameter of 4 cm and a total height of 8 cm. Mary's ice cream is served as a cone with a diameter of 7 cm and a total height of 12.5 cm. Assume that ice cream fills Sally's cylinder and Mary's cone.



Who was served more ice cream, Sally or Mary? Justify your answer. Determine and state how much more is served in the larger ice cream than the smaller ice cream, to the *nearest cubic centimeter*.

393 A water glass can be modeled by a truncated right cone (a cone which is cut parallel to its base) as shown below.



The diameter of the top of the glass is 3 inches, the diameter at the bottom of the glass is 2 inches, and the height of the glass is 5 inches. The base with a diameter of 2 inches must be parallel to the base with a diameter of 3 inches in order to find the height of the cone. Explain why. Determine and state, in inches, the height of the larger cone. Determine and state, to the *nearest tenth of a cubic inch*, the volume of the water glass.

- 394 What is the volume of a hemisphere that has a diameter of 12.6 cm, to the *nearest tenth of a cubic centimeter*?
  - 1) 523.7
  - 2) 1047.4
  - 3) 4189.6
  - 4) 8379.2
- 395 If the circumference of a standard lacrosse ball is 19.9 cm, what is the volume of this ball, to the *nearest cubic centimeter*?
  - 1) 42
  - 2) 133
  - 3) 415
  - 4) 1065

- 396 The diameter of a basketball is approximately 9.5 inches and the diameter of a tennis ball is approximately 2.5 inches. The volume of the basketball is about how many times greater than the volume of the tennis ball?
  - 1) 3591
  - 2) 65
  - 3) 55
  - 4) 4
- 397 Randy's basketball is in the shape of a sphere with a maximum circumference of 29.5 inches. Determine and state the volume of the basketball, to the *nearest cubic inch*.
- 398 Izzy is making homemade clay pendants in the shape of a solid hemisphere, as modeled below. Each pendant has a radius of 2.8 cm.



How much clay, to the *nearest cubic centimeter*, does Izzy need to make 100 pendants?

399 A large snowman is made of three spherical snowballs with radii of 1 foot, 2 feet, and 3 feet, respectively. Determine and state the amount of snow, in cubic feet, that is used to make the snowman. [Leave your answer in terms of  $\pi$ .]

- 400 When volleyballs are purchased, they are not fully inflated. A partially inflated volleyball can be modeled by a sphere whose volume is approximately 180 in<sup>3</sup>. After being fully inflated, its volume is approximately 294 in<sup>3</sup>. To the *nearest tenth of an inch*, how much does the radius increase when the volleyball is fully inflated?
- 401 A company is creating an object from a wooden cube with an edge length of 8.5 cm. A right circular cone with a diameter of 8 cm and an altitude of 8 cm will be cut out of the cube. Which expression represents the volume of the remaining wood?
  - 1)  $(8.5)^3 \pi(8)^2(8)$
  - 2)  $(8.5)^3 \pi (4)^2 (8)$
  - 3)  $(8.5)^3 \frac{1}{3}\pi(8)^2(8)$
  - 4)  $(8.5)^3 \frac{1}{3} \pi (4)^2 (8)$
- 402 The diagram below models a countertop designed for a kitchen. The countertop is made of solid oak and is 3 inches thick.



If oak weighs approximately 44 pounds per cubic foot, the approximate weight, in pounds, of the countertop is

- 1) 630
- 2) 730
- 3) 750
- 4) 870

403 A solid metal prism has a rectangular base with sides of 4 inches and 6 inches, and a height of 4 inches. A hole in the shape of a cylinder, with a radius of 1 inch, is drilled through the entire length of the rectangular prism.



What is the approximate volume of the remaining solid, in cubic inches?

- 1) 19
- 2) 77
- 3) 93
- 4) 96
- 404 A fabricator is hired to make a 27-foot-long solid metal railing for the stairs at the local library. The railing is modeled by the diagram below. The railing is 2.5 inches high and 2.5 inches wide and is comprised of a rectangular prism and a half-cylinder.



How much metal, to the *nearest cubic inch*, will the railing contain?

- 1) 151
- 2) 795
- 3) 1808
- 4) 2025

405 The greenhouse pictured below can be modeled as a rectangular prism with a half-cylinder on top. The rectangular prism is 20 feet wide, 12 feet high, and 45 feet long. The half-cylinder has a diameter of 20 feet.



To the *nearest cubic foot*, what is the volume of the greenhouse?

- 1) 17,869
- 2) 24,937
- 3) 39,074
- 4) 67,349

406 A vendor is using an 8-ft by 8-ft tent for a craft fair. The legs of the tent are 9 ft tall and the top forms a square pyramid with a height of 3 ft.



What is the volume, in cubic feet, of space the tent occupies?

- 1) 256
- 2) 640
- 3) 672
- 4) 768
- 407 Josh is making a square-based fire pit out of concrete for his backyard, as modeled by the right prism below. He plans to make the outside walls of the fire pit 3.5 feet on each side with a height of 1.5 feet. The concrete walls of the fire pit are going to be 9 inches thick.



If a bag of concrete mix will fill 0.6 ft<sup>3</sup>, determine and state the minimum number of bags needed to build the fire pit. 408 A storage tank is in the shape of a cylinder with a hemisphere on the top. The highest point on the inside of the storage tank is 13 meters above the floor of the storage tank, and the diameter inside the cylinder is 8 meters. Determine and state, to the *nearest cubic meter*, the total volume inside the storage tank.



409 A cargo trailer, pictured below, can be modeled by a rectangular prism and a triangular prism. Inside the trailer, the rectangular prism measures 6 feet wide and 10 feet long. The walls that form the triangular prism each measure 4 feet wide inside the trailer. The diagram below is of the floor, showing the inside measurements of the trailer.





If the inside height of the trailer is 6.5 feet, what is the total volume of the inside of the trailer, to the *nearest cubic foot*?

### Geometry Regents Exam Questions by State Standard: Topic

410 A rectangular in-ground pool is modeled by the prism below. The inside of the pool is 16 feet wide and 35 feet long. The pool has a shallow end and a deep end, with a sloped floor connecting the two ends. Without water, the shallow end is 9 feet long and 4.5 feet deep, and the deep end of the pool is 12.5 feet long.



If the sloped floor has an angle of depression of 16.5 degrees, what is the depth of the pool at the deep end, to the *nearest tenth of a foot*? Find the volume of the inside of the pool to the *nearest cubic foot*. A garden hose is used to fill the pool. Water comes out of the hose at a rate of 10.5 gallons per minute. How much time, to the *nearest hour*, will it take to fill the pool 6 inches from the top? [1 ft<sup>3</sup>=7.48 gallons]

#### G.MG.A.2: DENSITY

411 The table below shows the population and land area, in square miles, of four counties in New York State at the turn of the century.

County	2000 Census Population	$\begin{array}{c} \textbf{2000}\\ \textbf{Land Area}\\ \left(\text{mi}^2\right) \end{array}$
Broome	200,536	706.82
Dutchess	280,150	801.59
Niagara	219,846	522.95
Saratoga	200,635	811.84

Which county had the greatest population density?

1) Broome

3) Niagara

2) Dutchess

4) Saratoga

State	<b>Population Density</b> $\left(\frac{\text{people}}{\text{mi}^2}\right)$	Population in 2010
Florida	350.6	18,801,310
Illinois	231.1	12,830,632
New York	411.2	19,378,102
Pennsylvania	283.9	12,702,379

412 The 2010 U.S. Census populations and population densities are shown in the table below.

Based on the table above, which list has the states' areas, in square miles, in order from largest to smallest?

- 1) Illinois, Florida, New York, Pennsylvania
- 2) New York, Florida, Illinois, Pennsylvania
- New York, Florida, Pennsylvania, Illinois
- 4) Pennsylvania, New York, Florida, Illinois
- 413 A shipping container is in the shape of a right rectangular prism with a length of 12 feet, a width of 8.5 feet, and a height of 4 feet. The container is completely filled with contents that weigh, on average, 0.25 pound per cubic foot. What is the weight, in pounds, of the contents in the container?
  - 1) 1,632
  - 2) 408
  - 3) 102
  - 4) 92
- 414 Lou has a solid clay brick in the shape of a rectangular prism with a length of 8 inches, a width of 3.5 inches, and a height of 2.25 inches. If the clay weighs 1.055 oz/in<sup>3</sup>, how much does Lou's brick weigh, to the *nearest ounce*?
  - 1) 66
  - 2) 64
  - 3) 63
  - 4) 60

- 415 The density of the American white oak tree is 752 kilograms per cubic meter. If the trunk of an American white oak tree has a circumference of 4.5 meters and the height of the trunk is 8 meters, what is the approximate number of kilograms of the trunk?
  - 1) 13
  - 2) 9694
  - 3) 13,536
  - 4) 30,456
- 416 A regular pyramid with a square base is made of solid glass. It has a base area of 36 cm<sup>2</sup> and a height of 10 cm. If the density of glass is 2.7 grams per cubic centimeter, the mass of the pyramid, in grams, is
  - 1) 120
  - 2) 324
  - 3) 360
  - 4) 972

417 The square pyramid below models a toy block made of maple wood.



Each side of the base measures 4.5 cm and the height of the pyramid is 10 cm. If the density of maple is  $0.676 \text{ g/cm}^3$ , what is the mass of the block, to the *nearest tenth of a gram*?

- 1) 45.6
- 2) 67.5
- 3) 136.9
- 4) 202.5
- 418 A hemispherical water tank has an inside diameter of 10 feet. If water has a density of 62.4 pounds per cubic foot, what is the weight of the water in a full tank, to the *nearest pound*?
  - 1) 16,336
  - 2) 32,673
  - 3) 130,690
  - 4) 261,381
- 419 A hemispherical tank is filled with water and has a diameter of 10 feet. If water weighs 62.4 pounds per cubic foot, what is the total weight of the water in a full tank, to the *nearest pound*?
  - 1) 16,336
  - 2) 32,673
  - 3) 130,690
  - 4) 261,381

- 420 Molly wishes to make a lawn ornament in the form of a solid sphere. The clay being used to make the sphere weighs .075 pound per cubic inch. If the sphere's radius is 4 inches, what is the weight of the sphere, to the *nearest pound*?
  - 1) 34
  - 2) 20
     3) 15
  - 3) 15
     4) 4
  - 4) 4
- 421 A standard-size golf ball has a diameter of 1.680 inches. The material used to make the golf ball weighs 0.6523 ounce per cubic inch. What is the weight, to the *nearest hundredth of an ounce*, of one golf ball?
  - 1) 1.10
  - 2) 1.62
  - 3) 2.48
  - 4) 3.81
- 422 Seawater contains approximately 1.2 ounces of salt per liter on average. How many gallons of seawater, to the *nearest tenth of a gallon*, would contain 1 pound of salt?
  - 1) 3.3
  - 2) 3.5
  - 3) 4.7
  - 4) 13.3
- 423 A jewelry company makes copper heart pendants. Each heart uses 0.75 in<sup>3</sup> of copper and there is 0.323 pound of copper per cubic inch. If copper costs \$3.68 per pound, what is the total cost for 24 copper hearts?
  - 1) \$5.81
  - 2) \$21.40
  - 3) \$66.24
  - 4) \$205.08

424 A wooden cube has an edge length of 6 centimeters and a mass of 137.8 grams. Determine the density of the cube, to the *nearest thousandth*. State which type of wood the cube is made of, using the density table below.

Type of Wood	Density (g/cm <sup>3</sup> )
Pine	0.373
Hemlock	0.431
Elm	0.554
Birch	0.601
Ash	0.638
Maple	0.676
Oak	0.711

425 During an experiment, the same type of bacteria is grown in two petri dishes. Petri dish A has a diameter of 51 mm and has approximately 40,000 bacteria after 1 hour. Petri dish B has a diameter of 75 mm and has approximately 72,000 bacteria after 1 hour.



Determine and state which petri dish has the greater population density of bacteria at the end of the first hour.

426 A contractor needs to purchase 500 bricks. The dimensions of each brick are 5.1 cm by 10.2 cm by 20.3 cm, and the density of each brick is 1920 kg/m<sup>3</sup>. The maximum capacity of the contractor's trailer is 900 kg. Can the trailer hold the weight of 500 bricks? Justify your answer.

- 427 A rectangular tabletop will be made of maple wood that weighs 43 pounds per cubic foot. The tabletop will have a length of eight feet, a width of three feet, and a thickness of one inch. Determine and state the weight of the tabletop, in pounds.
- 428 Trees that are cut down and stripped of their branches for timber are approximately cylindrical. A timber company specializes in a certain type of tree that has a typical diameter of 50 cm and a typical height of about 10 meters. The density of the wood is 380 kilograms per cubic meter, and the wood can be sold by mass at a rate of \$4.75 per kilogram. Determine and state the minimum number of whole trees that must be sold to raise at least \$50,000.

429 A candle in the shape of a right pyramid is modeled below. Each side of the square base measures 12 centimeters. The slant height of the pyramid measures 16 centimeters.



Determine and state the volume of the candle, to the *nearest cubic centimeter*. The wax used to make the candle weighs 0.032 ounce per cubic centimeter. Determine and state the weight of the candle, to the *nearest ounce*.

430 A packing box for baseballs is the shape of a rectangular prism with dimensions of  $2 \text{ ft} \times 1 \text{ ft} \times 18 \text{ in}$ . Each baseball has a diameter of 2.94 inches.



Determine and state the maximum number of baseballs that can be packed in the box if they are stacked in layers and each layer contains an equal number of baseballs. The weight of a baseball is approximately 0.025 pound per cubic inch. Determine and state, to the *nearest pound*, the total weight of all the baseballs in the fully packed box.

- 431 A bakery sells hollow chocolate spheres. The larger diameter of each sphere is 4 cm. The thickness of the chocolate of each sphere is 0.5 cm. Determine and state, to the *nearest tenth of a cubic centimeter*, the amount of chocolate in each hollow sphere. The bakery packages 8 of them into a box. If the density of the chocolate is 1.308 g/cm<sup>3</sup>, determine and state, to the *nearest gram*, the total mass of the chocolate in the box.
- 432 Walter wants to make 100 candles in the shape of a cone for his new candle business. The mold shown below will be used to make the candles. Each mold will have a height of 8 inches and a diameter of 3 inches. To the *nearest cubic inch*, what will be the total volume of 100 candles?



Walter goes to a hobby store to buy the wax for his candles. The wax costs \$0.10 per ounce. If the weight of the wax is 0.52 ounce per cubic inch, how much will it cost Walter to buy the wax for 100 candles? If Walter spent a total of \$37.83 for the molds and charges \$1.95 for each candle, what is Walter's profit after selling 100 candles?

433 A snow cone consists of a paper cone completely filled with shaved ice and topped with a hemisphere of shaved ice, as shown in the diagram below. The inside diameter of both the cone and the hemisphere is 8.3 centimeters. The height of the cone is 10.2 centimeters.



The desired density of the shaved ice is  $0.697 \text{ g/cm}^3$ , and the cost, per kilogram, of ice is \$3.83. Determine and state the cost of the ice needed to make 50 snow cones.

434 The water tower in the picture below is modeled by the two-dimensional figure beside it. The water tower is composed of a hemisphere, a cylinder, and a cone. Let *C* be the center of the hemisphere and let *D* be the center of the base of the cone.



If AC = 8.5 feet, BF = 25 feet, and m $\angle EFD = 47^{\circ}$ , determine and state, to the *nearest cubic foot*, the volume of the water tower. The water tower was constructed to hold a maximum of 400,000 pounds of water. If water weighs 62.4 pounds per cubic foot, can the water tower be filled to 85% of its volume and *not* exceed the weight limit? Justify your answer.

435 Shae has recently begun kickboxing and purchased training equipment as modeled in the diagram below. The total weight of the bag, pole, and unfilled base is 270 pounds. The cylindrical base is 18 inches tall with a diameter of 20 inches. The dry sand used to fill the base weighs 95.46 lbs per cubic foot.



To the *nearest pound*, determine and state the total weight of the training equipment if the base is filled to 85% of its capacity.

- 436 New streetlights will be installed along a section of the highway. The posts for the streetlights will be 7.5 m tall and made of aluminum. The city can choose to buy the posts shaped like cylinders or the posts shaped like rectangular prisms. The cylindrical posts have a hollow core, with aluminum 2.5 cm thick, and an outer diameter of 53.4 cm. The rectangular-prism posts have a hollow core, with aluminum 2.5 cm thick, and a square base that measures 40 cm on each side. The density of aluminum is 2.7 g/cm3, and the cost of aluminum is \$0.38 per kilogram. If all posts must be the same shape, which post design will cost the town less? How much money will be saved per streetlight post with the less expensive design?
- 437 A machinist creates a solid steel part for a wind turbine engine. The part has a volume of 1015 cubic centimeters. Steel can be purchased for \$0.29 per kilogram, and has a density of 7.95 g/cm<sup>3</sup>. If the machinist makes 500 of these parts, what is the cost of the steel, to the *nearest dollar*?

### TRANSFORMATIONS G.SRT.A.1: LINE DILATIONS

438 In the diagram below,  $\overline{CD}$  is the image of  $\overline{AB}$  after a dilation of scale factor k with center E.



Which ratio is equal to the scale factor k of the dilation?

- 1)  $\frac{EC}{EA}$
- 2)  $\frac{BA}{EA}$
- 3)  $\frac{EA}{RA}$
- S BA
- 4)  $\frac{EA}{EC}$

439 After a dilation with center (0,0), the image of  $\overline{DB}$  is  $\overline{D'B'}$ . If DB = 4.5 and D'B' = 18, the scale factor of this dilation is

1)

 $\frac{1}{5}$ 

- 2) 5
- 3)  $\frac{1}{4}$
- 4) 4

- 440 The line represented by 2y = x + 8 is dilated by a scale factor of *k* centered at the origin, such that the image of the line has an equation of  $y \frac{1}{2}x = 2$ . What is the scale factor?
  - 1)  $k = \frac{1}{2}$ 2) k = 23)  $k = \frac{1}{4}$ 4) k = 4
- 441 After a dilation centered at the origin, the image of  $\overline{CD}$  is  $\overline{C'D'}$ . If the coordinates of the endpoints of these segments are C(6, -4), D(2, -8), C'(9, -6), and D'(3, -12), the scale factor of the dilation is 1)  $\frac{3}{2}$ 
  - $\begin{array}{c}
     2 \\
     2) \\
     \hline
     2 \\
     3 \\
     3) \\
     3
    \end{array}$
  - 4)  $\frac{1}{3}$

442 On the graph below, point A(3,4) and  $\overline{BC}$  with coordinates B(4,3) and C(2,1) are graphed.



What are the coordinates of B' and C' after  $\overline{BC}$  undergoes a dilation centered at point A with a scale factor of 2?

- 1) B'(5,2) and C'(1,-2)
- 2) B'(6,1) and C'(0,-1)
- 3) B'(5,0) and C'(1,-2)
- 4) B'(5,2) and C'(3,0)

443 On the set of axes below, the endpoints of  $\overline{AB}$  have coordinates A(-3,4) and B(5,2).



If *AB* is dilated by a scale factor of 2 centered at (3,5), what are the coordinates of the endpoints of its image,  $\overline{A'B'}$ ?

- 1) A'(-7,5) and B'(9,1)
- 2) A'(-1,6) and B'(7,4)
- 3) A'(-6,8) and B'(10,4)
- 4) A'(-9,3) and B'(7,-1)
- 444 Line segment A'B', whose endpoints are (4, -2) and

(16, 14), is the image of  $\overline{AB}$  after a dilation of  $\frac{1}{2}$ 

centered at the origin. What is the length of AB?

- 1) 5
- 2) 10
- 3) 20
- 4) 40
- 445 A three-inch line segment is dilated by a scale factor of 6 and centered at its midpoint. What is the length of its image?
  - 1) 9 inches
  - 2) 2 inches
  - 3) 15 inches
  - $4) \quad 18 \text{ inches}$

- 446 A line that passes through the points whose coordinates are (1, 1) and (5, 7) is dilated by a scale factor of 3 and centered at the origin. The image of the line
  - 1) is perpendicular to the original line
  - 2) is parallel to the original line
  - 3) passes through the origin
  - 4) is the original line
- 447 The line whose equation is 3x 5y = 4 is dilated by a scale factor of  $\frac{5}{3}$  centered at the origin. Which statement is correct?
  - 1) The image of the line has the same slope as the pre-image but a different *y*-intercept.
  - 2) The image of the line has the same *y*-intercept as the pre-image but a different slope.
  - 3) The image of the line has the same slope and the same *y*-intercept as the pre-image.
  - 4) The image of the line has a different slope and a different *y*-intercept from the pre-image.
- 448 A line segment is dilated by a scale factor of 2 centered at a point not on the line segment. Which statement regarding the relationship between the given line segment and its image is true?
  - 1) The line segments are perpendicular, and the image is one-half of the length of the given line segment.
  - 2) The line segments are perpendicular, and the image is twice the length of the given line segment.
  - 3) The line segments are parallel, and the image is twice the length of the given line segment.
  - The line segments are parallel, and the image is one-half of the length of the given line segment.

- 449 If the line represented by  $y = -\frac{1}{4}x 2$  is dilated by a scale factor of 4 centered at the origin, which statement about the image is true?
  - 1) The slope is  $-\frac{1}{4}$  and the *y*-intercept is -8.
  - 2) The slope is  $-\frac{1}{4}$  and the *y*-intercept is -2.
  - 3) The slope is -1 and the *y*-intercept is -8.
  - 4) The slope is -1 and the *y*-intercept is -2.
- 450 A line is dilated by a scale factor of  $\frac{1}{3}$  centered at a point on the line. Which statement is correct about the image of the line?
  - 1) Its slope is changed by a scale factor of  $\frac{1}{3}$ .
  - 2) Its *y*-intercept is changed by a scale factor of  $\frac{1}{3}$ .
  - 3) Its slope and *y*-intercept are changed by a scale factor of  $\frac{1}{3}$ .
  - 4) The image of the line and the pre-image are the same line.
- 451 An equation of line p is  $y = \frac{1}{3}x + 4$ . An equation of line q is  $y = \frac{2}{3}x + 8$ . Which statement about lines p and q is true?
  - 1) A dilation of  $\frac{1}{2}$  centered at the origin will map line *q* onto line *p*.
  - 2) A dilation of 2 centered at the origin will map line *p* onto line *q*.
  - 3) Line q is not the image of line p after a dilation because the lines are not parallel.
  - 4) Line q is not the image of line p after a dilation because the lines do not pass through the origin.
452 On the set of axes below, AB is drawn and passes through A(-2,6) and B(4,0).



If  $\overrightarrow{CD}$  is the image of  $\overrightarrow{AB}$  after a dilation with a scale factor of  $\frac{1}{2}$  centered at the origin, which

- equation represents CD?
- 1) y = -x + 42) y = -x + 23)  $y = -\frac{1}{2}x + 4$ 4)  $y = -\frac{1}{2}x + 2$
- 453 The equation of line *h* is 2x + y = 1. Line *m* is the image of line *h* after a dilation of scale factor 4 with respect to the origin. What is the equation of the line *m*?
  - 1) y = -2x + 1
  - $2) \quad y = -2x + 4$
  - $3) \quad y = 2x + 4$
  - 4) y = 2x + 1

- 454 The line y = 2x 4 is dilated by a scale factor of  $\frac{3}{2}$ and centered at the origin. Which equation represents the image of the line after the dilation? 1) y = 2x - 42) y = 2x - 63) y = 3x - 4
  - $4) \quad y = 3x 6$
- 455 What is an equation of the image of the line  $y = \frac{3}{2}x - 4$  after a dilation of a scale factor of  $\frac{3}{4}$ centered at the origin?

1) 
$$y = \frac{9}{8}x - 4$$
  
2)  $y = \frac{9}{8}x - 3$   
3)  $y = \frac{3}{2}x - 4$   
4)  $y = \frac{3}{2}x - 3$ 

456 The equation of line t is 3x - y = 6. Line m is the image of line t after a dilation with a scale factor of  $\frac{1}{2}$  centered at the origin. What is an equation of the line m?

1) 
$$y = \frac{3}{2}x - 3$$
  
2)  $y = \frac{3}{2}x - 6$   
3)  $y = 3x + 3$   
4)  $y = 3x - 3$ 

- 457 The line whose equation is 6x + 3y = 3 is dilated by a scale factor of 2 centered at the point (0,0). An equation of its image is
  - $1) \quad y = -2x + 1$
  - $2) \quad y = -2x + 2$
  - $3) \quad y = -4x + 1$
  - $4) \quad y = -4x + 2$

- 458 The line 3y = -2x + 8 is transformed by a dilation centered at the origin. Which linear equation could be its image?
  - 1) 2x + 3y = 5
  - $2) \quad 2x 3y = 5$
  - $3) \quad 3x + 2y = 5$
  - $4) \quad 3x 2y = 5$
- 459 The line represented by the equation 4y = 3x + 7 is transformed by a dilation centered at the origin. Which linear equation could represent its image?
  - 1) 3x 4y = 9
  - 2) 3x + 4y = 9
  - 3) 4x 3y = 9
  - 4) 4x + 3y = 9
- 460 The line -3x + 4y = 8 is transformed by a dilation centered at the origin. Which linear equation could represent its image?
  - 1)  $y = \frac{4}{3}x + 8$ 2)  $y = \frac{3}{4}x + 8$ 3)  $y = -\frac{3}{4}x - 8$
  - $4) \quad y = -\frac{4}{3}x 8$
- 461 Line y = 3x 1 is transformed by a dilation with a scale factor of 2 and centered at (3,8). The line's image is
  - 1) y = 3x 8
  - 2) y = 3x 4
  - $3) \quad y = 3x 2$
  - $4) \quad y = 3x 1$

- 462 Line *MN* is dilated by a scale factor of 2 centered at the point (0,6). If  $\overrightarrow{MN}$  is represented by y = -3x + 6, which equation can represent  $\overleftarrow{M'N'}$ , the image of  $\overrightarrow{MN?}$ 1) y = -3x + 122) y = -3x + 63) y = -6x + 64) y = -6x + 6
- 463 On the set of axes below,  $\overline{AB}$  is dilated by a scale factor of  $\frac{5}{2}$  centered at point *P*.



Which statement is always true?

1)  $PA \cong AA'$ 2)  $AB \parallel A'B'$ 3) AB = A'B'4)  $\frac{5}{2}(A'B') = AB$ 

464 The coordinates of the endpoints of  $\overline{AB}$  are A(2,3)and B(5,-1). Determine the length of  $\overline{A'B'}$ , the image of  $\overline{AB}$ , after a dilation of  $\frac{1}{2}$  centered at the origin. [The use of the set of axes below is optional.]



465 Line *n* is represented by the equation 3x + 4y = 20. Determine and state the equation of line *p*, the image of line *n*, after a dilation of scale factor  $\frac{1}{3}$ centered at the point (4,2). [The use of the set of axes below is optional.] Explain your answer.



- 466 Aliyah says that when the line 4x + 3y = 24 is dilated by a scale factor of 2 centered at the point (3,4), the equation of the dilated line is
  - $y = -\frac{4}{3}x + 16$ . Is Aliyah correct? Explain why.

[The use of the set of axes below is optional.]



467 Line *AB* is dilated by a scale factor of 2 centered at point *A*.



Evan thinks that the dilation of  $\overline{AB}$  will result in a line parallel to  $\overline{AB}$ , not passing through points A or B. Nathan thinks that the dilation of  $\overline{AB}$  will result in the same line,  $\overline{AB}$ . Who is correct? Explain why.

468 Line  $\ell$  is mapped onto line *m* by a dilation centered at the origin with a scale factor of 2. The equation of line  $\ell$  is 3x - y = 4. Determine and state an equation for line *m*.

#### G.CO.A.5: ROTATIONS

469 Which point shown in the graph below is the image of point *P* after a counterclockwise rotation of  $90^{\circ}$  about the origin?



1)	A
2)	В
3)	(

(4) D

470 The grid below shows  $\triangle ABC$  and  $\triangle DEF$ .



Let  $\triangle A'B'C$  be the image of  $\triangle ABC$  after a rotation about point *A*. Determine and state the location of *B'* if the location of point *C'* is (8,-3). Explain your answer. Is  $\triangle DEF$  congruent to  $\triangle A'B'C$ ? Explain your answer.

### G.CO.A.5: REFLECTIONS

- 471 What is the image of (4,3) after a reflection over the line y = 1?
  - 1) (-2,3)
  - 2) (-4,3)
  - 3) (4, -1)
  - 4) (4,-3)

472 Triangle *ABC* is graphed on the set of axes below. Graph and label  $\triangle A'B'C'$ , the image of  $\triangle ABC$ after a reflection over the line x = 1.



# G.SRT.A.2: DILATIONS

473 In the diagram below,  $\triangle GHJ$  is dilated by a scale factor of  $\frac{1}{2}$  centered at point *B* to map onto  $\triangle CDF$ .



B.

If  $m \angle DFC = 40^\circ$ , what is  $m \angle HJG$ ? 1) 20° 2) 40°

- $3) 60^{\circ}$
- (3) (0)
- 4) 80°

474 In the diagram below,  $\triangle ABE$  is the image of  $\triangle ACD$  after a dilation centered at the origin. The coordinates of the vertices are A(0,0), B(3,0),*C*(4.5,0), *D*(0,6), and *E*(0,4).



The ratio of the lengths of  $\overline{BE}$  to  $\overline{CD}$  is

- 1)
- 2)
- 3)
- $\frac{2}{3}$   $\frac{3}{2}$   $\frac{3}{4}$   $\frac{4}{3}$
- 4)

475 On the set of axes below,  $\triangle RST$  is the image of  $\triangle ABC$  after a dilation centered at point *P*.



The scale factor of the dilation that maps  $\triangle ABC$ onto  $\triangle RST$  is

- $\frac{1}{3}$ 1)
- 2)
- 2 3 3)
- $\frac{2}{3}$ 4)

476 On the set of axes below,  $\triangle DEF$  is the image of  $\triangle ABC$  after a dilation of scale factor  $\frac{1}{3}$ .



The center of dilation is at

- 1) (0,0)
- 2) (2,-3)
- 3) (0,-2)
- 4) (-4,0)

477 Triangle A'B'C' is the image of  $\triangle ABC$  after a dilation centered at the origin. The coordinates of the vertices of  $\triangle ABC$  are A(-2, 1), B(2, 4), and C(2, -3).



If the coordinates of A' are (-4,2), the coordinates of B' are

- 1) (8,4)
- 2) (4,8)
- 3) (4,-6)
- 4) (1,2)

478 The image of  $\triangle ABC$  after a dilation of scale factor k centered at point A is  $\triangle ADE$ , as shown in the diagram below.



Which statement is always true?

- 1) 2AB = AD
- 2)  $\overline{AD} \perp \overline{DE}$
- 3) AC = CE
- 4)  $\overline{BC} \parallel \overline{DE}$
- 479 If  $\triangle ABC$  is dilated by a scale factor of 3, which statement is true of the image  $\triangle A'B'C'$ ?
  - 1) 3A'B' = AB
  - 2) B'C' = 3BC
  - 3)  $m \angle A' = 3(m \angle A)$
  - 4)  $3(m \angle C') = m \angle C$
- 480 If  $\triangle TAP$  is dilated by a scale factor of 0.5, which statement about the image,  $\triangle T'A'P'$ , is true?
  - 1)  $m \angle T' A' P' = \frac{1}{2} (m \angle TAP)$
  - 2)  $m \angle T' A' P' = 2(m \angle TAP)$
  - $3) \quad TA = 2(T'A')$
  - $4) \quad TA = \frac{1}{2} \left( T'A' \right)$

- 481 Given square *RSTV*, where RS = 9 cm. If square *RSTV* is dilated by a scale factor of 3 about a given center, what is the perimeter, in centimeters, of the image of *RSTV* after the dilation?
  - 1) 12
  - 2) 27
  - 3) 36
  - 4) 108
- 482 Triangle *RJM* has an area of 6 and a perimeter of 12. If the triangle is dilated by a scale factor of 3 centered at the origin, what are the area and perimeter of its image, triangle *R'J'M'*?
  - 1) area of 9 and perimeter of 15
  - 2) area of 18 and perimeter of 36
  - 3) area of 54 and perimeter of 36
  - 4) area of 54 and perimeter of 108
- 483 A triangle is dilated by a scale factor of 3 with the center of dilation at the origin. Which statement is true?
  - 1) The area of the image is nine times the area of the original triangle.
  - 2) The perimeter of the image is nine times the perimeter of the original triangle.
  - 3) The slope of any side of the image is three times the slope of the corresponding side of the original triangle.
  - 4) The measure of each angle in the image is three times the measure of the corresponding angle of the original triangle.

- 484 Rectangle A'B'C'D' is the image of rectangle ABCD after a dilation centered at point A by a scale factor of  $\frac{2}{3}$ . Which statement is correct?
  - 1) Rectangle A'B'C'D' has a perimeter that is  $\frac{2}{3}$  the perimeter of rectangle *ABCD*.
  - 2) Rectangle A'B'C'D' has a perimeter that is  $\frac{3}{2}$  the perimeter of rectangle *ABCD*.
  - 3) Rectangle A'B'C'D' has an area that is  $\frac{2}{3}$  the area of rectangle *ABCD*.
  - 4) Rectangle A'B'C'D' has an area that is  $\frac{3}{2}$  the area of rectangle *ABCD*.
- 485 Triangle *ABC* and point D(1,2) are graphed on the set of axes below.



Graph and label  $\Delta A'B'C$ , the image of  $\Delta ABC$ , after a dilation of scale factor 2 centered at point *D*.

486 Triangle QRS is graphed on the set of axes below.



On the same set of axes, graph and label  $\triangle Q' R' S'$ , the image of  $\triangle QRS$  after a dilation with a scale factor of  $\frac{3}{2}$  centered at the origin. Use slopes to explain why  $Q' R' \parallel QR$ .

487 Triangle *ABC* and triangle *ADE* are graphed on the set of axes below.



Describe a transformation that maps triangle *ABC* onto triangle *ADE*. Explain why this transformation makes triangle *ADE* similar to triangle *ABC*.

488 Triangle A'B'C' is the image of triangle ABC after a dilation with a scale factor of  $\frac{1}{2}$  and centered at point A. Is triangle ABC congruent to triangle A'B'C'? Explain your answer.

### G.CO.A.3: MAPPING A POLYGON ONTO ITSELF

489 A regular pentagon is shown in the diagram below.



If the pentagon is rotated clockwise around its center, the minimum number of degrees it must be rotated to carry the pentagon onto itself is

- 1) 54°
- 2) 72°
- 3) 108°
- 4) 360°
- 490 A regular pentagon is rotated about its center. What is the minimum number of degrees needed to carry the pentagon onto itself?
  - 1) 72°
  - 2) 108°
  - 3) 144°
  - 4) 360°

491 The regular polygon below is rotated about its center.



Which angle of rotation will carry the figure onto itself?

- 1) 60°
- 2) 108°
- 3) 216°
- 4) 540°
- 492 A regular hexagon is rotated about its center. Which degree measure will carry the regular hexagon onto itself?
  - 1) 45°
  - 2) 90°
  - 3) 120°
  - 4) 135°
- 493 Which rotation about its center will carry a regular decagon onto itself?
  - 1) 54°
  - 2) 162°
  - 3) 198°
  - 4) 252°
- 494 A regular decagon is rotated n degrees about its center, carrying the decagon onto itself. The value of n could be
  - 1) 10°
  - 2) 150°
  - 3) 225°
  - 4) 252°

495 Which polygon always has a minimum rotation of 180° about its center to carry it onto itself?



- 496 Which regular polygon has a minimum rotation of 36° about its center that carries the polygon onto itself?
  - 1) pentagon
  - 2) octagon
  - 3) nonagon
  - 4) decagon
- 497 Which regular polygon has a minimum rotation of 45° to carry the polygon onto itself?
  - 1) octagon
  - 2) decagon
  - 3) hexagon
  - 4) pentagon

- 498 Which figure will not carry onto itself after a 120-degree rotation about its center?
  - equilateral triangle 1)
  - 2) regular hexagon
  - 3) regular octagon
  - 4) regular nonagon
- Which regular polygon would carry onto itself after 499 a rotation of 300° about its center?
  - 1) decagon
  - 2) nonagon
  - 3) octagon
  - 4) hexagon
- 500 Which figure always has exactly four lines of reflection that map the figure onto itself?
  - 1) square
  - 2) rectangle
  - 3) regular octagon
  - 4) equilateral triangle
- 501 In the diagram below, a square is graphed in the coordinate plane.



A reflection over which line does not carry the square onto itself?

- 1) x = 5
- 2) y = 2
- 3) y = x
- 4) x + y = 4

502 A rectangle is graphed on the set of axes below.



A reflection over which line would carry the rectangle onto itself?

- 1) y = 2
- 2) *y* = 10
- 3)  $y = \frac{1}{2}x 3$ 4)  $y = -\frac{1}{2}x + 7$

503 As shown in the graph below, the quadrilateral is a rectangle.



Which transformation would *not* map the rectangle onto itself?

- 1) a reflection over the *x*-axis
- 2) a reflection over the line x = 4
- 3) a rotation of  $180^{\circ}$  about the origin
- 4) a rotation of  $180^{\circ}$  about the point (4,0)

504 In the diagram below, rectangle *ABCD* has vertices whose coordinates are A(7,1), B(9,3), C(3,9), and D(1,7).



Which transformation will *not* carry the rectangle onto itself?

- 1) a reflection over the line y = x
- 2) a reflection over the line y = -x + 10
- 3) a rotation of  $180^{\circ}$  about the point (6,6)
- 4) a rotation of  $180^{\circ}$  about the point (5,5)

505 The figure below shows a rhombus with noncongruent diagonals.



Which transformation would *not* carry this rhombus onto itself?

- 1) a reflection over the shorter diagonal
- 2) a reflection over the longer diagonal
- 3) a clockwise rotation of 90° about the intersection of the diagonals
- 4) a counterclockwise rotation of 180° about the intersection of the diagonals
- 506 Which transformation carries the parallelogram below onto itself?



- 1) a reflection over y = x
- 2) a reflection over y = -x
- a rotation of 90° counterclockwise about the origin
- 4) a rotation of 180° counterclockwise about the origin

507 A rhombus is graphed on the set of axes below.



Which transformation would carry the rhombus onto itself?

- 1) 180° rotation counterclockwise about the origin
- 2) reflection over the line  $y = \frac{1}{2}x + 1$
- 3) reflection over the line y = 0
- 4) reflection over the line x = 0

508 A square is graphed on the set of axes below, with vertices at (-1,2), (-1,-2), (3,-2), and (3,2).



Which transformation would *not* carry the square onto itself?

- 1) reflection over the *y*-axis
- 2) reflection over the *x*-axis
- 3) rotation of 180 degrees around point (1,0)
- 4) reflection over the line y = x 1
- 509 Which transformation would *not* carry a square onto itself?
  - 1) a reflection over one of its diagonals
  - 2) a  $90^{\circ}$  rotation clockwise about its center
  - 3) a 180° rotation about one of its vertices
  - 4) a reflection over the perpendicular bisector of one side
- 510 A regular hexagon is rotated in a counterclockwise direction about its center. Determine and state the minimum number of degrees in the rotation such that the hexagon will coincide with itself.

# G.CO.A.5: COMPOSITIONS OF TRANFORMATIONS

511 In the diagram below, congruent figures 1, 2, and 3 are drawn.



Which sequence of transformations maps figure 1 onto figure 2 and then figure 2 onto figure 3?

- 1) a reflection followed by a translation
- 2) a rotation followed by a translation
- 3) a translation followed by a reflection
- 4) a translation followed by a rotation

512 A sequence of transformations maps rectangle *ABCD* onto rectangle *A"B"C"D"*, as shown in the diagram below.



Which sequence of transformations maps *ABCD* onto *A'B'C'D'* and then maps *A'B'C'D'* onto *A''B''C''D'*?

- 1) a reflection followed by a rotation
- 2) a reflection followed by a translation
- 3) a translation followed by a rotation
- 4) a translation followed by a reflection
- 513 Identify which sequence of transformations could map pentagon *ABCDE* onto pentagon *A"B"C"D"E"*, as shown below.



- 1) dilation followed by a rotation
- 2) translation followed by a rotation
- 3) line reflection followed by a translation
- 4) line reflection followed by a line reflection

514 On the set of axes below, triangle *ABC* is graphed. Triangles *A*'*B*'*C*' and *A*"*B*"*C*", the images of triangle *ABC*, are graphed after a sequence of rigid motions.



Identify which sequence of rigid motions maps  $\triangle ABC$  onto  $\triangle A'B'C'$  and then maps  $\triangle A'B'C'$  onto  $\triangle A'B'C''$ .

- 1) a rotation followed by another rotation
- 2) a translation followed by a reflection
- 3) a reflection followed by a translation
- 4) a reflection followed by a rotation

515 Triangle *ABC* and triangle *DEF* are graphed on the set of axes below.



Which sequence of transformations maps triangle *ABC* onto triangle *DEF*?

- a reflection over the *x*-axis followed by a reflection over the *y*-axis
- 2) a 180° rotation about the origin followed by a reflection over the line y = x
- 3) a 90° clockwise rotation about the origin followed by a reflection over the *y*-axis
- a translation 8 units to the right and 1 unit up followed by a 90° counterclockwise rotation about the origin

516 In the diagram below,  $\triangle ABC \cong \triangle DEF$ .



Which sequence of transformations maps  $\triangle ABC$  onto  $\triangle DEF$ ?

- 1) a reflection over the *x*-axis followed by a translation
- 2) a reflection over the *y*-axis followed by a translation
- 3) a rotation of 180° about the origin followed by a translation
- 4) a counterclockwise rotation of 90° about the origin followed by a translation

517 Triangles *ABC* and *RST* are graphed on the set of axes below.



Which sequence of rigid motions will prove  $\triangle ABC \cong \triangle RST$ ?

- 1) a line reflection over y = x
- 2) a rotation of  $180^{\circ}$  centered at (1,0)
- 3) a line reflection over the *x*-axis followed by a translation of 6 units right
- 4) a line reflection over the *x*-axis followed by a line reflection over *y* = 1

518 On the set of axes below,  $\triangle ABC$  has vertices at A(-2,0), B(2,-4), C(4,2), and  $\triangle DEF$  has vertices at D(4,0), E(-4,8), F(-8,-4).



Which sequence of transformations will map  $\triangle ABC$  onto  $\triangle DEF$ ?

- 1) a dilation of  $\triangle ABC$  by a scale factor of 2 centered at point *A*
- 2) a dilation of  $\triangle ABC$  by a scale factor of  $\frac{1}{2}$  centered at point *A*
- 3) a dilation of  $\triangle ABC$  by a scale factor of 2 centered at the origin, followed by a rotation of 180° about the origin
- 4) a dilation of  $\triangle ABC$  by a scale factor of  $\frac{1}{2}$

centered at the origin, followed by a rotation of  $180^{\circ}$  about the origin

519 On the set of axes below, pentagon *ABCDE* is congruent to *A"B"C"D"E"*.



Which describes a sequence of rigid motions that maps *ABCDE* onto *A"B"C"D"E"*?

- 1) a rotation of 90° counterclockwise about the origin followed by a reflection over the *x*-axis
- 2) a rotation of 90° counterclockwise about the origin followed by a translation down 7 units
- 3) a reflection over the *y*-axis followed by a reflection over the *x*-axis
- 4) a reflection over the *x*-axis followed by a rotation of  $90^{\circ}$  counterclockwise about the origin

520 On the set of axes below,  $\triangle LET$  and  $\triangle L"E"T"$  are graphed in the coordinate plane where  $\triangle LET \cong \triangle L"E"T"$ .



Which sequence of rigid motions maps  $\triangle LET$  onto  $\triangle L"E"T"$ ?

- 1) a reflection over the *y*-axis followed by a reflection over the *x*-axis
- 2) a rotation of  $180^{\circ}$  about the origin
- 3) a rotation of 90° counterclockwise about the origin followed by a reflection over the *y*-axis
- 4) a reflection over the *x*-axis followed by a rotation of  $90^{\circ}$  clockwise about the origin

521 On the set of axes below, congruent triangles *ABC* and *DEF* are drawn.



Which sequence of transformations maps  $\triangle ABC$  onto  $\triangle DEF$ ?

- 1) A counterclockwise rotation of 90 degrees about the origin, followed by a translation 8 units to the right.
- 2) A counterclockwise rotation of 90 degrees about the origin, followed by a reflection over the *y*-axis.
- 3) A counterclockwise rotation of 90 degrees about the origin, followed by a translation 4 units down.
- 4) A clockwise rotation of 90 degrees about the origin, followed by a reflection over the *x*-axis.

522 In the diagram below, *ABCD* is a rectangle, and diagonal *BD* is drawn. Line  $\ell$ , a vertical line of symmetry, and line *m*, a horizontal line of symmetry, intersect at point *E*.



Which sequence of transformations will map  $\triangle ABD$  onto  $\triangle CDB$ ?

- 1) a reflection over line  $\ell$  followed by a 180° rotation about point *E*
- 2) a reflection over line  $\ell$  followed by a reflection over line *m*
- 3) a 180° rotation about point B
- 4) a reflection over *DB*
- 523 Describe a sequence of transformations that will map  $\triangle ABC$  onto  $\triangle DEF$  as shown below.



524 The graph below shows  $\triangle ABC$  and its image,  $\triangle A"B"C"$ .



Describe a sequence of rigid motions which would map  $\triangle ABC$  onto  $\triangle A"B"C"$ .

525 On the set of axes below,  $\triangle ABC \cong \triangle DEF$ .



Describe a sequence of rigid motions that maps  $\triangle ABC$  onto  $\triangle DEF$ .

526 On the set of axes below,  $\triangle ABC$  is graphed with coordinates A(-2,-1), B(3,-1), and C(-2,-4). Triangle *QRS*, the image of  $\triangle ABC$ , is graphed with coordinates Q(-5,2), R(-5,7), and S(-8,2).



Describe a sequence of transformations that would map  $\triangle ABC$  onto  $\triangle QRS$ .

527 On the set of axes below,  $\triangle ABC \cong \triangle STU$ .



Describe a sequence of rigid motions that maps  $\triangle ABC$  onto  $\triangle STU$ .

528 On the set of axes below,  $\triangle DOG \cong \triangle CAT$ .



Describe a sequence of transformations that maps  $\triangle DOG$  onto  $\triangle CAT$ .

529 On the set of axes below,  $\triangle ABC$  and  $\triangle DEF$  are graphed.



Describe a sequence of rigid motions that would map  $\triangle ABC$  onto  $\triangle DEF$ .

530 Triangles *ABC* and *DEF* are graphed on the set of axes below.



Describe a sequence of transformations that maps  $\triangle ABC$  onto  $\triangle DEF$ .

531 Quadrilateral *MATH* and its image *M"A"T"H"* are graphed on the set of axes below.



Describe a sequence of transformations that maps quadrilateral *MATH* onto quadrilateral *M"A"T"H"*.

532 Quadrilaterals *BIKE* and *GOLF* are graphed on the set of axes below.



Describe a sequence of transformations that maps quadrilateral *BIKE* onto quadrilateral *GOLF*.

533 Trapezoids *ABCD* and *A"B"C"D"* are graphed on the set of axes below.



Describe a sequence of transformations that maps trapezoid *ABCD* onto trapezoid *A"B"C"D"*.

534 On the set of axes below, congruent quadrilaterals *ROCK* and *R'O'C'K'* are graphed.



Describe a sequence of transformations that would map quadrilateral *ROCK* onto quadrilateral *R'O'C'K'*.

535 Triangle *ABC* and triangle *DEF* are drawn below.



If  $\overline{AB} \cong \overline{DE}$ ,  $\overline{AC} \cong \overline{DF}$ , and  $\angle A \cong \angle D$ , write a sequence of transformations that maps triangle *ABC* onto triangle *DEF*.

536 In the diagram below,  $\triangle ABC$  has coordinates A(1,1), B(4,1), and C(4,5). Graph and label  $\triangle A"B"C"$ , the image of  $\triangle ABC$  after the translation five units to the right and two units up followed by the reflection over the line y = 0.



# G.SRT.A.2: COMPOSITIONS OF TRANSFORMATIONS

537 Triangle *PQR* is shown on the set of axes below.



Which quadrant will contain point R'', the image of point R, after a 90° clockwise rotation centered at (0,0) followed by a reflection over the *x*-axis?

- 1) I
- 2) II
- 3) III
- 4) IV

538 Which sequence of transformations will map  $\triangle ABC$  onto  $\triangle A'B'C$ ?



- 1) reflection and translation
- 2) rotation and reflection
- 3) translation and dilation
- 4) dilation and rotation

539 Given:  $\triangle AEC$ ,  $\triangle DEF$ , and  $\overline{FE} \perp \overline{CE}$ 



What is a correct sequence of similarity transformations that shows  $\triangle AEC \sim \triangle DEF$ ?

- 1) a rotation of 180 degrees about point E followed by a horizontal translation
- 2) a counterclockwise rotation of 90 degrees about point *E* followed by a horizontal translation
- a rotation of 180 degrees about point *E* followed by a dilation with a scale factor of 2 centered at point *E*
- a counterclockwise rotation of 90 degrees about point *E* followed by a dilation with a scale factor of 2 centered at point *E*

540 In the diagram below,  $\triangle DEF$  is the image of  $\triangle ABC$  after a clockwise rotation of 180° and a dilation where AB = 3, BC = 5.5, AC = 4.5, DE = 6, FD = 9, and EF = 11.



Which relationship must always be true?

- $\frac{\mathbf{m}\angle A}{\mathbf{m}\angle D} = \frac{1}{2}$ m∠A 1)
- $\frac{\mathbf{m}\angle C}{\mathbf{m}\angle F} = \frac{2}{1}$ 2)
- $\frac{\mathbf{m}\angle A}{\mathbf{m}\angle C} = \frac{\mathbf{m}\angle F}{\mathbf{m}\angle D}$ 3)
- $\frac{\mathbf{m}\angle B}{\mathbf{m}\angle E} = \frac{\mathbf{m}\angle C}{\mathbf{m}\angle F}$ 4)

541 In the diagram below,  $\triangle ADE$  is the image of  $\triangle ABC$  after a reflection over the line AC followed by a dilation of scale factor  $\frac{AE}{AC}$  centered at point A.



Which statement must be true?

- 1)  $m \angle BAC \cong m \angle AED$
- 2)  $m \angle ABC \cong m \angle ADE$

3) 
$$m \angle DAE \cong \frac{1}{2} m \angle BAC$$

4) 
$$m \angle ACB \cong \frac{1}{2} m \angle DAB$$

542 In regular hexagon *ABCDEF* shown below,  $\overline{AD}$ ,  $\overline{BE}$ , and  $\overline{CF}$  all intersect at *G*.



When  $\triangle ABG$  is reflected over  $\overline{BG}$  and then rotated 180° about point G,  $\triangle ABG$  is mapped onto

- 1)  $\Delta FEG$
- 2)  $\triangle AFG$
- 3)  $\triangle CBG$
- 4)  $\triangle DEG$
- 543 Triangle A'B'C is the image of  $\triangle ABC$  after a dilation followed by a translation. Which statement(s) would always be true with respect to this sequence of transformations?
  - I.  $\triangle ABC \cong \triangle A'B'C'$
  - II.  $\underline{\Delta}ABC \sim \Delta A'B'C'$
  - III.  $\overline{AB} \parallel \overline{A'B'}$
  - IV. AA' = BB'
  - 1) II, only
  - 2) I and II
  - 3) II and III
  - 4) II, III, and IV

544 In the diagram below, triangles XYZ and UVZ are drawn such that  $\angle X \cong \angle U$  and  $\angle XZY \cong \angle UZV$ .



Describe a sequence of similarity transformations that shows  $\triangle XYZ$  is similar to  $\triangle UVZ$ .

### G.CO.B.6: PROPERTIES OF TRANSFORMATIONS

545 In the diagram below,  $\triangle ABC$  with sides 13, 15, and 16, is mapped onto  $\triangle DEF$  after a clockwise rotation of 90° about point *P*.



If DE = 2x - 1, what is the value of x? 1) 7

- 2) 7.5
- 3) 8
   4) 8.5

546 In the diagram below,  $\triangle CAR$  is mapped onto  $\triangle BUS$  after a sequence of rigid motions.



If AR = 3x + 4, RC = 5x - 10, CA = 2x + 6, and SB = 4x - 4, what is the length of  $\overline{SB}$ ?

- 1) 6
- 2) 16
   3) 20
- 4) 28
- +) 20
- 547 In the diagram below,  $\triangle ABC$  is reflected over line  $\ell$  to create  $\triangle DEF$ .



If  $m \angle A = 40^\circ$  and  $m \angle B = 95^\circ$ , what is  $m \angle F$ ?

- 1) 40°
- 2) 45°
- 3) 85°
- 4) 95°

548 Rhombus *ABCD* can be mapped onto rhombus *KLMN* by a rotation about point *P*, as shown below.



What is the measure of  $\angle KNM$  if the measure of  $\angle CAD = 35$ ?

- 1) 35°
- 2) 55°
- 3) 70°
- 4) 110°
- 549 In the diagram below, a sequence of rigid motions maps *ABCD* onto *JKLM*.



If  $m \angle A = 82^\circ$ ,  $m \angle B = 104^\circ$ , and  $m \angle L = 121^\circ$ , the measure of  $\angle M$  is

- 1) 53°
- 2) 82°
- 3) 104°
- 4) 121°

550 The image of  $\triangle ABC$  after a rotation of 90° clockwise about the origin is  $\triangle DEF$ , as shown below.



Which statement is true?

- 1)  $\overline{BC} \cong \overline{DE}$
- 2)  $\overline{AB} \cong \overline{DF}$
- 3)  $\angle C \cong \angle E$
- 4)  $\angle A \cong \angle D$
- 551 After a counterclockwise rotation about point X, scalene triangle ABC maps onto  $\triangle RST$ , as shown in the diagram below.



Which statement must be true?

- 1)  $\angle A \cong \angle R$
- 2)  $\angle A \cong \angle S$
- 3)  $CB \cong TR$
- 4)  $\overline{CA} \cong \overline{TS}$

552 In the diagram below, a line reflection followed by a rotation maps  $\triangle ABC$  onto  $\triangle DEF$ .



Which statement is always true?

- 1)  $\overline{BC} \cong \overline{EF}$
- 2)  $\overline{AC} \cong \overline{DE}$
- 3)  $\angle A \cong \angle F$
- 4)  $\angle B \cong \angle D$
- 553 Quadrilateral *ABCD* is graphed on the set of axes below.



When *ABCD* is rotated 90° in a counterclockwise direction about the origin, its image is quadrilateral A'B'C'D'. Is distance preserved under this rotation, and which coordinates are correct for the given vertex?

- 1) no and C'(1,2)
- 2) no and D'(2,4)
- 3) yes and A'(6,2)
- 4) yes and B'(-3,4)

554 Trapezoid *ABCD* is drawn such that  $\overline{AB} \parallel \overline{DC}$ . Trapezoid *A'B'C'D'* is the image of trapezoid *ABCD* after a rotation of 110° counterclockwise about point *P*.



Which statement is always true?

- 1)  $\angle A \cong \angle D'$
- 2)  $\overline{AC} \cong \overline{B'D'}$
- 3)  $\overline{A'B'} \parallel \overline{D'C'}$
- 4)  $\overline{B'A'} \cong \overline{C'D'}$
- 555 If  $\triangle ABC$  is mapped onto  $\triangle DEF$  after a line reflection and  $\triangle DEF$  is mapped onto  $\triangle XYZ$  after a translation, the relationship between  $\triangle ABC$  and  $\triangle XYZ$  is that they are always
  - 1) congruent and similar
  - 2) congruent but not similar
  - 3) similar but not congruent
  - 4) neither similar nor congruent
- 556 Quadrilateral *MATH* is congruent to quadrilateral *WXYZ*. Which statement is always true?
  - 1) MA = XY
  - 2)  $m \angle H = m \angle W$
  - Quadrilateral *WXYZ* can be mapped onto quadrilateral *MATH* using a sequence of rigid motions.
  - 4) Quadrilateral *MATH* and quadrilateral *WXYZ* are the same shape, but not necessarily the same size.

557 Triangle MNP is the image of triangle JKL after a 120° counterclockwise rotation about point Q. If the measure of angle L is 47° and the measure of angle N is 57°, determine the measure of angle M. Explain how you arrived at your answer.



- 558 Triangle A'B'C' is the image of triangle ABC after a translation of 2 units to the right and 3 units up. Is triangle ABC congruent to triangle A'B'C'? Explain why.
- 559 In the diagram below, parallelogram *EFGH* is mapped onto parallelogram *IJKH* after a reflection over line  $\ell$ .



Use the properties of rigid motions to explain why parallelogram *EFGH* is congruent to parallelogram *IJKH*.

# G.CO.A.2: IDENTIFYING TRANSFORMATIONS

560 In the diagram below, which single transformation was used to map triangle *A* onto triangle *B*?



- 1) line reflection
- 2) rotation
- 3) dilation
- 4) translation

561 In the diagram below, line m is parallel to line n. Figure 2 is the image of Figure 1 after a reflection over line m. Figure 3 is the image of Figure 2 after a reflection over line n.



Which single transformation would carry Figure 1 onto Figure 3?

- 1) a dilation
- 2) a rotation
- 3) a reflection
- 4) a translation
- 562 Which transformation would *not* always produce an image that would be congruent to the original figure?
  - 1) translation
  - 2) dilation
  - 3) rotation
  - 4) reflection

563 On the set of axes below, rectangle *ABCD* can be proven congruent to rectangle *KLMN* using which transformation?



- 1) rotation
- 2) translation
- 3) reflection over the *x*-axis
- 4) reflection over the *y*-axis
- 564 Which transformation of  $\overline{OA}$  would result in an image parallel to  $\overline{OA}$ ?



- 1) a translation of two units down
- 2) a reflection over the *x*-axis
- 3) a reflection over the *y*-axis
- 4) a clockwise rotation of  $90^{\circ}$  about the origin

565 The graph below shows two congruent triangles, ABC and A'B'C'.



Which rigid motion would map  $\triangle ABC$  onto  $\triangle A'B'C?$ 

- 1) a rotation of 90 degrees counterclockwise about the origin
- 2) a translation of three units to the left and three units up
- 3) a rotation of 180 degrees about the origin
- 4) a reflection over the line y = x

566 In the diagram below,  $\triangle ABC \cong \triangle DEC$ .



Which transformation will map  $\triangle ABC$  onto  $\triangle DEC$ ?

- 1) a rotation
- 2) a line reflection
- 3) a translation followed by a dilation
- 4) a line reflection followed by a second line reflection
- 567 The vertices of  $\triangle JKL$  have coordinates J(5,1), K(-2,-3), and L(-4,1). Under which transformation is the image  $\triangle J'K'L'$  not congruent to  $\triangle JKL$ ?
  - 1) a translation of two units to the right and two units down
  - 2) a counterclockwise rotation of 180 degrees around the origin
  - 3) a reflection over the *x*-axis
  - 4) a dilation with a scale factor of 2 and centered at the origin
- 568 If  $\triangle A'B'C'$  is the image of  $\triangle ABC$ , under which transformation will the triangles *not* be congruent?
  - 1) reflection over the *x*-axis
  - 2) translation to the left 5 and down 4
  - dilation centered at the origin with scale factor
     2
  - 4) rotation of 270° counterclockwise about the origin

- 569 Under which transformation would  $\triangle A'B'C$ , the image of  $\triangle ABC$ , *not* be congruent to  $\triangle ABC$ ?
  - 1) reflection over the *y*-axis
  - 2) rotation of  $90^{\circ}$  clockwise about the origin
  - 3) translation of 3 units right and 2 units down
  - 4) dilation with a scale factor of 2 centered at the origin
- 570 The image of  $\triangle DEF$  is  $\triangle D'E'F$ . Under which transformation will be triangles *not* be congruent?
  - 1) a reflection through the origin
  - 2) a reflection over the line y = x
  - a dilation with a scale factor of 1 centered at (2,3)
  - 4) a dilation with a scale factor of  $\frac{3}{2}$  centered at the origin
- 571 On the set of axes below,  $\triangle ABC \cong \triangle A'B'C'$ .



Triangle *ABC* maps onto  $\Delta A'B'C'$  after a

- 1) reflection over the line y = -x
- 2) reflection over the line y = -x + 2
- 3) rotation of  $180^{\circ}$  centered at (1,1)
- 4) rotation of  $180^{\circ}$  centered at the origin

572 On the set of axes below, congruent triangles *ABC* and *DEF* are graphed.



Describe a sequence of rigid motions that maps  $\triangle ABC$  onto  $\triangle DEF$ .

573 Triangle *ABC* has vertices at A(-5,2), B(-4,7), and C(-2,7), and triangle *DEF* has vertices at D(3,2), E(2,7), and F(0,7). Graph and label  $\triangle ABC$  and  $\triangle DEF$  on the set of axes below. Determine and state the single transformation where  $\triangle DEF$  is the image of  $\triangle ABC$ . Use your transformation to explain why  $\triangle ABC \cong \triangle DEF$ .



### G.CO.A.2: ANALYTICAL REPRESENTATIONS OF TRANSFORMATIONS

- 574 Which transformation would result in the perimeter of a triangle being different from the perimeter of its image?
  - 1)  $(x,y) \rightarrow (y,x)$
  - 2)  $(x,y) \rightarrow (x,-y)$
  - 3)  $(x,y) \rightarrow (4x,4y)$
  - 4)  $(x,y) \rightarrow (x+2,y-5)$

- 575 The vertices of  $\triangle PQR$  have coordinates P(2,3), Q(3,8), and R(7,3). Under which transformation of  $\triangle PQR$  are distance and angle measure preserved?
  - 1)  $(x,y) \rightarrow (2x,3y)$
  - $2) \quad (x,y) \to (x+2,3y)$
  - 3)  $(x,y) \rightarrow (2x,y+3)$
  - 4)  $(x,y) \rightarrow (x+2,y+3)$
- 576 Which transformation does *not* always preserve distance?
  - 1)  $(x,y) \rightarrow (x+2,y)$
  - 2)  $(x,y) \rightarrow (-y,-x)$
  - 3)  $(x,y) \rightarrow (2x,y-1)$
  - 4)  $(x,y) \rightarrow (3-x,2-y)$

### G.SRT.B.5: SIMILARITY

- 577 Triangle *JGR* is similar to triangle *MST*. Which statement is *not* always true?
  - 1)  $\angle J \cong \angle M$
  - 2)  $\angle G \cong \angle T$
  - 3)  $\angle R \cong \angle T$
  - 4)  $\angle G \cong \angle S$

578 In  $\triangle SCU$  shown below, points T and O are on  $\overline{SU}$ and  $\overline{CU}$ , respectively. Segment OT is drawn so that  $\angle C \cong \angle OTU$ .



If TU = 4, OU = 5, and OC = 7, what is the length of  $\overline{ST}$ ?

- 1) 5.6
- 2) 8.75
- 3) 11
- 4) 15
- 579 In triangle *CHR*, *O* is on  $\overline{HR}$ , and *D* is on  $\overline{CR}$  so that  $\angle H \cong \angle RDO$ .



If RD = 4, RO = 6, and OH = 4, what is the length of  $\overline{CD}$ ?

- 1)  $2\frac{2}{3}$ 2)  $6\frac{2}{3}$ 3) 11
- 4) 15

580 In the diagram below,  $\overline{AD}$  intersects  $\overline{BE}$  at C, and  $\overline{AB} \parallel \overline{DE}$ .



If CD = 6.6 cm, DE = 3.4 cm, CE = 4.2 cm, and BC = 5.25 cm, what is the length of  $\overline{AC}$ , to the *nearest hundredth of a centimeter*?

- 1) 2.70
- 2) 3.34
- 3) 5.28
- 4) 8.25
- 581 In the diagram below,  $\overline{AF}$ , and  $\overline{DB}$  intersect at C, and  $\overline{AD}$  and  $\overline{FBE}$  are drawn such that  $m \angle D = 65^{\circ}$ ,  $m \angle CBE = 115^{\circ}$ , DC = 7.2, AC = 9.6, and FC = 21.6.



What is the length of  $\overline{CB}$ ?

- 1) 3.2
- 2) 4.8
- 3) 16.2
- 4) 19.2

582 In  $\triangle ABC$  shown below,  $\angle ACB$  is a right angle, *E* is a point on  $\overline{AC}$ , and  $\overline{ED}$  is drawn perpendicular to hypotenuse  $\overline{AB}$ .



If AB = 9, BC = 6, and DE = 4, what is the length of  $\overline{AE}$ ? 1) 5

- 2) 6
- 3) 7
- 4) 8
- 583 In the diagram below,  $\overline{EF} \parallel \overline{HG}$ , EF = 5, HG = 12, FI = 1.4x + 3, and HI = 6.1x 6.5.



What is the length of  $\overline{HI}$ ?

- 1) 1
- 2) 5
- 3) 10
- 4) 24
584 In the diagram below,  $\triangle ABC \sim \triangle DEF$ .



If AB = 6 and AC = 8, which statement will justify similarity by SAS?

- 1) DE = 9, DF = 12, and  $\angle A \cong \angle D$
- 2) DE = 8, DF = 10, and  $\angle A \cong \angle D$
- 3) DE = 36, DF = 64, and  $\angle C \cong \angle F$
- 4)  $DE = 15, DF = 20, \text{ and } \angle C \cong \angle F$
- 585 The ratio of similarity of  $\triangle BOY$  to  $\triangle GRL$  is 1:2. If BO = x + 3 and GR = 3x - 1, then the length of  $\overline{GR}$  is
  - 1) 5
  - 2) 7
  - 3) 10
  - 4) 20

586 Using the information given below, which set of triangles can *not* be proven similar?



587 Given right triangle *ABC* with a right angle at *C*,  $m \angle B = 61^{\circ}$ . Given right triangle *RST* with a right angle at T, m $\angle R = 29^{\circ}$ .



Which proportion in relation to  $\triangle ABC$  and  $\triangle RST$ is not correct?

- 1)  $\frac{AB}{RS} = \frac{RT}{AC}$ 2)  $\frac{BC}{ST} = \frac{AB}{RS}$ 3)  $\frac{BC}{ST} = \frac{AC}{RT}$
- 4)  $\frac{AB}{AC} = \frac{RS}{RT}$
- 588 In the diagram below of isosceles triangle AHE with the vertex angle at H,  $\overline{CB} \perp \overline{AE}$  and  $\overline{FD} \perp \overline{AE}$ .



Which statement is always true?

- $\frac{AH}{AC} = \frac{EH}{EF}$ 1)
- 2)  $\frac{AC}{EF} = \frac{AB}{ED}$
- 3)  $\frac{AB}{ED} = \frac{CB}{FE}$
- 4)  $\frac{AD}{AB} = \frac{BE}{DE}$

589 As shown in the diagram below,  $\overline{AB}$  and  $\overline{CD}$ intersect at E, and  $\overline{AC} \parallel \overline{BD}$ .



Given  $\triangle AEC \sim \triangle BED$ , which equation is true?

- $\frac{CE}{DE} = \frac{EB}{EA}$ 1)  $\frac{AE}{BE} = \frac{AC}{BD}$ 2)  $\frac{EC}{AE} = \frac{BE}{ED}$ 3)
- 4)  $\frac{ED}{EC} = \frac{AC}{BD}$

590 In the diagram below,  $\overline{XS}$  and  $\overline{YR}$  intersect at Z. Segments XY and RS are drawn perpendicular to  $\overline{YR}$  to form triangles XYZ and SRZ.



Which statement is always true?

- 1) (XY)(SR) = (XZ)(RZ)
- 2)  $\triangle XYZ \cong \triangle SRZ$
- 3)  $\overline{XS} \cong \overline{YR}$
- 4)  $\frac{XY}{SR} = \frac{YZ}{RZ}$
- 591 Triangles *ABC* and *DEF* are drawn below.



If AB = 9, BC = 15, DE = 6, EF = 10, and  $\angle B \cong \angle E$ , which statement is true?

- 1)  $\angle CAB \cong \angle DEF$
- 2)  $\frac{AB}{CP} = \frac{FE}{PE}$
- $\frac{2}{CB} = \frac{1}{DE}$
- 3)  $\triangle ABC \sim \triangle DEF$

4) 
$$\frac{AB}{DE} = \frac{FE}{CB}$$

592 In the diagram below of  $\triangle ABC$ , X and Y are points on  $\overline{AB}$  and  $\overline{AC}$ , respectively, such that  $m \angle AYX = m \angle B$ .



Which statement is not always true?

- 1)  $\frac{AX}{AC} = \frac{XY}{CB}$
- $2) \quad \frac{AY}{AB} = \frac{AX}{AC}$
- $3) \quad (AY)(CB) = (XY)(AB)$
- 4) (AY)(AB) = (AC)(AX)
- 593 In the diagram below, AC = 7.2 and CE = 2.4.



Which statement is *not* sufficient to prove  $\triangle ABC \sim \triangle EDC$ ?

- 1)  $\overline{AB} \parallel \overline{ED}$
- 2) DE = 2.7 and AB = 8.1
- 3) CD = 3.6 and BC = 10.8
- 4) DE = 3.0, AB = 9.0, CD = 2.9, and BC = 8.7

594 To find the distance across a pond from point B to point C, a surveyor drew the diagram below. The measurements he made are indicated on his diagram.



Use the surveyor's information to determine and state the distance from point *B* to point *C*, to the *nearest yard*.

595 In the model below, a support wire for a telephone pole is attached to the pole and anchored to a stake in the ground 15 feet from the base of the telephone pole. Jamal places a 6-foot wooden pole under the support wire parallel to the telephone pole, such that one end of the pole is on the ground and the top of the pole is touching the support wire. He measures the distance between the bottom of the pole and the stake in the ground.



Jamal says he can approximate how high the support wire attaches to the telephone pole by using similar triangles. Explain why the triangles are similar. 596 Triangles *RST* and *XYZ* are drawn below. If RS = 6, ST = 14, XY = 9, YZ = 21, and  $\angle S \cong \angle Y$ , is  $\triangle RST$  similar to  $\triangle XYZ$ ? Justify your answer.



597 In  $\triangle ADC$  below,  $\overline{EB}$  is drawn such that AB = 4.1, AE = 5.6, BC = 8.22, and ED = 3.42.



Is  $\triangle ABE$  similar to  $\triangle ADC$ ? Explain why.

598 A flagpole casts a shadow 16.60 meters long. Tim stands at a distance of 12.45 meters from the base of the flagpole, such that the end of Tim's shadow meets the end of the flagpole's shadow. If Tim is 1.65 meters tall, determine and state the height of the flagpole to the *nearest tenth of a meter*.

- 599 The aspect ratio (the ratio of screen width to height) of a rectangular flat-screen television is 16:9. The length of the diagonal of the screen is the television's screen size. Determine and state, to the *nearest inch*, the screen size (diagonal) of this flat-screen television with a screen height of 20.6 inches.
- 600 In the diagram below,  $\triangle ABC \sim \triangle DEC$ .



If AC = 12, DC = 7, DE = 5, and the perimeter of  $\triangle ABC$  is 30, what is the perimeter of  $\triangle DEC$ ?

- 1) 12.5
- 2) 14.0
- 3) 14.8
- 4) 17.5
- 601 In right triangles *ABC* and *RST*, hypotenuse AB = 4and hypotenuse RS = 16. If  $\triangle ABC \sim \triangle RST$ , then 1:16 is the ratio of the corresponding
  - 1) legs
  - 2) areas
  - 3) volumes
  - 4) perimeters

602 In  $\triangle RST$  shown below, altitude  $\overline{SU}$  is drawn to  $\overline{RT}$  at U.



If SU = h, UT = 12, and RT = 42, which value of h will make  $\triangle RST$  a right triangle with  $\angle RST$  as a right angle?

- 1)  $6\sqrt{3}$
- 2)  $6\sqrt{10}$
- 3)  $6\sqrt{14}$
- 4)  $6\sqrt{35}$
- 603 In the diagram of right triangle ABC,  $\overline{CD}$  intersects hypotenuse  $\overline{AB}$  at D.



If AD = 4 and DB = 6, which length of AC makes  $\overline{CD} \perp \overline{AB}$ ? 1)  $2\sqrt{6}$ 2)  $2\sqrt{10}$ 3)  $2\sqrt{15}$ 4)  $4\sqrt{2}$ 

604 In the diagram below of  $\triangle ABC$ ,  $\angle ABC$  is a right angle, AC = 12, AD = 8, and altitude  $\overline{BD}$  is drawn.



What is the length of  $\overline{BC}$ ?

- 1)  $4\sqrt{2}$
- 2)  $4\sqrt{3}$
- 3)  $4\sqrt{5}$
- 4)  $4\sqrt{6}$
- 605 In the diagram below of right triangle *ABC*, altitude  $\overline{BD}$  is drawn to hypotenuse  $\overline{AC}$ .



If BD = 4, AD = x - 6, and CD = x, what is the length of  $\overline{CD}$ ?

- 1) 5
- 2) 2
- 3) 8
- 4) 11

606 In the diagram below of right triangle *KMI*, altitude  $\overline{IG}$  is drawn to hypotenuse  $\overline{KM}$ .



If KG = 9 and IG = 12, the length of  $\overline{IM}$  is

- 1) 15
- 2) 16
- 3) 20
- 4) 25
- 607 In right triangle *RST* below, altitude  $\overline{SV}$  is drawn to hypotenuse  $\overline{RT}$ .



If RV = 4.1 and TV = 10.2, what is the length of  $\overline{ST}$ , to the *nearest tenth*?

- 1) 6.5
- 2) 7.7
- 3) 11.0
   4) 12.1

608 In the diagram below of right triangle EFG, altitude  $\overline{FH}$  intersects hypotenuse  $\overline{EG}$  at H.



- If FH = 9 and EF = 15, what is EG? 1) 6.75
- 2) 12
- 3) 18.75
- 4) 25
- 609 In the diagram below of right triangle MDL, altitude  $\overline{DG}$  is drawn to hypotenuse  $\overline{ML}$ .



- If MG = 3 and GL = 24, what is the length of  $\overline{DG}$ ? 1) 8
- 2) 9
- 3)  $\sqrt{63}$
- 4)  $\sqrt{72}$
- 4) 1/2

610 In the diagram below of right triangle *MET*, altitude  $\overline{ES}$  is drawn to hypotenuse  $\overline{MT}$ .



If ME = 6 and SM = 4, what is MT?

- 1)
- 2) 8

9

- 3) 5
- 4) 4
- 611 Line segment *CD* is the altitude drawn to hypotenuse  $\overline{EF}$  in right triangle *ECF*. If EC = 10and EF = 24, then, to the *nearest tenth*, *ED* is
  - 1) 4.2
  - 2) 5.4
  - 3) 15.5
  - 4) 21.8
- 612 In right triangle *RST*, altitude  $\overline{TV}$  is drawn to hypotenuse  $\overline{RS}$ . If RV = 12 and RT = 18, what is the length of  $\overline{SV}$ ?
  - 1)  $6\sqrt{5}$
  - 2) 15
  - 3)  $6\sqrt{6}$
  - 4) 27

613 In the diagram below,  $\overline{CD}$  is the altitude drawn to the hypotenuse  $\overline{AB}$  of right triangle ABC.



Which lengths would *not* produce an altitude that measures  $6\sqrt{2}$ ?

- 1) AD = 2 and DB = 36
- 2) AD = 3 and AB = 24
- 3) AD = 6 and DB = 12
- 4) AD = 8 and AB = 17
- 614 Kirstie is testing values that would make triangle KLM a right triangle when  $\overline{LN}$  is an altitude, and KM = 16, as shown below.



Which lengths would make triangle *KLM* a right triangle?

- 1) LM = 13 and KN = 6
- 2) LM = 12 and NM = 9
- 3) KL = 11 and KN = 7
- 4) LN = 8 and NM = 10

615 In the diagram of  $\triangle CAT$  below, m $\angle A = 90^{\circ}$  and altitude  $\overline{AE}$  is drawn from vertex A.



Which statement is always true?

1)	$\frac{CE}{AE} = \frac{AE}{ET}$
2)	$\frac{AE}{CE} = \frac{AE}{ET}$
3)	$\frac{AC}{CE} = \frac{AT}{ET}$
4)	$\frac{CE}{AC} = \frac{AC}{ET}$

616 In the accompanying diagram of right triangle ABC, altitude  $\overline{BD}$  is drawn to hypotenuse  $\overline{AC}$ .



Which statement must always be true?

1) 
$$\frac{AD}{AB} = \frac{BC}{AC}$$
  
2) 
$$\frac{AD}{AB} = \frac{AB}{AC}$$
  
3) 
$$\frac{BD}{BC} = \frac{AB}{AD}$$
  
4) 
$$\frac{AB}{BC} = \frac{BD}{AC}$$

617 In the diagram below of right triangle ABC, altitude  $\overline{CD}$  intersects hypotenuse  $\overline{AB}$  at D.



Which equation is always true?

- 1)  $\frac{AD}{AC} = \frac{CD}{BC}$ 2)  $\frac{AD}{CD} = \frac{BD}{CD}$ 3)  $\frac{AC}{CD} = \frac{BC}{CD}$
- $4) \quad \frac{AD}{AC} = \frac{AC}{BD}$
- 618 In right triangle *ABC* shown below, altitude  $\overline{CD}$  is drawn to hypotenuse  $\overline{AB}$ . Explain why  $\triangle ABC \sim \triangle ACD$ .



619 In right triangle *PRT*,  $m \angle P = 90^\circ$ , altitude  $\overline{PQ}$  is drawn to hypotenuse  $\overline{RT}$ , RT = 17, and PR = 15.



Determine and state, to the *nearest tenth*, the length of  $\overline{RQ}$ .

620 In the diagram below of right triangle *BAL*, altitude  $\overline{AD}$  is drawn to hypotenuse  $\overline{BDL}$ . The length of  $\overline{AD}$  is 6.



If the length of  $\overline{DL}$  is four times the length of  $\overline{BD}$ , determine and state the length of  $\overline{BD}$ .

621 In the diagram below of right triangle *ACB*, altitude  $\overline{CD}$  is drawn to hypotenuse  $\overline{AB}$ , AD = 2 and AC = 6.



Determine and state the length of AB.

Geometry Regents Exam Questions by State Standard: Topic

622 Right triangle *STR* is shown below, with  $m \angle T = 90^\circ$ . Altitude  $\overline{TQ}$  is drawn to  $\overline{SQR}$ , and TO = 8.



If the ratio SQ:QR is 1:4, determine and state the length of  $\overline{SR}$ .

623 In the diagram below, the line of sight from the park ranger station, *P*, to the lifeguard chair, *L*, on the beach of a lake is perpendicular to the path joining the campground, *C*, and the first aid station, *F*. The campground is 0.25 mile from the lifeguard chair. The straight paths from both the campground and first aid station to the park ranger station are perpendicular.



If the path from the park ranger station to the campground is 0.55 mile, determine and state, to the *nearest hundredth of a mile*, the distance between the park ranger station and the lifeguard chair. Gerald believes the distance from the first aid station to the campground is at least 1.5 miles. Is Gerald correct? Justify your answer.

# TRIGONOMETRY G.SRT.C.6: TRIGONOMETRIC RATIOS

624 In right triangle *LMN* shown below,  $m \angle M = 90^{\circ}$ , MN = 12, and LM = 16.



The ratio of  $\cos N$  is

- 1)  $\frac{12}{20}$
- 2)  $\frac{16}{20}$
- $\frac{2}{20}$
- 3)  $\frac{12}{16}$
- 4)  $\frac{16}{12}$

625 In the diagram below of right triangle ABC, AC = 8, and AB = 17.



Which equation would determine the value of angle A?

- 1)  $\sin A = \frac{8}{17}$
- 2)  $\tan A = \frac{8}{15}$
- 3)  $\cos A = \frac{15}{17}$
- 4)  $\tan A = \frac{15}{8}$
- 626 In the diagram of right triangle ADE below,  $\overline{BC} \parallel \overline{DE}$ .



Which ratio is always equivalent to the sine of  $\angle A$ ?

- $\frac{AD}{DE}$ 1)
- $\frac{AE}{AD}$ 2)
- $\frac{BC}{AB}$ 3)
- $\frac{AB}{AC}$ 4)

627 In the diagram below,  $\triangle CDE$  is the image of  $\triangle CAB$  after a dilation of  $\frac{DE}{AB}$  centered at C.



Which statement is always true?

- 1)  $\sin A = \frac{CE}{CD}$ 2)  $\cos A = \frac{CD}{CE}$ 3)  $\sin A = \frac{DE}{CD}$ 4)  $\cos A = \frac{DE}{CE}$
- 628 In the diagram below,  $\Delta ERM \sim \Delta JTM$ .



Which statement is always true?

1) 
$$\cos J = \frac{RM}{RE}$$
  
2)  $\cos R = \frac{JM}{JT}$   
3)  $\tan T = \frac{RM}{EM}$   
4)  $\tan E = \frac{TM}{JM}$ 

629 In the diagram below of right triangle *ABC*, altitude BD is drawn.



Which ratio is always equivalent to  $\cos A$ ?

- AB 1)  $\overline{BC}$
- BD2)
- $\overline{BC}$ BD 3) AB
- $\frac{BC}{AC}$ 4)

### G.SRT.C.7: COFUNCTIONS

630 In the diagram below,  $\triangle DOG \sim \triangle CAT$ , where  $\angle G$  and  $\angle T$  are right angles.



Which expression is always equivalent to  $\sin D$ ?

- 1)  $\cos A$
- 2)  $\sin A$
- 3) tanA
- 4)  $\cos C$

- 631 In right triangle ABC,  $m \angle C = 90^{\circ}$  and  $AC \neq BC$ . Which trigonometric ratio is equivalent to  $\sin B$ ?
  - $\cos A$ 1) 2)
  - $\cos B$ 3) tanA
  - tan B
  - 4)
- 632 Right triangle ACT has  $m \angle A = 90^{\circ}$ . Which expression is always equivalent to  $\cos T$ ?
  - 1)  $\cos C$
  - 2)  $\sin C$
  - 3) tan T
  - 4)  $\sin T$

633 In  $\triangle ABC$  below, angle C is a right angle.



Which statement must be true?

- $\sin A = \cos B$ 1)
- $\sin A = \tan B$ 2)
- 3)  $\sin B = \tan A$
- $\sin B = \cos B$ 4)

634 Right triangle *ABC* is shown below.



Which trigonometric equation is always true for triangle *ABC*?

- 1)  $\sin A = \cos C$
- 2)  $\cos A = \sin A$
- 3)  $\cos A = \cos C$
- 4)  $\tan A = \tan C$
- 635 In scalene triangle *ABC* shown in the diagram below,  $m \angle C = 90^{\circ}$ .



Which equation is always true?

- 1)  $\sin A = \sin B$
- 2)  $\cos A = \cos B$
- 3)  $\cos A = \sin C$
- 4)  $\sin A = \cos B$
- 636 In  $\triangle ABC$ , the complement of  $\angle B$  is  $\angle A$ . Which statement is always true?
  - 1)  $\tan \angle A = \tan \angle B$
  - 2)  $\sin \angle A = \sin \angle B$
  - 3)  $\cos \angle A = \tan \angle B$
  - 4)  $\sin \angle A = \cos \angle B$

- 637 Right triangle *TMR* is a scalene triangle with the right angle at *M*. Which equation is true?
  - 1)  $\sin M = \cos T$
  - $2) \quad \sin R = \cos R$
  - 3)  $\sin T = \cos R$
  - 4)  $\sin T = \cos M$
- 638 If scalene triangle XYZ is similar to triangle QRS and m $\angle X = 90^\circ$ , which equation is always true?
  - 1)  $\sin Y = \sin S$
  - 2)  $\cos R = \cos Z$
  - 3)  $\cos Y = \sin Q$
  - 4)  $\sin R = \cos Z$
- 639 Which expression is always equivalent to  $\sin x$ when  $0^{\circ} < x < 90^{\circ}$ ?
  - 1)  $\cos(90^{\circ} x)$
  - 2)  $\cos(45^{\circ} x)$
  - 3)  $\cos(2x)$
  - 4)  $\cos x$
- 640 The expression  $\sin 57^\circ$  is equal to
  - 1) tan 33°
    - 2) cos 33°
    - 3) tan 57°
  - 4)  $\cos 57^{\circ}$
- 641 Which expression is equal to  $\sin 30^\circ$ ?
  - 1)  $\tan 30^{\circ}$
  - 2)  $\sin 60^{\circ}$
  - 3) cos 60°
  - 4) cos 30°

642 In  $\triangle ABC$ , where  $\angle C$  is a right angle,  $\cos A = \frac{\sqrt{21}}{5}$ . What is  $\sin B$ ?

1) 
$$\frac{\sqrt{21}}{5}$$

2) 
$$\frac{\sqrt{21}}{2}$$
  
3)  $\frac{2}{5}$   
4)  $\frac{5}{\sqrt{21}}$ 

$$\sqrt{21}$$

643 In right triangle *ABC*, m
$$\angle C = 90^\circ$$
. If  $\cos B = \frac{5}{13}$ ,

which function also equals  $\frac{3}{13}$ ?

- 1) tanA
- 2) tan*B*
- 3)  $\sin A$
- 4)  $\sin B$
- 644 In a right triangle,  $\sin(40-x)^\circ = \cos(3x)^\circ$ . What is the value of x?
  - 1) 10
  - 2) 15
  - 3) 20
  - 4) 25
- 645 In a right triangle, the acute angles have the relationship sin(2x + 4) = cos(46). What is the value of x?
  - 1) 20
  - 2) 21
  - 3) 24
  - 4) 25

646 If  $\sin(2x+7)^\circ = \cos(4x-7)^\circ$ , what is the value of x?

- 1) 7
- 2) 15
- 3) 21
- 4) 30
- 647 For the acute angles in a right triangle,  $sin(4x)^{\circ} = cos(3x + 13)^{\circ}$ . What is the number of degrees in the measure of the *smaller* angle?
  - 1) 11°
  - 2) 13°
  - 3) 44°
  - 4) 52°
- 648 When instructed to find the length of  $\overline{HJ}$  in right triangle HJG, Alex wrote the equation HI HI

$$\sin 28^\circ = \frac{115}{20}$$
 while Marlene wrote  $\cos 62^\circ = \frac{115}{20}$ .  
Are both students' equations correct? Explain why.



- 649 Explain why  $\cos(x) = \sin(90 x)$  for x such that 0 < x < 90.
- 650 Find the value of *R* that will make the equation  $\sin 73^\circ = \cos R$  true when  $0^\circ < R < 90^\circ$ . Explain your answer.

- 651 In right triangle *ABC* with the right angle at *C*,  $\sin A = 2x + 0.1$  and  $\cos B = 4x - 0.7$ . Determine and state the value of *x*. Explain your answer.
- 652 Given: Right triangle ABC with right angle at C. If  $\sin A$  increases, does  $\cos B$  increase or decrease? Explain why.

#### <u>G.SRT.C.8: USING TRIGONOMETRY TO FIND</u> <u>A SIDE</u>

653 Given the right triangle in the diagram below, what is the value of *x*, to the *nearest foot*?



- 1) 11
- 2) 17
- 3) 18
- 4) 22

654 Yolanda is making a springboard to use for gymnastics. She has 8-inch-tall springs and wants to form a 16.5° angle with the base, as modeled in the diagram below.



To the *nearest tenth of an inch*, what will be the length of the springboard, *x*?

- 1) 2.3
- 2) 8.3
- 3) 27.0
- 4) 28.2
- 655 As shown in the diagram below, the angle of elevation from a point on the ground to the top of the tree is 34°.



If the point is 20 feet from the base of the tree, what is the height of the tree, to the *nearest tenth of a foot*?

- 1) 29.7
- 2) 16.6
- 3) 13.5
- 4) 11.2

656 A man was parasailing above a lake at an angle of elevation of 32° from a boat, as modeled in the diagram below.



If 129.5 meters of cable connected the boat to the parasail, approximately how many meters above the lake was the man?

- 1) 68.6
- 2) 80.9
- 3) 109.8
- 4) 244.4
- 657 The diagram below shows a tree growing vertically on a hillside. The angle formed by the tree trunk and the hillside is 100°. The distance from the base of the tree to the bottom of the hill is 140 feet.



What is the vertical drop, *x*, to the base of the hill, to the *nearest foot*?

- 1) 24
- 2) 25
- 3) 70
- 4) 138

658 A vertical mine shaft is modeled in the diagram below. At a point on the ground 50 feet from the top of the mine, a ventilation tunnel is dug at an angle of  $47^{\circ}$ .



What is the length of the tunnel, to the *nearest foot*?

- 1) 47
- 2) 54
- 3) 68
- 4) 73
- 659 A tipping platform is a ramp used to unload trucks, as shown in the diagram below.



The truck is on a 75-foot-long ramp. The ramp is tipped at an angle of  $30^{\circ}$ . What is the height of the upper end of the ramp, *x*, to the *nearest tenth of a foot*?

- 1) 68.7
- 2) 65.0
- 3) 43.3
- 4) 37.5

- 660 A 20-foot support post leans against a wall, making a 70° angle with the ground. To the *nearest tenth* of a foot, how far up the wall will the support post reach?
  - 1) 6.8
  - 2) 6.9
  - 3) 18.7
  - 4) 18.8
- 661 A ladder 20 feet long leans against a building, forming an angle of 71° with the level ground. To the *nearest foot*, how high up the wall of the building does the ladder touch the building?
  - 1) 15
  - 2) 16
  - 3) 18
  - 4) 19
- 662 In right triangle *ABC*,  $m\angle A = 32^\circ$ ,  $m\angle B = 90^\circ$ , and AC = 6.2 cm. What is the length of  $\overline{BC}$ , to the *nearest tenth of a centimeter*?
  - 1) 3.3
  - 2) 3.9
  - 3) 5.3
  - 4) 11.7
- 663 From a point on the ground one-half mile from the base of a historic monument, the angle of elevation to its top is 11.87°. To the *nearest foot*, what is the height of the monument?
  - 1) 543
  - 2) 555
  - 3) 1086
  - 4) 1110

664 In right triangle *ABC*,  $m \angle A = 90^\circ$ ,  $m \angle B = 18^\circ$ , and AC = 8. To the *nearest tenth*, the length of  $\overline{BC}$  is

- 1) 2.5
- 2) 8.4
- 3) 24.6
- 4) 25.9

- 665 Chelsea is sitting 8 feet from the foot of a tree. From where she is sitting, the angle of elevation of her line of sight to the top of the tree is 36°. If her line of sight starts 1.5 feet above ground, how tall is the tree, to the *nearest foot*?
  - 1) 8
  - 2) 7
  - 3) 6 4) 4
  - 4) 4
- 666 A 15-foot ladder leans against a wall and makes an angle of  $65^{\circ}$  with the ground. What is the horizontal distance from the wall to the base of the ladder, to the *nearest tenth of a foot*?
  - 1) 6.3
  - 2) 7.0
  - 3) 12.9
  - 4) 13.6
- 667 The diagram below shows two similar triangles.



If  $\tan \theta = \frac{3}{7}$ , what is the value of *x*, to the *nearest tenth*?

10111	
1)	1.2
2)	5.6
3)	7.6

4) 8.8

668 A carpenter leans an extension ladder against a house to reach the bottom of a window 30 feet above the ground. As shown in the diagram below, the ladder makes a  $70^{\circ}$  angle with the ground. To the *nearest foot*, determine and state the length of the ladder.



669 In the diagram below, a window of a house is 15 feet above the ground. A ladder is placed against the house with its base at an angle of  $75^{\circ}$  with the ground. Determine and state the length of the ladder to the *nearest tenth of a foot*.



670 The Leaning Tower of Pisa in Italy is known for its slant, which occurred after its construction began. The angle of the slant is 86.03° from the ground. The low side of the tower reaches a height of 183.27 feet from the ground.



Determine and state the slant height, *x*, of the low side of the tower, to the *nearest hundredth of a foot*.

671 A rock-climbing wall at a local park has a right triangular section that slants toward the climber, as shown in the picture below. The height of the wall is 5 meters and the slanted section begins 1.2 meters up the wall at an angle of 14 degrees.



Determine and state, to the *nearest hundredth*, the number of meters in the length of the section of the wall that is slanted (hypotenuse).

672 Diego needs to install a support beam to hold up his new birdhouse, as modeled below. The base of the birdhouse is  $24\frac{1}{2}$  inches long. The support beam will form an angle of  $38^{\circ}$  with the vertical post. Determine and state the approximate length of the support beam, *x*, to the *nearest inch*.



673 As shown in the diagram below, an island (I) is due north of a marina (M). A boat house (H) is 4.5 miles due west of the marina. From the boat house, the island is located at an angle of 54° from the marina.



Determine and state, to the *nearest tenth of a mile*, the distance from the boat house (H) to the island (I). Determine and state, to the *nearest tenth of a mile*, the distance from the island (I) to the marina (M).

674 A homeowner is building three steps leading to a deck, as modeled by the diagram below. All three step rises,  $\overline{HA}$ ,  $\overline{FG}$ , and  $\overline{DE}$ , are congruent, and all three step runs,  $\overline{HG}$ ,  $\overline{FE}$ , and  $\overline{DC}$ , are congruent. Each step rise is perpendicular to the step run it joins. The measure of  $\angle CAB = 36^{\circ}$  and  $\angle CBA = 90^{\circ}$ .



If each step run is parallel to  $\overline{AB}$  and has a length of 10 inches, determine and state the length of each step rise, to the *nearest tenth of an inch*. Determine and state the length of  $\overline{AC}$ , to the *nearest inch*.

675 As modeled in the diagram below, an access ramp starts on flat ground and ends at the beginning of the top step. Each step is 6 inches tall and 8 inches deep.



If the angle of elevation of the ramp is  $4.76^{\circ}$ , determine and state the length of the ramp, to the *nearest tenth of a foot*. Determine and state, to the *nearest tenth of a foot*, the horizontal distance, *d*, from the bottom of the stairs to the bottom of the ramp.

676 David has just finished building his treehouse and still needs to buy a ladder to be attached to the ledge of the treehouse and anchored at a point on the ground, as modeled below. David is standing 1.3 meters from the stilt supporting the treehouse. This is the point on the ground where he has decided to anchor the ladder. The angle of elevation from his eye level to the bottom of the treehouse is 56 degrees. David's eye level is 1.5 meters above the ground.



Determine and state the minimum length of a ladder, to the *nearest tenth of a meter*, that David will need to buy for his treehouse.

677 A telephone pole 11 meters tall needs to be stabilized with a support beam, as modeled below.



Two conditions for proper support are:

- The beam reaches the telephone pole at 70% of the telephone pole's height above the ground.
- The beam forms a 65° angle with the ground.

Determine and state, to the *nearest tenth of a meter*, the length of the support beam that meets these conditions for this telephone pole. Determine and state, to the *nearest tenth of a meter*, how far the support beam must be placed from the base of the pole to meet the conditions.

678 Trish is a surveyor who was asked to estimate the distance across a pond. She stands at point *C*, 85 meters from point *D*, and locates points *A* and *B* on either side of the pond such that *A*, *D*, and *B* are collinear.



Trish approximates the measure of angle *DCB* to be  $35^{\circ}$  and the measure of angle *ACD* to be  $75^{\circ}$ . Determine and state the distance across the pond,  $\overline{AB}$ , to the *nearest meter*.

679 As shown below, a canoe is approaching a lighthouse on the coastline of a lake. The front of the canoe is 1.5 feet above the water and an observer in the lighthouse is 112 feet above the water.



At 5:00, the observer in the lighthouse measured the angle of depression to the front of the canoe to be  $6^{\circ}$ . Five minutes later, the observer measured and saw the angle of depression to the front of the canoe had increased by  $49^{\circ}$ . Determine and state, to the *nearest foot per minute*, the average speed at which the canoe traveled toward the lighthouse.

680 As shown in the diagram below, a ship is heading directly toward a lighthouse whose beacon is 125 feet above sea level. At the first sighting, point *A*, the angle of elevation from the ship to the light was 7°. A short time later, at point *D*, the angle of elevation was 16°.



To the *nearest foot*, determine and state how far the ship traveled from point A to point D.

681 Cathy wants to determine the height of the flagpole shown in the diagram below. She uses a survey instrument to measure the angle of elevation to the top of the flagpole, and determines it to be 34.9°. She walks 8 meters closer and determines the new measure of the angle of elevation to be 52.8°. At each measurement, the survey instrument is 1.7 meters above the ground.



Determine and state, to the *nearest tenth of a meter*, the height of the flagpole.

682 The map below shows the three tallest mountain peaks in New York State: Mount Marcy, Algonquin Peak, and Mount Haystack. Mount Haystack, the shortest peak, is 4960 feet tall. Surveyors have determined the horizontal distance between Mount Haystack and Mount Marcy is 6336 feet and the horizontal distance between Mount Marcy and Algonquin Peak is 20,493 feet.



The angle of depression from the peak of Mount Marcy to the peak of Mount Haystack is 3.47 degrees. The angle of elevation from the peak of Algonquin Peak to the peak of Mount Marcy is 0.64 degrees. What are the heights, to the *nearest foot*, of Mount Marcy and Algonquin Peak? Justify your answer.

683 The map of a campground is shown below. Campsite *C*, first aid station *F*, and supply station *S* lie along a straight path. The path from the supply station to the tower, *T*, is perpendicular to the path from the supply station to the campsite. The length of path  $\overline{FS}$  is 400 feet. The angle formed by path  $\overline{TF}$  and path  $\overline{FS}$  is 72°. The angle formed by path  $\overline{TC}$  and path  $\overline{CS}$  is 55°.



Determine and state, to the *nearest foot*, the distance from the campsite to the tower.

684 Nick wanted to determine the length of one blade of the windmill pictured below. He stood at a point on the ground 440 feet from the windmill's base. Using surveyor's tools, Nick measured the angle between the ground and the highest point reached by the top blade and found it was 38.8°. He also measured the angle between the ground and the lowest point of the top blade, and found it was 30°.



Determine and state a blade's length, *x*, to the *nearest foot*.

685 Cape Canaveral, Florida is where NASA launches rockets into space. As modeled in the diagram below, a person views the launch of a rocket from observation area A, 3280 feet away from launch pad B. After launch, the rocket was sighted at Cwith an angle of elevation of 15°. The rocket was later sighted at D with an angle of elevation of 31°.



Determine and state, to the *nearest foot*, the distance the rocket traveled between the two sightings, *C* and *D*.

686 As modeled in the diagram below, a building has a height of 50 meters. The angle of depression from the top of the building to the top of the tree, T, is 13.3°. The angle of depression from the top of the building to the bottom of the tree, B, is 22.2°.



Determine and state, to the nearest meter, the height of the tree.

687 Barry wants to find the height of a tree that is modeled in the diagram below, where  $\angle C$  is a right angle. The angle of elevation from point A on the ground to the top of the tree, H, is 40°. The angle of elevation from point B on the ground to the top of the tree, H, is 80°. The distance between points A and B is 85 feet.



Barry claims that  $\triangle ABH$  is isosceles. Explain why Barry is correct. Determine and state, to the *nearest foot*, the height of the tree.

- 688 A flagpole casts a shadow on the ground 91 feet long, with a 53° angle of elevation from the end of the shadow to the top of the flagpole. Determine and state, to the *nearest tenth of a foot*, the height of the flagpole.
- 689 A support wire reaches from the top of a pole to a clamp on the ground. The pole is perpendicular to the level ground and the clamp is 10 feet from the base of the pole. The support wire makes a 68° angle with the ground. Find the length of the support wire to the *nearest foot*.
- 690 Freda, who is training to use a radar system, detects an airplane flying at a constant speed and heading in a straight line to pass directly over her location. She sees the airplane at an angle of elevation of  $15^{\circ}$ and notes that it is maintaining a constant altitude of 6250 feet. One minute later, she sees the airplane at an angle of elevation of  $52^{\circ}$ . How far has the airplane traveled, to the *nearest foot*? Determine and state the speed of the airplane, to the *nearest mile per hour*.

> G.SRT.C.8: USING TRIGONOMETRY TO FIND AN ANGLE

691 In the diagram of right triangle ABC shown below, AB = 14 and AC = 9.



What is the measure of  $\angle A$ , to the *nearest degree*?

- 1) 33
- 2) 40
- 3) 50
- 4) 57
- 692 In the diagram of  $\triangle RST$  below, m $\angle T = 90^{\circ}$ , RS = 65, and ST = 60.



What is the measure of  $\angle S$ , to the *nearest degree*? 23°

- 1)
- 43° 2)
- 3) 47°
- 4) 67°

693 In the diagram of  $\triangle ABC$  below, m $\angle C = 90^{\circ}$ , CB = 13, and AB = 16.



What is the measure of  $\angle A$ , to the *nearest degree*?

- 36° 1)
- 39° 2)
- 3) 51°
- 4) 54°
- 694 In the diagram below of right triangle SUN, where  $\angle N$  is a right angle, SU = 13.6 and SN = 12.3.



What is  $\angle S$ , to the *nearest degree*?

- 25° 1)
- 42° 2)
- 3)  $48^{\circ}$
- 4) 65°

695 To build a handicapped-access ramp, the building code states that for every 1 inch of vertical rise in height, the ramp must extend out 12 inches horizontally, as shown in the diagram below.



What is the angle of inclination, *x*, of this ramp, to the *nearest hundredth of a degree*?

- 1) 4.76
- 2) 4.78
- 3) 85.22
- 4) 85.24
- 696 An airplane took off at a constant angle of elevation. After the plane traveled for 25 miles, it reached an altitude of 5 miles, as modeled below.



To the *nearest tenth of a degree*, what was the angle of elevation?

697 As shown in the diagram below, a symmetrical roof frame rises 4 feet above a house and has a width of 24 feet.



Determine and state, to the *nearest degree*, the angle of elevation of the roof frame.

698 The diagram below shows a ramp connecting the ground to a loading platform 4.5 feet above the ground. The ramp measures 11.75 feet from the ground to the top of the loading platform.



Determine and state, to the *nearest degree*, the angle of elevation formed by the ramp and the ground.

- 699 In right triangle ABC, hypotenuse AB has a length of 26 cm, and side BC has a length of 17.6 cm. What is the measure of angle B, to the nearest degree?
  - 1) 48°
  - 2) 47°
  - 3) 43°
  - 4) 34°
- 700 A man who is 5 feet 9 inches tall casts a shadow of 8 feet 6 inches. Assuming that the man is standing perpendicular to the ground, what is the angle of elevation from the end of the shadow to the top of the man's head, to the *nearest tenth of a degree*?
  - 1) 34.1
  - 2) 34.5
  - 3) 42.6
  - 4) 55.9
- 701 A 12-foot ladder leans against a building and reaches a window 10 feet above ground. What is the measure of the angle, to the *nearest degree*, that the ladder forms with the ground?
  - 1) 34
  - 2) 40
  - 3) 50
  - 4) 56

- 702 Zach placed the foot of an extension ladder 8 feet from the base of the house and extended the ladder 25 feet to reach the house. To the nearest degree, what is the measure of the angle the ladder makes with the ground?
  - 1) 18
  - 2) 19
  - 71 3)
  - 72 4)
- 703 In the diagram below of  $\triangle HAR$  and  $\triangle NTY$ , angles *H* and *N* are right angles, and  $\triangle HAR \sim \triangle NTY$ .



- If AR = 13 and HR = 12, what is the measure of angle *Y*, to the *nearest degree*?
- 1) 23°
- 25° 2)
- 3) 65°
- 4) 67°

704 Kayla was cutting right triangles from wood to use for an art project. Two of the right triangles she cut are shown below.



If  $\triangle ABC \sim \triangle DEF$ , with right angles *B* and *E*, BC = 15 cm, and AC = 17 cm, what is the measure of  $\angle F$ , to the *nearest degree*?

- 28° 1)
- 2) 41° 62°
- 3)
- 4) 88°
- 705 In the diagram below,  $\triangle SBC \sim \triangle CMJ$  and  $\cos J = \frac{3}{5}.$



Determine and state  $m \angle S$ , to the *nearest degree*.

706 A ladder leans against a building. The top of the ladder touches the building 10 feet above the ground. The foot of the ladder is 4 feet from the building. Find, to the nearest degree, the angle that the ladder makes with the level ground.

- 707 Bob places an 18-foot ladder 6 feet from the base of his house and leans it up against the side of his house. Find, to the *nearest degree*, the measure of the angle the bottom of the ladder makes with the ground.
- 708 As modeled below, a movie is projected onto a large outdoor screen. The bottom of the 60-foot-tall screen is 12 feet off the ground. The projector sits on the ground at a horizontal distance of 75 feet from the screen.



Determine and state, to the *nearest tenth of a* degree, the measure of  $\theta$ , the projection angle.

709 As modeled below, a projector mounted on a ceiling is 3.74 m from a wall, where a whiteboard is displayed. The vertical distance from the ceiling to the top of the whiteboard is 0.41 m, and the height of the whiteboard is 1.17 m.



Determine and state the projection angle,  $\theta$ , to the *nearest tenth of a degree*.

# LOGIC G.CO.B.7: TRIANGLE CONGRUENCY

710 Which statement is sufficient evidence that  $\triangle DEF$  is congruent to  $\triangle ABC$ ?



- 1) AB = DE and BC = EF
- 2)  $\angle D \cong \angle A, \angle B \cong \angle E, \angle C \cong \angle F$
- 3) There is a sequence of rigid motions that maps  $\overline{AB}$  onto  $\overline{DE}$ ,  $\overline{BC}$  onto  $\overline{EF}$ , and  $\overline{AC}$  onto  $\overline{DF}$ .
- 4) There is a sequence of rigid motions that maps point A onto point D,  $\overline{AB}$  onto  $\overline{DE}$ , and  $\angle B$  onto  $\angle E$ .
- 711 Triangles *JOE* and *SAM* are drawn such that  $\angle E \cong \angle M$  and  $\overline{EJ} \cong \overline{MS}$ . Which mapping would *not* always lead to  $\triangle JOE \cong \triangle SAM$ ?
  - 1)  $\angle J$  maps onto  $\angle S$
  - 2)  $\angle O$  maps onto  $\angle A$
  - 3) EO maps onto MA
  - 4)  $\overline{JO}$  maps onto  $\overline{SA}$
- 712 In the two distinct acute triangles *ABC* and *DEF*,  $\angle B \cong \angle E$ . Triangles *ABC* and *DEF* are congruent when there is a sequence of rigid motions that maps
  - 1)  $\angle A$  onto  $\angle D$ , and  $\angle C$  onto  $\angle F$
  - 2)  $\overline{AC}$  onto  $\overline{DF}$ , and  $\overline{BC}$  onto  $\overline{EF}$
  - 3)  $\angle C$  onto  $\angle F$ , and  $\overline{BC}$  onto  $\overline{EF}$
  - 4) point A onto point D, and AB onto DE

- 713 Triangles *YEG* and *POM* are two distinct non-right triangles such that  $\angle G \cong \angle M$ . Which statement is sufficient to prove  $\triangle$  *YEG* is always congruent to  $\triangle$  *POM*?
  - 1)  $\angle E \cong \angle O$  and  $\angle Y \cong \angle P$
  - 2)  $\overline{YG} \cong \overline{PM}$  and  $\overline{YE} \cong \overline{PO}$
  - 3) There is a sequence of rigid motions that maps  $\angle E$  onto  $\angle O$  and  $\overline{YE}$  onto  $\overline{PO}$ .
  - 4) There is a sequence of rigid motions that maps point *Y* onto point *P* and  $\overline{YG}$  onto  $\overline{PM}$ .
- 714 Given right triangles <u>ABC</u> and <u>DEF</u> where  $\angle C$  and  $\angle F$  are right angles,  $\overline{AC} \cong \overline{DF}$  and  $\overline{CB} \cong \overline{FE}$ . Describe a precise sequence of rigid motions which would show  $\triangle ABC \cong \triangle DEF$ .



715 In the diagram below,  $\triangle ABC$  and  $\triangle XYZ$  are graphed.



Use the properties of rigid motions to explain why  $\triangle ABC \cong \triangle XYZ$ .

716 As graphed on the set of axes below,  $\Delta A'B'C'$  is the image of  $\Delta ABC$  after a sequence of transformations.



Is  $\triangle A'B'C'$  congruent to  $\triangle ABC$ ? Use the properties of rigid motion to explain your answer.

717 In the graph below,  $\triangle ABC$  has coordinates A(-9,2), B(-6,-6), and C(-3,-2), and  $\triangle RST$  has coordinates R(-2,9), S(5,6), and T(2,3).



Is  $\triangle ABC$  congruent to  $\triangle RST$ ? Use the properties of rigid motions to explain your reasoning.

718 In the diagram below of  $\triangle ABC$  and  $\triangle XYZ$ , a sequence of rigid motions maps  $\angle A$  onto  $\angle X$ ,  $\angle C$  onto  $\angle Z$ , and  $\overline{AC}$  onto  $\overline{XZ}$ .



Determine and state whether  $\overline{BC} \cong \overline{YZ}$ . Explain why.

719 In the diagram below, right triangle *PQR* is transformed by a sequence of rigid motions that maps it onto right triangle *NML*.



Write a set of three congruency statements that would show *ASA* congruency for these triangles.

720 In the diagram below,  $\overline{AC} \cong \overline{DF}$  and points A, C, D, and F are collinear on line  $\ell$ .



Let  $\Delta D' E' F$  be the image of  $\Delta DEF$  after a translation along  $\ell$ , such that point D is mapped onto point A. Determine and state the location of F'. Explain your answer. Let  $\Delta D''E''F''$  be the image of  $\Delta D' E' F$  after a reflection across line  $\ell$ . Suppose that E'' is located at B. Is  $\Delta DEF$ congruent to  $\Delta ABC$ ? Explain your answer.

- 721 After a reflection over a line,  $\triangle A'B'C'$  is the image of  $\triangle ABC$ . Explain why triangle ABC is congruent to triangle  $\triangle A'B'C'$ .
- 722 Given: D is the image of A after a reflection over  $\overleftrightarrow{CH}$ .

 $\overrightarrow{CH}$  is the perpendicular bisector of  $\overrightarrow{BCE}$  $\triangle ABC$  and  $\triangle DEC$  are drawn Prove:  $\triangle ABC \cong \triangle DEC$ 



## G.CO.B.8: TRIANGLE CONGRUENCY

723 In the diagram of  $\Delta LAC$  and  $\Delta DNC$  below,  $\overline{LA} \cong \overline{DN}, \overline{CA} \cong \overline{CN}, \text{ and } \overline{DAC} \perp \overline{LCN}.$ 



a) Prove that  $\triangle LAC \cong \triangle DNC$ . b) Describe a sequence of rigid motions that will map  $\triangle LAC$  onto  $\triangle DNC$ .

#### G.SRT.B.5: TRIANGLE CONGRUENCY

724 In the diagram below of quadrilateral *ADBE*,  $\overline{DE}$  is the perpendicular bisector of  $\overline{AB}$ .



Which statement is always true?

- 1)  $\angle ADC \cong \angle BDC$
- 2)  $\angle EAC \cong \angle DAC$
- 3)  $AD \cong BE$
- 4)  $\overline{AE} \cong \overline{AD}$

725 Given the information marked on the diagrams below, which pair of triangles can *not* always be proven congruent?



1)

2)

3)



4)  $\triangle NOP$  and  $\triangle RSP$ 

- 726 Given  $\triangle ABC \cong \triangle DEF$ , which statement is *not* always true?
  - 1)  $\overline{BC} \cong \overline{DF}$
  - 2)  $m \angle A = m \angle D$
  - 3) area of  $\triangle ABC$  = area of  $\triangle DEF$
  - 4) perimeter of  $\triangle ABC$  = perimeter of  $\triangle DEF$

727 Skye says that the two triangles below are congruent. Margaret says that the two triangles are similar.



Are Skye and Margaret both correct? Explain why.

### G.CO.C.10: TRIANGLE PROOFS

728 Line segment EA is the perpendicular bisector of  $\overline{ZT}$ , and  $\overline{ZE}$  and  $\overline{TE}$  are drawn.



Which conclusion can not be proven?

- 1)  $\overline{EA}$  bisects angle ZET.
- 2) Triangle *EZT* is equilateral.
- 3)  $\overline{EA}$  is a median of triangle *EZT*.
- 4) Angle *Z* is congruent to angle *T*.

729 Given the theorem, "The sum of the measures of the interior angles of a triangle is 180°," complete the proof for this theorem.



Given:  $\triangle ABC$ Prove:  $m \angle 1 + m \angle 2 + m \angle 3 = 180^{\circ}$ Fill in the missing reasons below.

Statements	Reasons
(1) $\triangle ABC$	(1) Given
(2) Through point C, draw $\overrightarrow{DCE}$ parallel to $\overrightarrow{AB}$ .	(2)
(3) $m \angle 1 = m \angle ACD, m \angle 3 = m \angle BCE$	(3)
(4) $m \angle ACD + m \angle 2 + m \angle BCE = 180^{\circ}$	(4)
(5) $m \angle 1 + m \angle 2 + m \angle 3 = 180^{\circ}$	(5)
	54 <del></del>

730 Given:  $\triangle XYZ$ ,  $\overline{XY} \cong \overline{ZY}$ , and  $\overline{YW}$  bisects  $\angle XYZ$ Prove that  $\angle YWZ$  is a right angle.



731 Prove the sum of the exterior angles of a triangle is  $360^{\circ}$ .



#### G.SRT.B.5: TRIANGLE PROOFS

732 Parallelogram *ABCD* with diagonal  $\overline{DB}$  is drawn below. Line segment *EF* is drawn such that it bisects  $\overline{DB}$  at *M*.



Which triangle congruence method would prove that  $\Delta EMB \sim \Delta FMD$ ?

- 1) ASA, only
- 2) AAS, only
- 3) both ASA and AAS
- 4) neither ASA nor AAS

733 Given:  $\triangle ABE$  and  $\triangle CBD$  shown in the diagram below with  $\overline{DB} \cong \overline{BE}$ 



Which statement is needed to prove  $\triangle ABE \cong \triangle CBD$  using only SAS  $\cong$  SAS? 1)  $\angle CDB \cong \angle AEB$ 

- 2)  $\angle AFD \cong \angle EFC$
- 3)  $\overline{AD} \cong \overline{CE}$
- 4)  $\overline{AE} \cong \overline{CD}$
- 734 In the diagram below,  $\overline{AKS}$ ,  $\overline{NKC}$ ,  $\overline{AN}$ , and  $\overline{SC}$  are drawn such that  $\overline{AN} \cong \overline{SC}$ .



Which additional statement is sufficient to prove  $\Delta KAN \cong \Delta KSC$  by AAS?

- 1) AS and NC bisect each other.
- 2) *K* is the midpoint of *NC*.
- 3)  $AS \perp CN$
- 4)  $\overline{AN} \parallel \overline{SC}$

735 In the diagram below,  $\overline{AC}$  and  $\overline{BD}$  intersect at E.



Which information is always sufficient to prove  $\triangle ABE \cong \triangle CDE$ ?

- 1)  $\overline{AB} \parallel \overline{CD}$
- 2)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BE} \cong \overline{DE}$
- 3) *E* is the midpoint of  $\overline{AC}$ .
- 4)  $\overline{BD}$  and  $\overline{AC}$  bisect each other.
- 736 Kelly is completing a proof based on the figure below.



She was given that  $\angle A \cong \angle EDF$ , and has already proven  $\overline{AB} \cong \overline{DE}$ . Which pair of corresponding parts and triangle congruency method would *not* prove  $\triangle ABC \cong \triangle DEF$ ?

- 1)  $\overline{AC} \cong \overline{DF}$  and SAS
- 2)  $\overline{BC} \cong \overline{EF}$  and SAS
- 3)  $\angle C \cong \angle F$  and AAS
- 4)  $\angle CBA \cong \angle FED$  and ASA

737 In the diagram of triangles *ABD* and *CBE* below, sides  $\overline{AD}$  and  $\overline{CE}$  intersect at *F*, and  $\angle ADB \cong \angle CEB$ .



Which statement can not be proven?

- 1)  $\triangle ADB \cong \triangle CEB$
- 2)  $\angle EAF \cong \angle DCF$
- 3)  $\triangle ADB \sim \triangle CEB$
- 4)  $\triangle EAF \sim \triangle DCF$
- 738 Two right triangles must be congruent if
  - 1) an acute angle in each triangle is congruent
  - 2) the lengths of the hypotenuses are equal
  - 3) the corresponding legs are congruent
  - 4) the areas are equal
- 739 In  $\triangle ABC$ , AB = 5, AC = 12, and  $m \angle A = 90^{\circ}$ . In  $\triangle DEF$ ,  $m \angle D = 90^{\circ}$ , DF = 12, and EF = 13. Brett claims  $\triangle ABC \cong \triangle DEF$  and  $\triangle ABC \sim \triangle DEF$ . Is Brett correct? Explain why.
740 Given:  $\triangle ABC$ ,  $\overline{AEC}$ ,  $\overline{BDE}$  with  $\angle ABE \cong \angle CBE$ , and  $\angle ADE \cong \angle CDE$ Prove:  $\overline{BDE}$  is the perpendicular bisector of  $\overline{AC}$ 



Fill in the missing statement and reasons below.

Statements	Reasons			
$1 \triangle ABC, \overline{AEC}, \overline{BDE}$	1 Given			
with $\angle ABE \cong \angle CBE$ ,				
and $\angle ADE \cong \angle CDE$				
$2 \overline{BD} \cong \overline{BD}$	2			
$3 \angle BDA$ and $\angle ADE$	3 Linear pairs of			
are supplementary.	angles are			
$\angle BDC$ and $\angle CDE$ are	supplementary.			
supplementary.				
4	4 Supplements of			
	congruent angles			
	are congruent.			
$5 \triangle ABD \cong \triangle CBD$	5 ASA			
$6 \overline{AD} \cong \overline{CD}, \overline{AB} \cong \overline{CB}$	6			
,				
$7 \overline{BDE}$ is the	7			
perpendicular bisector				
of $\overline{AC}$ .				

741 In the diagram below,  $\triangle ABE \cong \triangle CBD$ .





742 Given:  $\triangle AEB$  and  $\triangle DFC$ ,  $\overline{ABCD}$ ,  $\overline{AE} \parallel \overline{DF}$ ,  $\overline{EB} \parallel \overline{FC}$ ,  $\overline{AC} \cong \overline{DB}$ 



Prove:  $\triangle EAB \cong \triangle FDC$ 

743 Given:  $\overline{RS}$  and  $\overline{TV}$  bisect each other at point X  $\overline{TR}$  and  $\overline{SV}$  are drawn



Prove:  $\overline{TR} \parallel \overline{SV}$ 

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

## G.CO.C.11: QUADRILATERAL PROOFS

744 In parallelogram ABCD shown below, diagonals  $\overline{AC}$  and  $\overline{BD}$  intersect at E.



Prove:  $\angle ACD \cong \angle CAB$ 

745 Given: Parallelogram *ABCD*,  $\overline{BF} \perp \overline{AFD}$ , and  $\overline{DE} \perp \overline{BEC}$ 



Prove: *BEDF* is a rectangle

746 Given: Quadrilateral *ABCD* with diagonals  $\overline{AC}$  and  $\overline{BD}$  that bisect each other, and  $\angle 1 \cong \angle 2$ 



Prove:  $\triangle ACD$  is an isosceles triangle and  $\triangle AEB$  is a right triangle

#### G.SRT.B.5: QUADRILATERAL PROOFS

747 Given: Parallelogram *ABCD* with diagonal  $\overline{AC}$  drawn



Prove:  $\triangle ABC \cong \triangle CDA$ 

748 In the diagram of parallelogram *ABCD* below,  $\overline{BE} \perp \overline{CED}, \overline{DF} \perp \overline{BFC}, \overline{CE} \cong \overline{CF}.$ 



Prove *ABCD* is a rhombus.

749 Given: Parallelogram ANDR with  $\overline{AW}$  and  $\overline{DE}$  bisecting  $\overline{NWD}$  and  $\overline{REA}$  at points W and E, respectively



Prove that  $\triangle ANW \cong \triangle DRE$ . Prove that quadrilateral *AWDE* is a parallelogram.

750 Isosceles trapezoid *ABCD* has bases  $\overline{DC}$  and  $\overline{AB}$ with nonparallel legs  $\overline{AD}$  and  $\overline{BC}$ . Segments AE, *BE*, *CE*, and *DE* are drawn in trapezoid *ABCD* such that  $\angle CDE \cong \angle DCE$ ,  $\overline{AE} \perp \overline{DE}$ , and  $\overline{BE} \perp \overline{CE}$ .



Prove  $\triangle ADE \cong \triangle BCE$  and prove  $\triangle AEB$  is an isosceles triangle.

751 In quadrilateral ABCD,  $\overline{AB} \cong \overline{CD}$ ,  $\overline{AB} \| \overline{CD}$ , and  $\overline{BF}$  and  $\overline{DE}$  are perpendicular to diagonal  $\overline{AC}$  at points F and E.



Prove:  $\overline{AE} \cong \overline{CF}$ 

752 In the diagram of quadrilateral *ABCD* with diagonal  $\overline{AC}$  shown below, segments  $\overline{GH}$  and  $\overline{EF}$ are drawn,  $\overline{AE} \cong \overline{CG}$ ,  $\overline{BE} \cong \overline{DG}$ ,  $\overline{AH} \cong \overline{CF}$ , and  $\overline{AD} \cong \overline{CB}$ .



Prove:  $\overline{EF} \cong \overline{GH}$ 

753 In quadrilateral *ABCD*, *E* and *F* are points on  $\overline{BC}$ and  $\overline{AD}$ , respectively, and  $\overline{BGD}$  and  $\overline{EGF}$  are drawn such that  $\angle ABG \cong \angle CDG$ ,  $\overline{AB} \cong \overline{CD}$ , and  $\overline{CE} \cong \overline{AF}$ .



Prove:  $\overline{FG} \cong \overline{EG}$ 

754 Given: Parallelogram PQRS,  $\overline{QT} \perp \overline{PS}$ ,  $\overline{SU} \perp \overline{QR}$ 



Prove:  $\overline{PT} \cong \overline{RU}$ 

755 In the diagram of quadrilateral *ABCD* below,  $\overline{AB} \cong \overline{CD}$ , and  $\overline{AB} \parallel \overline{CD}$ . Segments *CE* and *AF* are drawn to diagonal  $\overline{BD}$  such that  $\overline{BE} \cong \overline{DF}$ .



Prove:  $\overline{CE} \cong \overline{AF}$ 

756 Given: Quadrilateral ABCD,  $\overline{AB} \cong \overline{CD}$ ,  $\overline{AB} \parallel \overline{CD}$ , diagonal  $\overline{AC}$  intersects  $\overline{EF}$  at G, and  $\overline{DE} \cong \overline{BF}$ 



Prove: G is the midpoint of  $\overline{EF}$ 

757 Given: Quadrilateral *ABCD* is a parallelogram with diagonals  $\overline{AC}$  and  $\overline{BD}$  intersecting at *E* 



Prove:  $\triangle AED \cong \triangle CEB$ Describe a single rigid motion that maps  $\triangle AED$  onto  $\triangle CEB$ .

758 Given: Quadrilateral *MATH*,  $\overline{HM} \cong \overline{AT}$ ,  $\overline{HT} \cong \overline{AM}$ ,  $\overline{HE} \perp \overline{MEA}$ , and  $\overline{HA} \perp \overline{AT}$ 



Prove:  $TA \bullet HA = HE \bullet TH$ 

759 Given: Quadrilateral *ABCD*,  $\overline{AC}$  and  $\overline{EF}$  intersect at *H*,  $\overline{EF} || \overline{AD}$ ,  $\overline{EF} || \overline{BC}$ , and  $\overline{AD} \cong \overline{BC}$ .



Prove: (EH)(CH) = (FH)(AH)

### G.SRT.B.5: CIRCLE PROOFS

760 In the diagram below, secant *ACD* and tangent *AB* are drawn from external point *A* to circle *O*.



Prove the theorem: If a secant and a tangent are drawn to a circle from an external point, the product of the lengths of the secant segment and its external segment equals the length of the tangent segment squared.  $(AC \cdot AD = AB^2)$  761 Given: Circle *O*, chords  $\overline{AB}$  and  $\overline{CD}$  intersect at *E* 



Theorem: If two chords intersect in a circle, the product of the lengths of the segments of one chord is equal to the product of the lengths of the segments of the other chord. Prove this theorem by proving  $AE \cdot EB = CE \cdot ED$ .

762 In the diagram below of circle O, tangent  $\overrightarrow{EC}$  is drawn to diameter  $\overrightarrow{AC}$ . Chord  $\overrightarrow{BC}$  is parallel to secant  $\overrightarrow{ADE}$ , and chord  $\overrightarrow{AB}$  is drawn.



Prove:  $\frac{BC}{CA} = \frac{AB}{EC}$ 

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

# G.SRT.A.3: SIMILARITY PROOFS

763 In the diagram below,  $\angle GRS \cong \angle ART$ , GR = 36, SR = 45, AR = 15, and RT = 18.



Which triangle similarity statement is correct?

- 1)  $\triangle GRS \sim \triangle ART$  by AA.
- 2)  $\triangle GRS \sim \triangle ART$  by SAS.
- 3)  $\triangle GRS \sim \triangle ART$  by SSS.
- 4)  $\triangle GRS$  is not similar to  $\triangle ART$ .
- 764 In the diagram below,  $\overline{AB} \parallel \overline{DFC}$ ,  $\overline{EDA} \parallel \overline{CBG}$ , and  $\overline{EFB}$  and  $\overline{AG}$  are drawn.



Which statement is always true?

- 1)  $\triangle DEF \cong \triangle CBF$
- 2)  $\triangle BAG \cong \triangle BAE$
- 3)  $\triangle BAG \sim \triangle AEB$
- 4)  $\triangle DEF \sim \triangle AEB$

765 In the diagram below of  $\triangle ABC$ , D and E are the midpoints of  $\overline{AB}$  and  $\overline{AC}$ , respectively, and  $\overline{DE}$  is drawn.



I. AA similarity II. SSS similarity III. SAS similarity Which methods could be used to prove  $\triangle ABC \sim \triangle ADE$ ? 1) I and II, only

- I and II, only
   II and III, onl
- II and III, only
   I and III, only
- 4) I, II, and III
- 766 In the diagram below,  $\Delta A'B'C'$  is the image of  $\Delta ABC$  after a transformation.



Describe the transformation that was performed. Explain why  $\Delta A'B'C \sim \Delta ABC$ .

767 In the diagram below,  $\overline{GI}$  is parallel to  $\overline{NT}$ , and  $\overline{IN}$  intersects  $\overline{GT}$  at A.



Prove:  $\triangle GIA \sim \triangle TNA$ 

768 Given: Parallelogram *ABCD*,  $\overline{EFG}$ , and diagonal  $\overline{DFB}$ 



Prove:  $\triangle DEF \sim \triangle BGF$ 

769 In the diagram below of quadrilateral *FACT*,  $\overline{BR}$ intersects diagonal  $\overline{AT}$  at E,  $\overline{AF} \parallel \overline{CT}$ , and  $\overline{AF} \cong \overline{CT}$ .



Prove: (AB)(TE) = (AE)(TR)

# G.C.A.1: SIMILARITY PROOFS

770 As shown in the diagram below, circle *A* has a radius of 3 and circle *B* has a radius of 5.



Use transformations to explain why circles *A* and *B* are similar.

# Geometry Regents Exam Questions by State Standard: Topic Answer Section

ANS:	4 PTS: 2 REF	: 061501geo	NAT: G.GMD.B.4							
TOP: Rotations of Two-Dimensional Objects										
ANS:	4 PTS: 2 REF	: 081503geo	NAT: G.GMD.B.4							
TOP: Rotations of Two-Dimensional Objects										
ANS:	3 PTS: 2 REF	: 082307geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects									
ANS:	4 PTS: 2 REF	: 011810geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects									
ANS:	1 PTS: 2 REF	: 081603geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects	0								
ANS:	2 PTS: 2 REF	: 061903geo	NAT: G.GMD.B.4							
TOP: Rotations of Two-Dimensional Objects										
ANS:	3 PTS: 2 REF	: 012302geo	NAT: G.GMD.B.4							
TOP: Rotations of Two-Dimensional Objects										
ANS:	3 PTS: 2 REF	: 061601geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects									
ANS:	3 PTS: 2 REF	: 061816geo	NAT: G.GMD.B.4							
TOP: Rotations of Two-Dimensional Objects										
ANS:	1 PTS: 2 REF	: 062208geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects									
ANS:	4 PTS: 2 REF	: 081803geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects									
ANS:	4 PTS: 2 REF	: 081911geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects									
ANS:	3 PTS: 2 REF	: 011911geo	NAT: G.GMD.B.4							
TOP:	Rotations of Two-Dimensional Objects									
ANS:	1									
$V = \frac{1}{1}$	$\pi(4)^2(6) = 32\pi$									
. 3										
DTC										
PIS:	2 REF: 061/18geo NA.	: G.GMD.B.4	IOP: Rotations of Two-Dimensional Objects							
ANS:	3									
$v = \pi r^2 h (1) 6^2 \cdot 10 = 360$										
$150\pi = \pi r^2 h$ (2) $10^2 \cdot 6 = 600$										
$150 = r^2 h  (3) \ 5^2 \cdot 6 = 150$										
	(4) $3^2 \cdot 10 = 900$									
	ANS: TOP: ANS: ANS: ANS: ANS: ANS: ANS: ANS: ANS	ANS: 4 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 1 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 2 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 1 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 1 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF TOP: Rotations of Two-Dimensional Objects	ANS: 4 PTS: 2 REF: 061501geo TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF: 081503geo TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF: 082307geo TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF: 011810geo TOP: Rotations of Two-Dimensional Objects ANS: 1 PTS: 2 REF: 081603geo TOP: Rotations of Two-Dimensional Objects ANS: 2 PTS: 2 REF: 061903geo TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF: 061903geo TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF: 061601geo TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF: 061601geo TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF: 061601geo TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF: 061816geo TOP: Rotations of Two-Dimensional Objects ANS: 1 PTS: 2 REF: 061816geo TOP: Rotations of Two-Dimensional Objects ANS: 1 PTS: 2 REF: 061816geo TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF: 081803geo TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF: 081911geo TOP: Rotations of Two-Dimensional Objects ANS: 4 PTS: 2 REF: 011911geo TOP: Rotations of Two-Dimensional Objects ANS: 3 PTS: 2 REF: 011911geo TOP: Rotations of Two-Dimensional Objects ANS: 1 $V = \frac{1}{3} \pi(4)^2(6) = 32\pi$ PTS: 2 REF: 061718geo NAT: G.GMD.B.4 ANS: 3 $V = \pi r^2 h$ (1) $6^2 \cdot 10 = 360$ $150 \pi = \pi r^2 h$ (2) $10^2 \cdot 6 = 600$ $150 \pi = \pi r^2 h$ (2) $10^2 \cdot 6 = 600$ $150 = r^2 h$ (3) $5^2 \cdot 6 = 150$ (4) $3^2 \cdot 10 = 900$							

. .

PTS: 2

REF: 081713geo NA

NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects

16 ANS:  $\frac{1}{2}\pi \times 8^2 \times 5 \approx 335.1$ PTS: 2 REF: 082226geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 17 ANS:  $\frac{1}{3}\pi \times 5^2 \times 12 = 100\pi \approx 314$ PTS: 2 REF: 012425geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 18 ANS: 2 PTS: 2 REF: 062202geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 19 ANS: 2 PTS: 2 REF: 062301geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects REF: 082211geo 20 ANS: 1 PTS: 2 NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 21 ANS: 2 PTS: 2 REF: 011805geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 22 ANS: 2 PTS: 2 REF: 061506geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 23 ANS: 1 PTS: 2 REF: 011601geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 24 ANS: 3 PTS: 2 REF: 081613geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 25 ANS: 3 PTS: 2 REF: 081805geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 26 ANS: 4 PTS: 2 REF: 011723geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 27 ANS: 4 PTS: 2 REF: 082301geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 28 ANS: 2 PTS: 2 REF: 081701geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 29 ANS: 4 PTS: 2 REF: 012019geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects ANS: 4 PTS: 2 REF: 012415geo 30 NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects

31 ANS:



PTS: 2 REF: 062231geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines 32 ANS:



PTS: 2 REF: 011725geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector



PTS: 2 REF: 012029geo KEY: parallel and perpendicular lines NAT: G.CO.D.12 TOP: Constructions

34 ANS:

30°  $\triangle$  *CAD* is an equilateral triangle, so  $\angle$ *CAB* = 60°. Since  $\overrightarrow{AD}$  is an angle bisector,  $\angle$ *CAD* = 30°.

PTS: 2 REF: 081929geo NAT: G.CO.D.12 TOP: Constructions KEY: polygons



PTS: 2 REF: 012325geo NAT: G.CO.D.12 TOP: Constructions KEY: angle bisector

36 ANS:



PTS: 2 REF: fall1409geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines 37 ANS:



PTS: 2 REF: 062325geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines



PTS: 2 REF: 081628geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector



PTS: 2 REF: 061829geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector

40 ANS:



PTS: 2 REF: 082329geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector





PTS: 2 REF: 012427geo NAT: G.CO.D.12 TOP: Constructions KEY: polygons



PTS: 4 REF: 011634geo NAT: G.CO.D.12 TOP: Constructions KEY: congruent and similar figures





PTS: 2 REF: 082227geo NAT: G.CO.D.12 TOP: Constructions KEY: congruent and similar figures





PTS: 2 REF: 011929geo NAT: G.CO.D.12 TOP: Constructions KEY: polygons

# 47 ANS:

 $\times$ 

PTS: 2 REF: 061725geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines 48 ANS:



PTS: 2 REF: 061631geo KEY: parallel and perpendicular lines 49 ANS: NAT: G.CO.D.12 TOP: Constructions



PTS: 2 REF: 081825geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines

50 ANS:



PTS: 2 REF: 061931geo NAT: G.CO.D.13 TOP: Constructions 51 ANS:



PTS: 2 REF: 081526geo NAT: G.CO.D.13 TOP: Constructions 52 ANS:



PTS: 2

REF: 061525geo



NAT: G.CO.D.13 TOP: Constructions







Since the square is inscribed, each vertex of the square is on the circle and the diagonals of the square are diameters of the circle. Therefore, each angle of the square is an inscribed angle in the circle that intercepts the circle at the endpoints of the diameters. Each angle of the square, which is an inscribed angle, measures 90 degrees. Therefore, the measure of the arc intercepted by two adjacent sides of the square is 180 degrees because it is twice the measure of its inscribed angle.





# Right triangle because $\angle CBF$ is inscribed in a semi-circle.

PTS: 4 REF: 011733geo NAT: G.CO.D.13 TOP: Constructions 57 ANS: 1  $x = -5 + \frac{1}{3}(4 - 5) = -5 + 3 = -2$   $y = 2 + \frac{1}{3}(-10 - 2) = 2 - 4 = -2$ 

$$3 + \frac{2}{5}(8-3) = 3 + \frac{2}{5}(5) = 3 + 2 = 5 + \frac{2}{5}(-5-5) = 5 + \frac{2}{5}(-10) = 5 - 4 = 1$$

PTS: 2 REF: 011720geo NAT: G.GPE.B.6 TOP: Directed Line Segments 59 ANS: 2  $-4 + \frac{2}{5}(6 - 4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0$   $5 + \frac{2}{5}(20 - 5) = 5 + \frac{2}{5}(15) = 5 + 6 = 11$ 

PTS: 2 REF: 061715geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
60 ANS: 2  
$$-4 + \frac{2}{5}(1 - 4) = -4 + \frac{2}{5}(5) = -4 + 2 = -2 - 2 + \frac{2}{5}(8 - 2) = -2 + \frac{2}{5}(10) = -2 + 4 = 2$$

- PTS: 2 REF: 061814geo NAT: G.GPE.B.6 TOP: Directed Line Segments 61 ANS: 1  $-8 + \frac{3}{5}(7 - -8) = -8 + 9 = 1$   $7 + \frac{3}{5}(-13 - 7) = 7 - 12 = -5$
- PTS: 2 REF: 081815geo NAT: G.GPE.B.6 TOP: Directed Line Segments 62 ANS: 4  $-8 + \frac{2}{3}(10 - 8) = -8 + \frac{2}{3}(18) = -8 + 12 = 4$   $4 + \frac{2}{3}(-2 - 4) = 4 + \frac{2}{3}(-6) = 4 - 4 = 0$

PTS: 2 REF: 061919geo NAT: G.GPE.B.6 TOP: Directed Line Segments 63 ANS: 3  $-9 + \frac{1}{3}(9 - -9) = -9 + \frac{1}{3}(18) = -9 + 6 = -3 \ 8 + \frac{1}{3}(-4 - 8) = 8 + \frac{1}{3}(-12) = 8 - 4 = 4$ PTS: 2 REF: 081903geo NAT: G.GPE.B.6 TOP: Directed Line Segments

64 ANS: 4  
-7 + 
$$\frac{1}{4}(5-7) = -7 + \frac{1}{4}(12) = -7 + 3 = -4 - 5 + \frac{1}{4}(3-5) = -5 + \frac{1}{4}(8) = -5 + 2 = -3$$
  
PTS: 2 REF: 012005geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
65 ANS: 4  
-5 +  $\frac{3}{4}(7-5) = -5 + \frac{3}{4}(12) = -5 + 9 = 4 + 3 + \frac{3}{4}(-5-3) = 3 + \frac{3}{4}(-8) = 3 - 6 = -3$   
PTS: 2 REF: 082302geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
66 ANS: 4  
5 +  $\frac{2}{5}(-10-5) = 5 + \frac{2}{5}(-15) = 5 - 6 = -1 + 7 + \frac{2}{5}(-8-7) = 7 + \frac{2}{5}(-15) = 7 - 6 = 1$   
PTS: 2 REF: 012410geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
67 ANS: 2  
-4 +  $\frac{2}{5}(6--4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0 - 1 + \frac{2}{5}(4--1) = -1 + \frac{2}{5}(5) = -1 + 2 = 1$   
PTS: 2 REF: 062222geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
68 ANS: 1  
-8 +  $\frac{3}{8}(16--8) = -8 + \frac{3}{8}(24) = -8 + 9 = 1 -2 + \frac{3}{8}(6--2) = -2 + \frac{3}{8}(8) = -2 + 3 = 1$   
PTS: 2 REF: 081717geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
69 ANS: 4  
-5 +  $\frac{3}{5}(15) - 4 + \frac{3}{5}(1) - 4 + \frac{3}{5}(5) - 5 + 6 - 4 + 3 - 1 - 1 + \frac{3}{4}(-6-3) = 3 + \frac{1}{3}(-9) = 3 - 3 = 0$   
PTS: 2 REF: spr1401geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
70 ANS: 1  
-7 +  $\frac{1}{3}(2-7) = -7 + \frac{1}{3}(9) = -7 + 3 = -4 + 3 + \frac{1}{3}(-6-3) = 3 + \frac{1}{3}(-9) = 3 - 3 = 0$   
PTS: 2 REF: 082213geo NAT: G.GPE.B.6 TOP: Directed Line Segments  
71 ANS: 1  
-1 +  $\frac{1}{3}(8--1) = -1 + \frac{1}{3}(9) = -1 + 3 = 2 - 3 + \frac{1}{3}(9--3) = -3 + \frac{1}{3}(12) = -3 + 4 = 1$ 

PTS: 2 REF: 011915geo NAT: G.GPE.B.6 TOP: Directed Line Segments

72 ANS: 4  

$$x = -6 + \frac{1}{6}(6 - -6) = -6 + 2 = -4$$
  $y = -2 + \frac{1}{6}(7 - -2) = -2 + \frac{9}{6} = -\frac{1}{2}$ 

PTS: 2 REF: 081618geo NAT: G.GPE.B.6 TOP: Directed Line Segments 73 ANS:



PTS: 2 REF: 061527geo NAT: G.GPE.B.6 TOP: Directed Line Segments 74 ANS:



PTS: 2 REF: 011627geo NAT: G.GPE.B.6 TOP: Directed Line Segments

75 ANS:







PTS: 2 REF: 062327geo NAT: G.GPE.B.6 TOP: Directed Line Segments 77 ANS:

 $\frac{2}{5} \cdot (16-1) = 6 \frac{2}{5} \cdot (14-4) = 4 \quad (1+6,4+4) = (7,8)$ 

PTS: 2 REF: 081531geo NAT: G.GPE.B.6 TOP: Directed Line Segments



TOP: Lines and Angles NAT: G.CO.C.9 PTS: 2 REF: 062318geo TOP: Lines and Angles Alternate interior angles REF: 061517geo NAT: G.CO.C.9 TOP: Lines and Angles PTS: 2 REF: 011606geo NAT: G.CO.C.9 TOP: Lines and Angles PTS: 2 REF: 081601geo NAT: G.CO.C.9 TOP: Lines and Angles PTS: 2 REF: 081611geo NAT: G.CO.C.9 TOP: Lines and Angles Since linear angles are supplementary,  $m \angle GIH = 65^{\circ}$ . Since  $\overline{GH} \cong \overline{IH}$ ,  $m \angle GHI = 50^{\circ}$  (180 – (65 + 65)). Since  $\angle EGB \cong \angle GHI$ , the corresponding angles formed by the transversal and lines are congruent and  $AB \parallel CD$ . NAT: G.CO.C.9

NAT: G.CO.C.9

TOP: Lines and Angles

PTS: 4

84 ANS: 3

85 ANS: 4

86 ANS: 1

87 ANS: 1

88 ANS: 2

89 ANS: 4

90 ANS:

PTS: 2

PTS: 2

REF: 061532geo

$$m = -\frac{2}{3} \quad 1 = \left(-\frac{2}{3}\right)6 + b$$
$$1 = -4 + b$$
$$5 = b$$

PTS: 2 NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines REF: 081510geo KEY: write equation of parallel line

REF: 061802geo

92 ANS: 3 y = mx + b

$$2 = \frac{1}{2}(-2) + b$$
$$3 = b$$

PTS: 2 REF: 011701geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line 93 ANS: 2

$$m = \frac{-(-2)}{3} = \frac{2}{3}$$

PTS: 2 REF: 061916geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

94 ANS: 4

The slope of a line in standard form is  $-\frac{A}{B}$  so the slope of this line is  $\frac{3}{5}$  Perpendicular lines have slope that are the opposite and reciprocal of each other.

PTS: 2 REF: 012313geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: find slope of perpendicular line

95 ANS: 1

The slope of 3x + 2y = 12 is  $-\frac{3}{2}$ , which is the opposite reciprocal of  $\frac{2}{3}$ .

PTS: 2 REF: 081811geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: identify perpendicular lines

96 ANS: 1

$$m = \frac{-A}{B} = \frac{-3}{2} \quad m_{\perp} = \frac{2}{3}$$

PTS: 2 REF: 081908geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: identify perpendicular lines

 $y = 3x + 4, m = 3, m_{\perp} = -\frac{1}{3}$ 

PTS: 2 REF: 012405geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: identify perpendicular lines

$$m = \frac{-A}{B} = \frac{-2}{-1} = 2$$
$$m_{\perp} = -\frac{1}{2}$$

1

PTS: 2 REF: 061509geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: identify perpendicular lines

99 ANS: 4

$$m = -\frac{1}{2} \quad -4 = 2(6) + b$$
$$m_{\perp} = 2 \quad -4 = 12 + b$$
$$-16 = b$$

PTS: 2 REF: 011602geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

100 ANS: 2  $m = \frac{3}{2}$   $m_{\perp} = -\frac{2}{3}$ 

PTS: 2 REF: 061812geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line 101 ANS: 2

$$m = \frac{3}{2} \quad . \quad 1 = -\frac{2}{3} (-6) + m_{\perp} = -\frac{2}{3} \quad \frac{1}{3} = 4 + b - 3 = b$$

b

PTS: 2 REF: 061719geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

102 ANS: 2  $m = \frac{-4}{-5} = \frac{4}{5}$  $m_{\perp} = -\frac{5}{4}$ 

PTS: 2 REF: 082308geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

103 ANS: 1

$$m = \frac{-4}{-6} = \frac{2}{3}$$
$$m_{\perp} = -\frac{3}{2}$$

PTS: 2 REF: 011820geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line 104 ANS: 4

The segment's midpoint is the origin and slope is -2. The slope of a perpendicular line is  $\frac{1}{2}$ .  $y = \frac{1}{2}x + 0$ 2y = x2y - x = 0

PTS: 2 REF: 081724geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

105 ANS: 1

$$m = \left(\frac{-11+5}{2}, \frac{5+-7}{2}\right) = (-3, -1)$$
  $m = \frac{5--7}{-11-5} = \frac{12}{-16} = -\frac{3}{4}$   $m_{\perp} = \frac{4}{3}$ 

PTS: 2 REF: 061612geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

106 ANS: 4

$$\left(\frac{-5+7}{2},\frac{1-9}{2}\right) = (1,-4) \quad m = \frac{1--9}{-5-7} = \frac{10}{-12} = -\frac{5}{6} \quad m_{\perp} = \frac{6}{5}$$

PTS: 2 REF: 062220geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

107 ANS: 4

$$\left(\frac{-4+0}{2}, \frac{6+4}{2}\right) \to (-2,5); \ \frac{6-4}{-4-0} = \frac{2}{-4} = -\frac{1}{2}; \ m_{\perp} = 2; \ y-5 = 2(x+2)$$
$$y = 2x+4+5$$
$$y = 2x+9$$

PTS: 2 REF: 062324geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

108 ANS:

$$3y+7 = 2x \quad y-6 = \frac{2}{3} (x-2)$$
  

$$3y = 2x-7$$
  

$$y = \frac{2}{3} x - \frac{7}{3}$$

PTS: 2 REF: 011925geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

109 ANS:

$$m = \frac{5}{4}; m_{\perp} = -\frac{4}{5} \quad y - 12 = -\frac{4}{5} (x - 5)$$

PTS: 2 REF: 012031geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

110 ANS: 2

 $6 + 6\sqrt{3} + 6 + 6\sqrt{3} \approx 32.8$ 

PTS: 2 REF: 011709geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles 111 ANS: 3  $\sqrt{20^2 - 10^2} \approx 17.3$ PTS: 2 REF: 081608geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles 112 ANS: 4 Isosceles triangle theorem.

PTS: 2 REF: 062207geo NAT: G.SRT.B.5 TOP: Isosceles Triangle Theorem 113 ANS: 5x - 14 = 3x + 102x = 24x = 12PTS: 2 REF: 082326geo NAT: G.SRT.B.5 TOP: Isosceles Triangle Theorem 114 ANS: 3  $\frac{9}{5} = \frac{9.2}{x}$  5.1 + 9.2 = 14.3 9x = 46 $x \approx 5.1$ PTS: 2 REF: 061511geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 115 ANS: 2  $\frac{12}{4} = \frac{36}{x}$ 12x = 144x = 12PTS: 2 REF: 061621geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 116 ANS: 4  $\frac{2}{4} = \frac{9-x}{x}$ 36 - 4x = 2xx = 6PTS: 2 REF: 061705geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 117 ANS: 4  $\frac{1}{3.5} = \frac{x}{18 - x}$ 3.5x = 18 - x4.5x = 18x = 4PTS: 2 REF: 081707geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem

118 ANS: 3  $\frac{24}{40} = \frac{15}{x}$ 24x = 600x = 25PTS: 2 REF: 011813geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 119 ANS: 4  $\frac{5}{7} = \frac{x}{x+5}$  12 $\frac{1}{2}$  + 5 = 17 $\frac{1}{2}$ 5x + 25 = 7x2x = 25 $x = 12\frac{1}{2}$ REF: 061821geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem PTS: 2 120 ANS: 3  $\frac{x}{6.3} = \frac{3}{5} \quad \frac{y}{9.4} = \frac{6.3}{6.3 + 3.78}$ x = 3.78  $y \approx 5.9$ PTS: 2 REF: 081816geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 121 ANS: 2  $\frac{x}{15} = \frac{5}{12}$ x = 6.25PTS: 2 REF: 011906geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 122 ANS: 1  $5x = 12 \cdot 7 \ 16.8 + 7 = 23.8$ 5x = 84x = 16.8PTS: 2 REF: 061911geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 123 ANS: 3  $\frac{10}{x} = \frac{15}{12}$ x = 8PTS: 2 REF: 081918geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 124 ANS: 4  $\frac{2}{4} = \frac{8}{x+2}$  14+2 = 16 2x + 4 = 32x = 14PTS: 2 REF: 012024geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 125 ANS: 2  $\frac{7.5}{3.5} = \frac{9.5}{x}$  $x \approx 4.4$ PTS: 2 REF: 012303geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 126 ANS: 4  $\frac{x}{10} = \frac{12}{8}$  15 + 10 = 25 x = 15PTS: 2 REF: 082314geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 127 ANS: 2  $\frac{10}{x} = \frac{8}{6}$ 8x = 60x = 7.5PTS: 2 REF: 012402geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 128 ANS: 2  $\frac{x}{x+3} = \frac{14}{21}$ 14 - 6 = 821x = 14x + 427x = 42x = 6PTS: 2 REF: 081812geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem

22

129 ANS: 4 c 18  $\frac{4}{5} = \frac{6}{x}$   $\frac{4}{9} = \frac{y}{18}$  5 + 18 + 7.5 + 8 = 38.5  $x = 7.5 \quad y = 8$ PTS: 2 REF: 082222geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 130 ANS: 4  $\frac{2}{6} = \frac{5}{15}$ PTS: 2 REF: 081517geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 131 ANS: 2  $\angle ADE \cong \angle ABC$  and  $\angle AED \cong \angle ACB$ PTS: 2 REF: 062214geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 132 ANS: 4 PTS: 2 REF: 062321geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 133 ANS: 2  $\triangle ACB \sim \triangle AED$ PTS: 2 NAT: G.SRT.B.5 REF: 061811geo TOP: Side Splitter Theorem 134 ANS: 2  $\triangle ACB \sim \triangle AED$ PTS: 2 REF: 012308geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem NAT: G.SRT.B.5 135 ANS: 3 PTS: 2 REF: 062307geo TOP: Side Splitter Theorem 136 ANS: 2 If (2) is true,  $\angle ACB \cong \angle XYB$  and  $\angle CAB \cong \angle YXB$ . PTS: 2 REF: 082202geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem 137 ANS:  $\frac{3.75}{5} = \frac{4.5}{6}$  $\overline{AB}$  is parallel to  $\overline{CD}$  because  $\overline{AB}$  divides the sides proportionately. 39.375 = 39.375

ID: A

PTS: 2 REF: 061627geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem

138 ANS: 3



PTS: 2 REF: 081905geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 139 ANS: 2  $\angle B = 180 - (82 + 26) = 72; \ \angle DEC = 180 - 26 = 154; \ \angle EDB = 360 - (154 + 26 + 72) = 108; \ \angle BDF = \frac{108}{2} = 54;$ 

 $\angle DFB = 180 - (54 + 72) = 54$ 

PTS: 2 REF: 061710geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles 140 ANS: 4



PTS: 2 REF: 061717geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles 141 ANS: 4



PTS: 2 REF: 012305geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles



PTS: 2

REF: 081604geo

NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles



PTS: 2 REF: 081711geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 144 ANS: 3  $6x-40+x+20 = 180-3x \text{ m} \angle BAC = 180-(80+40) = 60$ 10x = 200x = 20

PTS: 2 REF: 011809geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 145 ANS: 4 PTS: 2 NAT: G.CO.C.10 REF: 011916geo TOP: Exterior Angle Theorem 146 ANS: 2 180 - (180 - 42 - 42)PTS: 2 REF: 062317geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 147 ANS: 3 PTS: 2 REF: 062215geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem

148 ANS: 3

 $\angle N$  is the smallest angle in  $\triangle NYA$ , so side  $\overline{AY}$  is the shortest side of  $\triangle NYA$ .  $\angle VYA$  is the smallest angle in  $\triangle VYA$ , so side  $\overline{VA}$  is the shortest side of both triangles.

PTS: 2 REF: 011919geo NAT: G.CO.C.10 TOP: Angle Side Relationship 149 ANS: 1



PTS: 2 REF: 082310geo NAT: G.CO.C.10 TOP: Angle Side Relationship 150 ANS: 4 2(x+13) = 5x-1 MN = 9 + 13 = 22 2x + 26 = 5x - 1 27 = 3x x = 9PTS: 2 REF: 062322geo NAT: G.CO.C.10 TOP: Midsegments 151 ANS: 3  $\frac{1}{2} \times 24 = 12$ PTS: 2 REF: 012009geo NAT: G.CO.C.10 TOP: Midsegments 152 ANS: 3 2(2x+8) = 7x-2 AB = 7(6) - 2 = 40. Since  $\overline{EF}$  is a midsegment,  $EF = \frac{40}{2} = 20$ . Since  $\triangle ABC$  is equilateral, 4x + 16 = 7x - 218 = 3x6 = x $AE = BF = \frac{40}{2} = 20.\ 40 + 20 + 20 = 100$ PTS: 2 NAT: G.CO.C.10 REF: 061923geo TOP: Midsegments 153 ANS: 4 PTS: 2 REF: 011704geo NAT: G.CO.C.10 **TOP:** Midsegments 154 ANS: 4 PTS: 2 REF: 081716geo NAT: G.CO.C.10 **TOP:** Midsegments 155 ANS: 1  $\frac{36}{4} = 9$ PTS: 2 REF: 012321geo NAT: G.CO.C.10 **TOP:** Midsegments 156 ANS: 1 PTS: 2 REF: 012316geo NAT: G.CO.C.10 TOP: Medians, Altitudes and Bisectors REF: 012012geo 157 ANS: 2 PTS: 2 NAT: G.CO.C.10 TOP: Medians, Altitudes and Bisectors 158 ANS: 4 PTS: 2 REF: 081822geo NAT: G.CO.C.10 TOP: Medians, Altitudes and Bisectors 159 ANS:  $\Delta MNO$  is congruent to  $\Delta PNO$  by SAS. Since  $\Delta MNO \cong \Delta PNO$ , then  $\overline{MO} \cong \overline{PO}$  by CPCTC. So  $\overline{NO}$  must divide MP in half, and MO = 8. PTS: 2 REF: fall1405geo NAT: G.CO.C.10 TOP: Medians, Altitudes and Bisectors 160 ANS: 1 PTS: 2 REF: 081904geo NAT: G.CO.C.10 TOP: Centroid, Orthocenter, Incenter and Circumcenter 161 ANS: 1 *M* is a centroid, and cuts each median 2:1. PTS: 2 REF: 061818geo NAT: G.CO.C.10 TOP: Centroid, Orthocenter, Incenter and Circumcenter

ID: A

180 - 2(25) = 130

PTS: 2 REF: 011730geo NAT: G.CO.C.10 TOP: Centroid, Orthocenter, Incenter and Circumcenter

163 ANS:

PTS: 2 REF: 012030geo NAT: G.CO.C.10 TOP: Centroid, Orthocenter, Incenter and Circumcenter

164 ANS: 4

The slope of  $\overline{BC}$  is  $\frac{2}{5}$ . Altitude is perpendicular, so its slope is  $-\frac{5}{2}$ .

	PTS:	2 R	EF:	061614geo	NAT:	G.GPE.B.4	TOP:	Triangles in the Coordinate Plane
165	ANS:	4 P.	TS:	2	REF:	011921geo	NAT:	G.GPE.B.4
TOP: Triangles in the Coordinate Plane				-				

166 ANS: 1

 $m_{\overline{RT}} = \frac{5 - -3}{4 - -2} = \frac{8}{6} = \frac{4}{3} \quad m_{\overline{ST}} = \frac{5 - 2}{4 - 8} = \frac{3}{-4} = -\frac{3}{4}$  Slopes are opposite reciprocals, so lines form a right angle.

PTS: 2 REF: 011618geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 167 ANS:



Triangle with vertices A(-2, 4), B(6, 2), and C(1, -1) (given);  $m_{\overline{AC}} = -\frac{5}{3}$ ,  $m_{\overline{BC}} = \frac{3}{5}$ ,

definition of slope; Because the slopes of the legs of the triangle are opposite reciprocals, the legs are perpendicular (definition of perpendicular);  $\angle C$  is a right angle (definition of right angle);  $\triangle ABC$  is a right triangle (if a triangle has a right angle, it is a right triangle);  $\overline{AC} \cong \overline{BC} = \sqrt{34}$  (distance formula);  $\triangle ABC$  is an isosceles triangle has two congruent sides).

PTS: 4 REF: 011932geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

168 ANS:



Because  $\overline{AB} \cong \overline{AC}$ ,  $\triangle ABC$  has two congruent sides and is isosceles. Because  $\overline{AB} \cong \overline{BC}$  is not true,  $\triangle ABC$  has sides that are not congruent and  $\triangle ABC$  is not equilateral.

PTS: 4 REF: 061832geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 169 ANS:

The slopes of perpendicular line are opposite reciprocals. Since the lines are perpendicular, they form right angles



PTS: 4 REF: 081533geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 170 ANS: No. The midpoint of  $\overline{DF}$  is  $\left(\frac{1+4}{2}, \frac{-1+2}{2}\right) = (2.5, 0.5)$ . A median from point *E* must pass through the midpoint. PTS: 2 REF: 011930geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane



PTS: 2 REF: 062331geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 172 ANS:



PTS: 2 REF: 081508geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 174 ANS: 1 180 – (68 · 2)




PTS: 2 REF: 061921geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 177 ANS: 3



PTS: 2 REF: 082215geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 178 ANS: 3



PTS: 2 REF: 062306geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 179 ANS: 3

PTS: 2 REF: 011603geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 180 ANS: 2 D C



PTS: 2 REF: 081907geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons



$$m \angle CBE = 180 - 51 = 129$$
 E

PTS: 2 REF: 062221geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 182 ANS: 3



PTS: 2 REF: 082315geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 183 ANS:

Opposite angles in a parallelogram are congruent, so  $m \angle O = 118^{\circ}$ . The interior angles of a triangle equal  $180^{\circ}$ . 180 - (118 + 22) = 40.

PTS: 2 REF: 061526geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 184 ANS:  $\sqrt{D} = 46^{\circ}$  because the angles of a triangle equal 180°  $\sqrt{B} = 46^{\circ}$  because opposite angles of a parallelogram are

 $\angle D = 46^{\circ}$  because the angles of a triangle equal 180°.  $\angle B = 46^{\circ}$  because opposite angles of a parallelogram are congruent.

PTS: 2 REF: 081925geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 185 ANS:



PTS: 2 REF: 081826geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons



196	ANS:	3	- : -1					
	(3) Co	uld be a trapez	010.					
	PTS:	2	REF:	081607geo	NAT:	G.CO.C.11	TOP:	Parallelograms
197	ANS:	4	PTS:	2	REF:	061513geo	NAT:	G.CO.C.11
	TOP:	Parallelogram	S					
198	ANS:	3						
	3) Could be an isosceles trapezoid.							
	PTS:	2	REF:	012318geo	NAT:	G.CO.C.11	TOP:	Parallelograms
199	ANS:	3		0				0
	The half diagonals have lengths of 6 and 8, so each side of $ABCD$ is 10.							
	DTTO	0		010417		0.00.011	TOD	
000	PTS:	2	REF:	012417geo	NAT:	G.CO.C.11	TOP:	Parallelograms
200	ANS:							
	$\frac{0.3}{10.5}$ =	$=\frac{3.2}{2}$						
	10.5	X						
	<i>X</i> =	= 8.4						
	PTS:	2	REF:	012006geo	NAT:	G.CO.C.11	TOP:	Trapezoids

## Geometry Regents Exam Questions by State Standard: Topic Answer Section

201	ANS:	3 Tranazoida	PTS:	2	REF:	062323geo	NAT:	G.CO.C.11
202	ANS.	3	ρτς.	2	<b>B</b> EE·	0.61924 geo	ΝΔΤ·	GCOC 11
202	TOP:	Special Quadr	ilateral	2 S	KLI.	001724ge0	11/11.	0.00.0.11
203	ANS.	2	PTS	2	REF	081501geo	NAT·	G CO C 11
200	TOP:	- Special Ouadr	ilateral	s	1021.	001201800	1,1111	
204	ANS:	1	PTS:	2	REF:	011716geo	NAT:	G.CO.C.11
	TOP:	Special Quadr	ilateral	S		8		
205	ANS:	4	PTS:	2	REF:	011819geo	NAT:	G.CO.C.11
	TOP:	Special Quadr	ilateral	s		-		
206	ANS:	4	PTS:	2	REF:	061711geo	NAT:	G.CO.C.11
	TOP:	Special Quadr	ilateral	S				
207	ANS:	4	PTS:	2	REF:	011705geo	NAT:	G.CO.C.11
	TOP:	Special Quadr	rilateral	S				
208	ANS:	3	PTS:	2	REF:	012309geo	NAT:	G.CO.C.11
	TOP:	Special Quadr	ilateral	S				
209	ANS:	2	PTS:	2	REF:	082204geo	NAT:	G.CO.C.11
<b>0</b> 10	TOP:	Special Quadr	ulateral	s	DEE	000005		0.00.011
210	ANS:	2 Secolal Oreada	PTS:	2	REF:	082305geo	NAT:	G.CO.C.11
211	IOP:	Special Quadr	nateral	S	DEE.	012412	NIAT.	C C O C 11
211	ANS:	5 Special Quadr	PIS: ilatoral	<u>ک</u>	KEF:	012413geo	NAT:	G.CO.C.11
212	ANS.	special Quadi	DTC	s つ	DEE.	062310000	ΝΛΤ·	G C O C 11
<i>L</i> 1 <i>L</i>	TOP	5 Special Quadr	r 15. ilateral	2 S	KEF.	002310ge0	NAI.	0.00.0.11
213	ANS.	1	PTS.	2	REF	012004geo	NAT·	G CO C 11
215	TOP:	Special Ouadr	ilateral	2 S	ICEI .	01200 1500	11111.	0.00.0.11
214	ANS:	4	PTS:	2	REF:	061813geo	NAT:	G.CO.C.11
	TOP:	Special Quadr	ilateral	s				
215	ANS:	3						
	In (1)	and (2), <i>ABCD</i>	could b	be a rectangle v	with nor	n-congruent sid	es. (4)	is not possible
	PTS:	2	REF:	081714geo	NAT:	G.CO.C.11	TOP:	Special Quadrilaterals
216	ANS:	2	PTS:	2	REF:	012420geo	NAT:	G.CO.C.11
	TOP:	Special Quadr	ilateral	s		-		
217	ANS:	1						
	1) opp	osite sides; 2)	adjacer	nt sides; 3) per	pendicu	ılar diagonals;	4) diag	onal bisects angle
	PTS:	2	REF:	061609geo	NAT:	G.CO.C.11	TOP:	Special Quadrilaterals
218	ANS:	2						
	$ER = \sqrt{17^2 - 8^2} = 15$							
	PTS:	2	REF:	061917geo	NAT:	G.CO.C.11	TOP:	Special Quadrilaterals

219 ANS: 2  $\sqrt{8^2 + 6^2} = 10$  for one side

PTS: 2 REF: 011907geo NAT: G.CO.C.11 TOP: Special Quadrilaterals 220 ANS: The four small triangles are 8-15-17 triangles.  $4 \times 17 = 68$ 

PTS: 2 REF: 081726geo NAT: G.CO.C.11 **TOP:** Special Quadrilaterals 221 ANS: 4  $m_{\overline{AD}} = \frac{3-1}{-2-2} = \frac{2}{-4} = -\frac{1}{2}$  A pair of opposite sides is parallel.  $m_{\overline{BC}} = \frac{8-4}{-3-5} = \frac{4}{-8} = -\frac{1}{2}$ PTS: 2 REF: 082321geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 222 ANS: 3  $M_x = \frac{-5+-1}{2} = -\frac{6}{2} = -3$   $M_y = \frac{5+-1}{2} = \frac{4}{2} = 2.$ PTS: 2 REF: 081902geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: general 223 ANS: 1  $m_{\overline{AB}} = \frac{-3-5}{-1-6} = \frac{-8}{-7} = \frac{8}{7}$ PTS: 2 REF: 062315geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 224 ANS: 3  $\frac{7-1}{0-2} = \frac{6}{-2} = -3$  The diagonals of a rhombus are perpendicular. PTS: 2 REF: 011719geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 225 ANS: 1  $m_{TA} = -1$  y = mx + b $m_{\overline{EM}} = 1 \qquad 1 = 1(2) + b$ -1 = bPTS: 2 REF: 081614geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: general 226 ANS: 4  $\frac{-2-1}{-1--3} = \frac{-3}{2} \quad \frac{3-2}{0-5} = \frac{1}{-5} \quad \frac{3-1}{0--3} = \frac{2}{3} \quad \frac{2--2}{5--1} = \frac{4}{6} = \frac{2}{3}$ REF: 081522geo NAT: G.GPE.B.4 PTS: 2 TOP: Quadrilaterals in the Coordinate Plane KEY: general

 $m_{\overline{TS}} = \frac{-10}{6} = -\frac{5}{3} \ m_{\overline{SR}} = \frac{3}{5}$  Since the slopes of  $\overline{TS}$  and  $\overline{SR}$  are opposite reciprocals, they are perpendicular and form a right angle.  $\triangle RST$  is a right triangle because  $\angle S$  is a right angle. P(0,9)  $m_{\overline{RP}} = \frac{-10}{6} = -\frac{5}{3} \ m_{\overline{PT}} = \frac{3}{5}$  Since the slopes of all four adjacent sides ( $\overline{TS}$  and  $\overline{SR}$ ,  $\overline{SR}$  and  $\overline{RP}$ ,  $\overline{PT}$  and  $\overline{TS}$ ,  $\overline{RP}$  and  $\overline{PT}$ ) are opposite

reciprocals, they are perpendicular and form right angles. Quadrilateral *RSTP* is a rectangle because it has four right angles.



PTS: 6 REF: 061536geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

228 ANS:

 $\triangle PAT$  is an isosceles triangle because sides  $\overline{AP}$  and  $\overline{AT}$  are congruent ( $\sqrt{3^2 + 11^2} = \sqrt{7^2 + 9^2} = \sqrt{130}$ ). *R*(2,9). Quadrilateral *PART* is a parallelogram because the opposite sides are parallel since they have equal slopes



$$(m_{\overline{AR}} = \frac{4}{6} = \frac{2}{3}; \ m_{\overline{PT}} = \frac{4}{6} = \frac{2}{3}; \ m_{\overline{PA}} = -\frac{11}{3}; \ m_{\overline{RT}} = -\frac{11}{3};$$

PTS: 6 REF: 011835geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

 $AB = \sqrt{(-5-1)^2 + (3-2)^2} = \sqrt{37}, BC = \sqrt{(-5--6)^2 + (3--3)^2} = \sqrt{37} \text{ (because } AB = BC, \Delta ABC \text{ is isosceles).} (0,-4). AD = \sqrt{(1-0)^2 + (2--4)^2} = \sqrt{37}, CD = \sqrt{(-6-0)^2 + (-3--4)^2} = \sqrt{37}, m_{\overline{AB}} = \frac{3-2}{-5-1} = -\frac{1}{6}, m_{\overline{CB}} = \frac{3--3}{-5--6} = 6 \text{ (ABCD is a square because all four sides are congruent, consecutive sides is a square because all four sides are congruent.}$ 



are perpendicular since slopes are opposite reciprocals and so  $\angle B$  is a right angle).

PTS: 6 REF: 081935geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

230 ANS:

$$\sqrt{(-2 - -7)^2 + (4 - -1)^2} = \sqrt{(-2 - -3)^2 + (4 - -3)^2}$$
 Since  $\overline{AB}$  and  $\overline{AC}$  are congruent,  $\triangle ABC$  is isosceles.  
 $\sqrt{50} = \sqrt{50}$   
 $A'(3, -1), B'(-2, -6), C'(2, -8).$   $AC = \sqrt{50}$   $AA' = \sqrt{(-2 - 3)^2 + (4 - -1)^2}, A'C = \sqrt{50}$  (translation preserves  
 $= \sqrt{50}$ 

distance),  $CC' = \sqrt{(-3-2)^2 + (-3-8)^2}$  Since all four sides are congruent, AA'C'C is a rhombus.



PTS: 6 REF: 062235geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

 $m_{\overline{DU}} = \frac{9}{2} m_{\overline{UC}} = -\frac{2}{9}$  Since the slopes of  $\overline{DU}$  and  $\overline{UC}$  are opposite reciprocals, they are perpendicular and form a right angle.  $\Delta DUC$  is a right triangle because  $\angle DUC$  is a right angle. Each side of quadrilateral DUCU' is  $\sqrt{9^2 + 2^2} = \sqrt{85}$ . Quadrilateral DUCU' is a square because all four side are congruent and it has a right angle.



PTS: 6 REF: 012335geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 232 ANS:



PTS: 2 REF: 011731geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

233 ANS:



1) Quadrilateral *HYPE* with H(-3,6), Y(2,9), P(8,-1), and E(3,-4) (Given); 2)

Slope of  $\overline{HY}$  and  $\overline{PE}$  is  $\frac{3}{5}$ , slope of  $\overline{YP}$  and  $\overline{EH}$  is  $-\frac{5}{3}$  (Slope determined graphically); 3)  $\overline{HY} \perp \overline{YP}$ ,  $\overline{PE} \perp \overline{EH}$ ,

 $YP \perp PE, EY \perp HY$  (The slopes of perpendicular lines are opposite reciprocals); 4)  $\angle H, \angle Y, \angle P, \angle E$  are right angles (Perpendicular lines form right angles); 5) HYPE is a rectangle (A rectangle has four right angles).

PTS: 4 REF: 082233geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids



 $m_{\overline{MH}} = \frac{6}{10} = \frac{3}{5}, m_{\overline{AT}} = \frac{6}{10} = \frac{3}{5}, m_{\overline{MA}} = -\frac{5}{3}, m_{\overline{HT}} = -\frac{5}{3}; \overline{MH} \parallel \overline{AT} \text{ and } \overline{MA} \parallel \overline{HT}.$ 

*MATH* is a parallelogram since both sides of opposite sides are parallel.  $m_{\overline{MA}} = -\frac{5}{3}$ ,  $m_{\overline{AT}} = \frac{3}{5}$ . Since the slopes are negative reciprocals,  $\overline{MA} \perp \overline{AT}$  and  $\angle A$  is a right angle. *MATH* is a rectangle because it is a parallelogram with a right angle.

PTS: 6 REF: 081835geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

## 235 ANS:



 $\overline{AD}$  and  $\overline{BC}$  have equal slope, so are parallel.  $\overline{AB}$  and  $\overline{CD}$  have equal slope, so are parallel. Since both pairs of opposite sides are parallel, ABCD is a parallelogram. The slope of  $\overline{AB}$  and  $\overline{BC}$  are not opposite reciprocals, so they are not perpendicular, and so  $\angle B$  is not a right angle. ABCD is not a rectangle since all four angles are not right angles.

PTS: 4 REF: 082334geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

ID: A





 $\overline{AN} \cong \overline{AT} \cong \overline{TS} \cong \overline{SN}$ Quadrilateral *NATS* is a rhombus  $\sqrt{5^2 + 5^2} = \sqrt{7^2 + 1^2} = \sqrt{5^2 + 5^2} = \sqrt{7^2 + 1^2}$  $\sqrt{50} = \sqrt{50} = \sqrt{50} = \sqrt{50}$ 

because all four sides are congruent.

PTS: 4 REF: 012032geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

237 ANS:

A rhombus has four congruent sides. Since each side measures  $\sqrt{85}$ , all four sides of *MATH* are congruent, and



*MATH* is a rhombus.  $16 \times 8 - (21 + 9 + 21 + 9) = 68$ 

PTS: 4 REF: 062334geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 238 ANS:

$$M\left(\frac{4+0}{2},\frac{6-1}{2}\right) = M\left(2,\frac{5}{2}\right) m = \frac{6--1}{4-0} = \frac{7}{4} m_{\perp} = -\frac{4}{7} y - 2.5 = -\frac{4}{7}(x-2)$$
 The diagonals,  $\overline{MT}$  and  $\overline{AH}$ , of

rhombus MATH are perpendicular bisectors of each other.

PTS: 4 REF: fall1411geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

 $\frac{1}{PQ} \sqrt{(8-3)^2 + (3--2)^2} = \sqrt{50} \quad \overline{QR} \sqrt{(1-8)^2 + (4-3)^2} = \sqrt{50} \quad \overline{RS} \sqrt{(-4-1)^2 + (-1-4)^2} = \sqrt{50}$   $\frac{1}{PS} \sqrt{(-4-3)^2 + (-1--2)^2} = \sqrt{50} \quad PQRS \text{ is a rhombus because all sides are congruent.} \quad m_{\overline{PQ}} = \frac{8-3}{3--2} = \frac{5}{5} = 1$   $m_{\overline{QR}} = \frac{1-8}{4-3} = -7 \text{ Because the slopes of adjacent sides are not opposite reciprocals, they are not perpendicular}$ 



and do not form a right angle. Therefore PQRS is not a square.

PTS: 6 REF: 061735geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

240 ANS:



 $m_{\overline{AD}} = \frac{0-6}{1--1} = -3 \ \overline{AD} \parallel \overline{BC}$  because their slopes are equal. *ABCD* is a trapezoid  $m_{\overline{BC}} = \frac{-1-8}{6-3} = -3$ 

because it has a pair of parallel sides.  $AC = \sqrt{(-1-6)^2 + (6--1)^2} = \sqrt{98}$  ABCD is not an isosceles trapezoid  $BD = \sqrt{(8-0)^2 + (3-1)^2} = \sqrt{68}$ 

because its diagonals are not congruent.

PTS: 4 REF: 061932geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids





9



PTS: 2 REF: 061622geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 246 ANS: 4



$$\sqrt{8^2 + 2^2} \times \sqrt{4^2 + 1^2} = \sqrt{68} \times \sqrt{17} = \sqrt{4}\sqrt{17} \times \sqrt{17} = 2 \cdot 17 = 34$$

PTS: 2 REF: 082214geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 247 ANS: 2 Create two congruent triangles by drawing  $\overline{BD}$ , which has a length of 8. Each triangle has an area of  $\frac{1}{2}(8)(3) = 12$ .

PTS: 2 REF: 012018geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 248 ANS: 3  $4\sqrt{(-1-3)^2 + (5-1)^2} = 4\sqrt{20}$ PTS: 2 REF: 081703geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 249 ANS: 4  $4\sqrt{(-1-2)^2 + (2-3)^2} = 4\sqrt{10}$ 

PTS: 2 ANS: 2  $\sqrt{(-1-2)^2 + (4-3)^2} = \sqrt{10}$ REF: 081808geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

PTS: 2 REF: 011615geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

ID: A

251 ANS: 3  

$$A = \frac{1}{2}ab$$
  $3-6 = -3 = x$   
 $24 = \frac{1}{2}a(8)$   $\frac{4+12}{2} = 8 = y$   
 $a = 6$ 

PTS: 2 REF: 081615geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane



PTS: 2 REF: 061926geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 253 ANS:



PTS: 2 REF: 081928geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 254 ANS:



 $6 \times 12 - \frac{1}{2} (12 \times 3) - \frac{1}{2} (6 \times 6) - \frac{1}{2} (6 \times 3) = 27$ 

PTS: 2 REF: 012331geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

255 ANS: 2  $6 \cdot 6 = x(x-5)$  $36 = x^2 - 5x$  $0 = x^2 - 5x - 36$ 0 = (x - 9)(x + 4)x = 9NAT: G.C.A.2 PTS: 2 REF: 061708geo TOP: Chords, Secants and Tangents KEY: intersecting chords, length 256 ANS: 3  $8 \cdot 15 = 16 \cdot 7.5$ PTS: 2 REF: 061913geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: intersecting chords, length 257 ANS: 4 PTS: 2 REF: 081922geo NAT: G.C.A.2 KEY: intersecting chords, length TOP: Chords, Secants and Tangents 258 ANS: 2 slope of  $\overline{OA} = \frac{4-0}{-3-0} = -\frac{4}{3} m_{\perp} = \frac{3}{4}$ PTS: 2 REF: 082223geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: radius drawn to tangent 259 ANS: 2 10 10 0 Z E 6 PTS: 2 REF: 081814geo TOP: Chords, Secants and Tangents NAT: G.C.A.2 KEY: tangents drawn from common point, length 260 ANS: 3  $5 \cdot \frac{10}{4} = \frac{50}{4} = 12.5$ 

PTS: 2 REF: 081512geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: common tangents

261 ANS:  $\frac{3}{8} \cdot 56 = 21$ PTS: 2 NAT: G.C.A.2 TOP: Chords, Secants and Tangents REF: 081625geo KEY: common tangents 262 ANS: 1 PTS: 2 REF: 082320geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length 263 ANS: 2 8(x+8) = 6(x+18)8x + 64 = 6x + 1082x = 44*x* = 22 PTS: 2 REF: 011715geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length 264 ANS:  $10 \cdot 6 = 15x$ *x* = 4 **PTS: 2** REF: 061828geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length 265 ANS: 2  $x^2 = 3 \cdot 18$  $x = \sqrt{3 \cdot 3 \cdot 6}$  $x = 3\sqrt{6}$ PTS: 2 REF: 081712geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, length 266 ANS: 2  $24^2 = 4x \cdot 9x \quad 5 \cdot 4 = 20$  $576 = 36x^2$  $16 = x^2$ 4 = xPTS: 2 REF: 012312geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, length

267 ANS:  $x^2 = 8 \times 12.5$ *x* = 10 PTS: 2 REF: 012028geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, length 268 ANS: 1 Parallel chords intercept congruent arcs.  $\frac{180 - 130}{2} = 25$ PTS: 2 REF: 081704geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: parallel lines 269 ANS: 180 - 2(30) = 120TOP: Chords, Secants and Tangents PTS: 2 REF: 011626geo NAT: G.C.A.2 KEY: parallel lines 270 ANS: 3  $\frac{x+72}{2} = 58$ x + 72 = 116x = 44NAT: G.C.A.2 PTS: 2 REF: 061817geo TOP: Chords, Secants and Tangents KEY: intersecting chords, angle 271 ANS: 102 D в 134  $\frac{134+102}{2} = 118$ E PTS: 2 REF: 081827geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: intersecting chords, angle 272 ANS: 3 PTS: 2 NAT: G.C.A.2 REF: 011621geo KEY: inscribed TOP: Chords, Secants and Tangents

ID: A

TOP: Chords, Secants and Tangents

273 ANS: 4  
$$\frac{1}{2}(360-268) = 46$$

PTS: 2

NAT: G.C.A.2

REF: 061704geo

PTS: 2 REF: 081623geo TOP: Chords, Secants and Tangents NAT: G.C.A.2 KEY: inscribed 276 ANS: 2 PTS: 2 NAT: G.C.A.2 REF: 061610geo TOP: Chords, Secants and Tangents KEY: inscribed 277 ANS: 4 PTS: 2 REF: 011816geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: inscribed PTS: 2 278 ANS: 1 REF: 061508geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: inscribed

279 ANS: 4



	PTS: KEY:	2 inscribed	REF:	082218geo	NAT:	G.C.A.2	TOP:	Chords, Secants and Tangents
280	ANS: TOP:	4 Chords, Secan	PTS: ts and [	2 Fangents	REF: KEY:	011905geo inscribed	NAT:	G.C.A.2

ID: A

281 ANS: 2  

$$\frac{136 - x}{2} = 44$$
  
 $136 - x = 88$   
 $48 = x$ 

PTS: 2 REF: 012414geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, angle



PTS: 2 REF: 061918geo NAT: G.C.A.2 KEY: secants drawn from common point, angle

KEY: secant and tangent drawn from common point, angle

283 ANS:

 $\frac{121-x}{2} = 35$ 121-x = 70x = 51

PTS: 2 REF: 011927geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, angle 284 ANS: 1  $\frac{100-80}{2} = 10$ REF: 062219geo PTS: 2 NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, angle 285 ANS:  $\frac{152-56}{2} = 48$ PTS: 2 REF: 011728geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

$$\frac{124-56}{2} = 34$$

PTS: 2 REF: 081930geo NAT: G.C.A.2 KEY: secant and tangent drawn from common point, angle 287 ANS: 2 TOP: Chords, Secants and Tangents

Since 
$$\overline{AD} \parallel \overline{BC}$$
,  $\overline{AB} \cong \widehat{CD}$ .  $m \angle ACB = \frac{1}{2} m \widehat{AB}$   
 $m \angle CDF = \frac{1}{2} m \widehat{CD}$ 

B

PTS: 2 TOP: Chords, Secants and Tangents REF: 012323geo NAT: G.C.A.2 KEY: chords and tangents NAT: G.C.A.2 288 ANS: 1 PTS: 2 REF: 061520geo TOP: Chords, Secants and Tangents KEY: mixed 289 ANS: 3 PTS: 2 REF: 081515geo NAT: G.C.A.3 TOP: Inscribed Quadrilaterals 290 ANS: 4 135 0

$$2x + x + 15 = 180 \quad 180 - 45 = 135$$
$$3x = 165$$

PTS: 2 REF: 082224geo NAT: G.C.A.3 TOP: Inscribed Quadrilaterals 291 ANS: 4 Opposite angles of an inscribed quadrilateral are supplementary.

PTS: 2 ANS: 2  $s^2 + s^2 = 7^2$   $2s^2 = 49$   $s^2 = 24.5$   $s \approx 4.9$ PTS: 2 REF: 011821geo NAT: G.C.A.3 TOP: Inscribed Quadrilaterals 293 ANS:  $\frac{2+3}{15} \cdot 360 = 120 \ \frac{120}{2} = 60$ REF: 062226geo NAT: G.C.A.3 TOP: Inscribed Quadrilaterals PTS: 2 294 ANS: 2 PTS: 2 REF: 061603geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: find center and radius | completing the square 295 ANS: 3  $x^2 + 4x + 4 + y^2 - 6y + 9 = 12 + 4 + 9$  $(x+2)^{2} + (v-3)^{2} = 25$ PTS: 2 NAT: G.GPE.A.1 TOP: Equations of Circles REF: 081509geo KEY: completing the square 296 ANS: 2  $x^{2} + y^{2} + 6y + 9 = 7 + 9$  $x^{2} + (y+3)^{2} = 16$ PTS: 2 REF: 061514geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 297 ANS: 4  $x^{2} + 6x + 9 + y^{2} - 4y + 4 = 23 + 9 + 4$  $(x+3)^{2} + (v-2)^{2} = 36$ PTS: 2 REF: 011617geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 298 ANS: 1  $x^{2} - 4x + 4 + v^{2} + 8v + 16 = -11 + 4 + 16$  $(x-2)^{2} + (v+4)^{2} = 9$ PTS: 2 REF: 081616geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 299 ANS: 1  $x^2 + y^2 - 12y + 36 = -20 + 36$ 

 $x^{2} + (y - 6)^{2} = 16$ 

PTS: 2 REF: 061712geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

300 ANS: 2  $x^{2} + v^{2} - 6x + 2v = 6$  $x^{2}-6x+9+v^{2}+2v+1=6+9+1$  $(x-3)^{2} + (v+1)^{2} = 16$ PTS: 2 REF: 011812geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 301 ANS: 4  $x^{2} + 8x + 16 + y^{2} - 12y + 36 = 144 + 16 + 36$  $(x+4)^{2} + (v-6)^{2} = 196$ PTS: 2 REF: 061920geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 302 ANS: 4  $x^{2} - 8x + v^{2} + 6v = 39$  $x^{2} - 8x + 16 + y^{2} + 6y + 9 = 39 + 16 + 9$  $(x-4)^2 + (y+3)^2 = 64$ REF: 081906geo PTS: 2 NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 303 ANS: 2  $x^{2} + 2x + 1 + y^{2} - 16y + 64 = -49 + 1 + 64$  $(x+1)^{2} + (y-8)^{2} = 16$ PTS: 2 REF: 012314geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 304 ANS: 4  $x^{2} + 6x + v^{2} - 2v = -1$  $x^{2} + 6x + 9 + v^{2} - 2v + 1 = -1 + 9 + 1$  $(x+3)^{2} + (v-1)^{2} = 9$ PTS: 2 REF: 062309geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 305 ANS: 3  $x^{2} + 12x + 36 + v^{2} = -27 + 36$  $(x+6)^2 + v^2 = 9$ PTS: 2 REF: 082313geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

$$x^{2} + y^{2} - 12y + 36 = 20.25 + 36 \sqrt{56.25} = 7.5$$
  
 $x^{2} + (y - 6)^{2} = 56.25$ 

PTS: 2 REF: 082219geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

307 ANS: 1  

$$x^{2} + y^{2} - 6y + 9 = -1 + 9$$
  
 $x^{2} + (y - 3)^{2} = 8$ 

PTS: 2 REF: 011718geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 308 ANS: 1

$$(x-1)^{2} + (y-4)^{2} = \left(\frac{10}{2}\right)^{2}$$
$$x^{2} - 2x + 1 + y^{2} - 8y + 16 = 25$$
$$x^{2} - 2x + y^{2} - 8y = 8$$

PTS: 2 REF: 011920geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: write equation, given center and radius

309 ANS: 2

The line x = -2 will be tangent to the circle at (-2, -4). A segment connecting this point and (2, -4) is a radius of the circle with length 4.

PTS: 2 REF: 012020geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: other 310 ANS: 4  $x^{2} + 4x + 4 + y^{2} - 8y + 16 = -16 + 4 + 16$ 

 $(x+2)^2 + (y-4)^2 = 4$ 

PTS: 2 REF: 081821geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

311 ANS: 2

$$(x-5)^{2} + (y-2)^{2} = 16$$
$$x^{2} - 10x + 25 + y^{2} - 4y + 4 = 16$$
$$x^{2} - 10x + y^{2} - 4y = -13$$

PTS: 2 REF: 061820geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: write equation, given graph





$$r = \sqrt{2^2 + 5^2} = \sqrt{29}$$

PTS: 2 REF: 061623geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: other

$$x^{2} - 6x + 9 + y^{2} + 8y + 16 = 56 + 9 + 16$$
 (3,-4);  $r = 9$   
 $(x - 3)^{2} + (y + 4)^{2} = 81$ 

PTS: 2 REF: 081731geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

314 ANS:

$$x^{2} + 6x + 9 + y^{2} - 6y + 9 = 63 + 9 + 9 \quad (-3,3); r = 9$$
$$(x + 3)^{2} + (y - 3)^{2} = 81$$

PTS: 2 REF: 062230geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

315 ANS:

 $x^{2} + 16x + +64 + y^{2} + 12y + 36 = 44 + 64 + 36$  (-8, -6); r = 12

$$(x+8)^2 + (y+6)^2 = 144$$

PTS: 2 REF: 012430geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

316 ANS: 3

$$r = \sqrt{(7-3)^2 + (1-2)^2} = \sqrt{16+9} = 5$$

PTS: 2 REF: 061503geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane 317 ANS: 3  $\sqrt{(5)^2 + 12^2}$   $\sqrt{100}$   $\sqrt{112 + (2\sqrt{12})^2}$   $\sqrt{121 + 40}$   $\sqrt{160}$ 

$$\sqrt{(-5)^2 + 12^2} = \sqrt{169} \sqrt{11^2 + (2\sqrt{12})^2} = \sqrt{121 + 48} = \sqrt{169}$$

PTS: 2 REF: 011722geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane

318 ANS:  $(x-1)^{2} + (y+2)^{2} = 4^{2}$ Yes.  $(3.4-1)^2 + (1.2+2)^2 = 16$ 5.76 + 10.24 = 1616 = 16PTS: 2 REF: 081630geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane 319 ANS: 3  $2 \times \frac{40 \times 16}{33\frac{1}{3}} = 38.4$ REF: 012404geo NAT: G.MG.A.3 TOP: Area of Polygons PTS: 2 320 ANS: 1  $\frac{64}{4} = 16 \quad 16^2 = 256 \quad 2w + 2(w+2) = 64 \quad 15 \times 17 = 255 \quad 2w + 2(w+4) = 64 \quad 14 \times 18 = 252 \quad 2w + 2(w+6) = 64$ w = 15w = 14w = 13 $13 \times 19 = 247$ PTS: 2 REF: 011708geo NAT: G.MG.A.3 TOP: Area of Polygons 321 ANS:  $x^{2} + x^{2} = 58^{2}$   $A = (\sqrt{1682} + 8)^{2} \approx 2402.2$  $2x^2 = 3364$  $x = \sqrt{1682}$ PTS: 4 REF: 081734geo NAT: G.MG.A.3 TOP: Area of Polygons 322 ANS: 2  $SA = 6 \cdot 12^2 = 864$  $\frac{864}{450} = 1.92$ REF: 061519geo NAT: G.MG.A.3 TOP: Surface Area PTS: 2 323 ANS: 2 x is  $\frac{1}{2}$  the circumference.  $\frac{C}{2} = \frac{10\pi}{2} \approx 16$ PTS: 2 REF: 061523geo NAT: G.GMD.A.1 TOP: Circumference 324 ANS: 1  $\frac{1000}{20\pi} \approx 15.9$ PTS: 2 REF: 011623geo NAT: G.GMD.A.1 TOP: Circumference

ID: A

325 ANS: 4  $(8 \times 2) + (3 \times 2) - \left(\frac{18}{12} \times \frac{21}{12}\right) \approx 19$ PTS: 2 REF: 081917geo NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles KEY: area 326 ANS: 1 PTS: 2 REF: 011918geo NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles KEY: area 327 ANS:  $2 \times (90 \times 10) + (\pi)(30^2) - (\pi)(20^2) \approx 3371$ PTS: 2 REF: 011931geo NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles KEY: area 328 ANS:  $\frac{5\pi(2)^2 + 5(6)(4)}{25} \approx 7.3 \ 8 \ \text{cans}$ PTS: 2 NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles REF: 082328geo KEY: area 329 ANS: 3  $\theta = \frac{s}{r} = \frac{2\pi}{10} = \frac{\pi}{5}$ PTS: 2 REF: fall1404geo NAT: G.C.B.5 TOP: Arc Length KEY: angle 330 ANS: 4  $C = 12\pi \ \frac{120}{360}(12\pi) = \frac{1}{3}(12\pi)$ PTS: 2 REF: 061822geo NAT: G.C.B.5 TOP: Arc Length KEY: arc length 331 ANS: 3  $\frac{s_L}{s_s} = \frac{6\theta}{4\theta} = 1.5$ PTS: 2 REF: 011824geo NAT: G.C.B.5 TOP: Arc Length KEY: arc length

332 ANS:  $s = \theta \cdot r$   $s = \theta \cdot r$  Yes, both angles are equal.  $\pi = A \cdot 4 \quad \frac{13\pi}{8} = B \cdot 6.5$  $\frac{\pi}{4} = A \qquad \frac{\pi}{4} = B$ PTS: 2 REF: 061629geo NAT: G.C.B.5 TOP: Arc Length KEY: arc length PTS: 2 REF: 081619geo NAT: G.C.B.5 333 ANS: 2 **TOP:** Sectors 334 ANS: 2  $\frac{30}{360}(5)^2(\pi) \approx 6.5$ PTS: 2 REF: 081818geo NAT: G.C.B.5 TOP: Sectors 335 ANS: 4  $\frac{300}{360} \cdot 8^2 \pi = \frac{160\pi}{3}$ PTS: 2 REF: 011721geo NAT: G.C.B.5 TOP: Sectors 336 ANS: 4  $\left(\frac{360 - 120}{360}\right)(\pi) \left(9^2\right) = 54\pi$ PTS: 2 REF: 081912geo NAT: G.C.B.5 TOP: Sectors 337 ANS: 2  $\frac{70}{360} \cdot 6^2 \pi = 7\pi$ PTS: 2 REF: 082309geo NAT: G.C.B.5 TOP: Sectors 338 ANS: 3  $\frac{60}{360} \cdot 6^2 \pi = 6\pi$ PTS: 2 REF: 081518geo NAT: G.C.B.5 TOP: Sectors 339 ANS: 3  $\frac{150}{360} \cdot 9^2 \pi = 33.75 \pi$ PTS: 2 REF: 012013geo NAT: G.C.B.5 TOP: Sectors 340 ANS: 4  $\frac{54}{360} \cdot 10^2 \pi = 15\pi$ PTS: 2 REF: 062224geo NAT: G.C.B.5 TOP: Sectors

24

341 ANS: 4  

$$\frac{140}{360} \cdot 9^{2} \pi = 31.5\pi$$
342 ANS: 3  

$$\frac{x}{360} \cdot 3^{2} \pi = 2\pi \quad 180 - 80 = 100$$

$$x = 80 \quad \frac{180 - 100}{2} = 40$$
343 ANS: 3  

$$\frac{60}{360} \cdot 8^{2} \pi = \frac{1}{6} \cdot 64\pi = \frac{32\pi}{3}$$
344 ANS: 2  
PTS: 2 REF: 011612geo NAT: G.C.B.5 TOP: Sectors  
344 ANS: 2  

$$\frac{512\pi}{\left(\frac{32}{2}\right)^{2} \pi} \cdot 2\pi = \frac{4\pi}{3}$$
345 ANS: 2  

$$\frac{512\pi}{\left(\frac{32}{2}\right)^{2} \pi} \cdot 2\pi = \frac{4\pi}{3}$$
346 ANS: 2  

$$\frac{x}{360} (15)^{2} \pi = 75\pi$$

$$x = 120$$
347 ANS: 4  
A = 6^{2} \pi = 36\pi \quad 36\pi \cdot \frac{x}{360} = 12\pi
$$x = 360 \cdot \frac{12}{36}$$

$$x = 120$$
PTS: 2 REF: 061529geo NAT: G.C.B.5 TOP: Sectors

347 ANS:  $\frac{Q}{360}(\pi)(25^2) = (\pi)(25^2) - 500\pi$  $Q = \frac{125\pi(360)}{625\pi}$ Q = 72PTS: 2 REF: 011828geo NAT: G.C.B.5 TOP: Sectors 348 ANS:  $\frac{72}{360}(\pi)(10^2) = 20\pi$ PTS: 2 REF: 061928geo NAT: G.C.B.5 TOP: Sectors 349 ANS:  $\frac{102}{360}(\pi)(38^2) \approx 1285$ PTS: 2 REF: 012426geo NAT: G.C.B.5 TOP: Sectors 350 ANS:  $\frac{\left(\frac{180-20}{2}\right)}{360} \times \pi(6)^2 = \frac{80}{360} \times 36\pi = 8\pi$ REF: spr1410geo NAT: G.C.B.5 TOP: Sectors PTS: 4 351 ANS: 4 in 0 72  $\left(\frac{72}{360}\right)\pi(4)^2 \approx 10.1$ PTS: 2 REF: 082231geo NAT: G.C.B.5 TOP: Sectors 352 ANS:  $\frac{40}{360} \cdot \pi (4.5)^2 = 2.25\pi$ PTS: 2 REF: 061726geo NAT: G.C.B.5 TOP: Sectors 353 ANS:  $\frac{80}{360} \cdot \pi (6.4)^2 \approx 29$ PTS: 2 REF: 062328geo NAT: G.C.B.5 TOP: Sectors

Each quarter in both stacks has the same base area. Therefore, each corresponding cross-section of the stacks will have the same area. Since the two stacks of quarters have the same height of 23 quarters, the two volumes must be the same.

355 ANS:

Yes. The bases of the cylinders have the same area and the cylinders have the same height.

PTS: 2 REF: 081725geo NAT: G.GMD.A.1 TOP: Volume

356 ANS:

Each triangular prism has the same base area. Therefore, each corresponding cross-section of the prisms will have the same area. Since the two prisms have the same height of 14, the two volumes must be the same.

PTS: 2 REF: 061727geo NAT: G.GMD.A.1 TOP: Volume 357 ANS: 2

 $14 \times 16 \times 10 = 2240 \ \frac{2240 - 1680}{2240} = 0.25$ 

PTS: 2 REF: 011604geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms

358 ANS: 3

$$3 \times 10 \times \frac{3}{12} = 7.5 \text{ ft}^3 \frac{7.5}{2} = 3.75 4 \times 3.66 = 14.64$$

PTS: 2 REF: 062311geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms

359 ANS: 1

$$5 \text{ ft}^3 \times \frac{1728 \text{ in}^3}{1 \text{ ft}^3} = 864 \text{ in}^3 \frac{43 \text{ in} \times 30 \text{ in} \times 9 \text{ in}}{864 \text{ in}^3} \approx 13.4$$

PTS: 2 REF: 012419geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms

360 ANS:

 $2\left(\frac{36}{12} \times \frac{36}{12} \times \frac{4}{12}\right) \times 3.25 = 19.50$ PTS: 2 REF: 081831geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms

361 ANS:  $\frac{1}{2}(5)(L)(4) = 70$ 10L = 70L = 7REF: 012330geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 KEY: prisms 362 ANS: 1  $V = \pi r^2 h = \pi \cdot 5^2 \cdot 8 \approx 200\pi$ PTS: 2 REF: 082304geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 363 ANS: 4  $V = \pi \left(\frac{6.7}{2}\right)^2 (4 \cdot 6.7) \approx 945$ PTS: 2 REF: 081620geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 364 ANS: 3  $V = \pi(8)^2 (4 - 0.5)(7.48) \approx 5264$ PTS: 2 REF: 012320geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 365 ANS: 2  $\frac{100000\,\mathrm{g}}{7.48\,\mathrm{g/ft}^3} = \pi(r^2)(30\,\mathrm{ft})$ 11.92 ft  $\approx r$  $23.8 \approx d$ PTS: 2 REF: 012424geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 366 ANS:  $\frac{\pi \cdot 11.25^2 \cdot 33.5}{231} \approx 57.7$ PTS: 4 REF: 061632geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 367 ANS:  $\left(\frac{2.5}{3}\right)(\pi)\left(\frac{8.25}{2}\right)^2(3) \approx 134$ PTS: 2 REF: 081931geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders

375 ANS: 2  

$$V = \frac{1}{3} \cdot 197^2 \cdot 107 = 1,384,188$$
  
PTS: 2  
 $V = \frac{1}{3} \left(\frac{36}{4}\right)^2 \cdot 15 = 405$   
PTS: 2  
 $V = \frac{1}{3} \left(\frac{36}{4}\right)^2 \cdot 15 = 405$   
PTS: 2  
 $V = \frac{1}{3} \left(\frac{60}{12}\right)^2 \left(\frac{84}{12}\right) \approx 58$   
PTS: 2  
 $V = \frac{1}{3} \left(\frac{60}{12}\right)^2 \left(\frac{84}{12}\right) \approx 58$   
PTS: 2  
 $V = \frac{1}{3} \left(\frac{80}{12}\right)^2 (-6 = 128)$   
PTS: 2  
 $V = \frac{1}{3} (8)^2 \cdot 6 = 128$   
PTS: 2  
 $V = \frac{1}{3} (8)^2 \cdot 6 = 128$   
PTS: 2  
 $V = \frac{1}{3} (64)^2 \cdot 24 = 32768$   
PTS: 2  
 $V = \frac{1}{3} \cdot s^2 \cdot 7$   
 $6 = s$   
PTS: 2  
PTS: 2  
REF: 061716geo NAT: G.GMD.A.3 TOP: Volume  
S40 ANS: 1  
 $84 = \frac{1}{3} \cdot s^2 \cdot 7$   
 $6 = s$   
PTS: 2  
REF: 061716geo NAT: G.GMD.A.3 TOP: Volume  
KEY: pyramids  
381 ANS: 4  
2592276  $= \frac{1}{3} \cdot s^2 \cdot 146.5$   
230 ≈ s  
PTS: 2  
REF: 081521geo NAT: G.GMD.A.3 TOP: Volume

382 ANS: 1  $82.8 = \frac{1}{3}(4.6)(9)h$ h = 6PTS: 2 REF: 061810geo NAT: G.GMD.A.3 TOP: Volume KEY: pyramids 383 ANS: 1  $h = \sqrt{6.5^2 - 2.5^2} = 6, V = \frac{1}{3}\pi(2.5)^2 6 = 12.5\pi$ REF: 011923geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 KEY: cones 384 ANS: 1 r = 8, forming an 8-15-17 triple.  $V = \frac{1}{3} \pi(8)^2 15 = 320\pi$ PTS: 2 REF: 082318geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 385 ANS: 2  $V = \frac{1}{3} \pi \cdot (2.5)^2 \cdot 7.2 \cong 47.1$ PTS: 2 REF: 062303geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 386 ANS: 1  $V = \frac{1}{3} \pi \left(\frac{1.5}{2}\right)^2 \left(\frac{4}{2}\right) \approx 1.2$ PTS: 2 REF: 011724geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 387 ANS: 2  $108\pi = \frac{6^2\pi h}{3}$  $\frac{324\pi}{36\pi} = h$ 9 = hPTS: 2 REF: 012002geo NAT: G.GMD.A.3 TOP: Volume KEY: cones
Similar triangles are required to model and solve a proportion.  $\frac{x+5}{1.5} = \frac{x}{1} = \frac{1}{3}\pi(1.5)^2(15) - \frac{1}{3}\pi(1)^2(10) \approx 24.9$ 

$$x + 5 = 1.5x$$
$$5 = .5x$$
$$10 = x$$
$$10 + 5 = 15$$

PTS: 6 REF: 061636geo NAT: G.GMD.A.3 TOP: Volume KEY: cones

394 ANS: 1

$$V = \frac{1}{2} \times \frac{4}{3} \pi r^{3} = \frac{1}{2} \times \frac{4}{3} \pi \cdot \left(\frac{12.6}{2}\right)^{3} \approx 523.7$$

PTS: 2 REF: 061910geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres 395 ANS: 2

$$19.9 = \pi d \quad \frac{4}{3} \pi \left(\frac{19.9}{2\pi}\right)^3 \approx 133$$
$$\frac{19.9}{\pi} = d$$

PTS: 2 REF: 012310geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres 396 ANS: 3

$$\frac{\frac{4}{3}\pi\left(\frac{9.5}{2}\right)^3}{\frac{4}{3}\pi\left(\frac{2.5}{2}\right)^3} \approx 55$$

PTS: 2 REF: 011614geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres

397 ANS:

$$29.5 = 2\pi r \quad V = \frac{4}{3} \pi \cdot \left(\frac{29.5}{2\pi}\right)^3 \approx 434$$
$$r = \frac{29.5}{2\pi}$$

PTS: 2 REF: 061831geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres

398 ANS:  $100 \times \frac{1}{2} \times \frac{4}{3} \times \pi \times 2.8^3 \approx 4598$ REF: 062229geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 KEY: spheres 399 ANS:  $\frac{4}{3}\pi \cdot (1)^3 + \frac{4}{3}\pi \cdot (2)^3 \frac{4}{3}\pi \cdot (3)^3 = \frac{4}{3}\pi + \frac{32}{3}\pi + \frac{108}{3}\pi = 48\pi$ REF: 062329geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 KEY: spheres 400 ANS:  $\sqrt[3]{\frac{3V_f}{4\pi} - \sqrt[3]{\frac{3V_p}{4\pi}} = \sqrt[3]{\frac{3(294)}{4\pi}} - \sqrt[3]{\frac{3(180)}{4\pi}} \approx 0.6$ PTS: 2 REF: 061728geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres PTS: 2 REF: 061606geo 401 ANS: 4 NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 402 ANS: 1  $44\left[\left(10\times3\times\frac{1}{4}\right)+\left(9\times3\times\frac{1}{4}\right)\right]=627$ PTS: 2 REF: 082221geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 403 ANS: 2  $4 \times 4 \times 6 - \pi(1)^2(6) \approx 77$ PTS: 2 REF: 011711geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 404 ANS: 3  $2.5 \times 1.25 \times (27 \times 12) + \frac{1}{2} \pi (1.25)^2 (27 \times 12) \approx 1808$ REF: 061723geo NAT: G.GMD.A.3 TOP: Volume **PTS: 2 KEY:** compositions 405 ANS: 1  $20 \cdot 12 \cdot 45 + \frac{1}{2} \pi (10)^2 (45) \approx 17869$ PTS: 2 REF: 061807geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions

406 ANS: 2  $8 \times 8 \times 9 + \frac{1}{3} \left( 8 \times 8 \times 3 \right) = 640$ PTS: 2 REF: 011909geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 407 ANS:  $\frac{(3.5)^2(1.5) - (2)^2(1.5)}{.6} \approx 20.6. \ 21 \text{ bags}$ PTS: 4 REF: 082332geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 408 ANS:  $V = (\pi)(4^2)(9) + \left(\frac{1}{2}\right)\left(\frac{4}{3}\right)(\pi)(4^3) \approx 586$ REF: 011833geo NAT: G.GMD.A.3 TOP: Volume PTS: 4 KEY: compositions 409 ANS:  $\left((10\times 6)+\sqrt{7(7-6)(7-4)(7-4)}\,\right)(6.5)\approx 442$ 

PTS: 4 REF: 081934geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

## Geometry Regents Exam Questions by State Standard: Topic Answer Section

410 ANS:  $\tan 16.5 = \frac{x}{13.5}$   $9 \times 16 \times 4.5 = 648$   $3752 - (35 \times 16 \times .5) = 3472$  $x \approx 4$  13.5 × 16 × 4.5 = 972 3472 × 7.48 ≈ 25971 4 + 4.5 = 8.5  $\frac{1}{2} \times 13.5 \times 16 \times 4 = 432$   $\frac{25971}{10.5} \approx 2473.4$  $\frac{12.5 \times 16 \times 8.5 = \underline{1700}}{3752} \quad \underline{\frac{2473.4}{60}} \approx 41$ REF: 081736geo NAT: G.GMD.A.3 TOP: Volume PTS: 6 **KEY:** compositions 411 ANS: 3 Broome:  $\frac{200536}{706.82} \approx 284$  Dutchess:  $\frac{280150}{801.59} \approx 349$  Niagara:  $\frac{219846}{522.95} \approx 420$  Saratoga:  $\frac{200635}{811.84} \approx 247$ PTS: 2 REF: 061902geo NAT: G.MG.A.2 TOP: Density 412 ANS: 1 Illinois:  $\frac{12830632}{231.1} \approx 55520$  Florida:  $\frac{18801310}{350.6} \approx 53626$  New York:  $\frac{19378102}{411.2} \approx 47126$  Pennsylvania:  $\frac{12702379}{283.9} \approx 44742$ PTS: 2 REF: 081720geo NAT: G.MG.A.2 TOP: Density 413 ANS: 3  $V = 12 \cdot 8.5 \cdot 4 = 408$  $W = 408 \cdot 0.25 = 102$ PTS: 2 REF: 061507geo NAT: G.MG.A.2 TOP: Density 414 ANS: 1  $8 \times 3.5 \times 2.25 \times 1.055 = 66.465$ PTS: 2 REF: 012014geo NAT: G.MG.A.2 TOP: Density

415 ANS: 2  $C = \pi d \quad V = \pi \left(\frac{2.25}{\pi}\right)^2 \cdot 8 \approx 12.8916 \quad W = 12.8916 \cdot 752 \approx 9694$  $4.5 = \pi d$  $\frac{4.5}{\pi} = d$  $\frac{2.25}{\pi} = r$ PTS: 2 REF: 081617geo NAT: G.MG.A.2 TOP: Density 416 ANS: 2  $\frac{1}{3}(36)(10)(2.7) = 324$ PTS: 2 REF: 082312geo NAT: G.MG.A.2 TOP: Density 417 ANS: 1  $\frac{1}{3}(4.5)^2(10)(0.676) \approx 45.6$ PTS: 2 REF: 062212geo NAT: G.MG.A.2 TOP: Density 418 ANS: 1  $\frac{1}{2} \left(\frac{4}{3}\right) \pi \cdot 5^3 \cdot 62.4 \approx 16,336$ REF: 061620geo NAT: G.MG.A.2 TOP: Density PTS: 2 419 ANS: 1  $V = \frac{\frac{4}{3}\pi \left(\frac{10}{2}\right)^3}{2} \approx 261.8 \cdot 62.4 = 16,336$ PTS: 2 REF: 081516geo NAT: G.MG.A.2 TOP: Density 420 ANS: 2  $\frac{4}{3}\pi \cdot 4^3 + 0.075 \approx 20$ PTS: 2 REF: 011619geo NAT: G.MG.A.2 TOP: Density 421 ANS: 2  $\frac{4}{3}\pi \times \left(\frac{1.68}{2}\right)^3 \times 0.6523 \approx 1.62$ PTS: 2 REF: 081914geo NAT: G.MG.A.2 TOP: Density

422 ANS: 2  

$$\frac{11}{12 \operatorname{cg}} \left( \frac{16 \operatorname{cg}}{1 \operatorname{lb}} \right) = \frac{13 \cdot \overline{3}1}{\operatorname{lb}} \quad \frac{13 \cdot \overline{3}1}{\operatorname{lb}} \left( \frac{1 \operatorname{g}}{3.7851} \right) \approx \frac{3.5 \operatorname{g}}{1 \operatorname{lb}}$$
423 ANS: 2  

$$24 \operatorname{ht} \left( \frac{0.75 \operatorname{m}^{3}}{\operatorname{ht}} \right) \left( \frac{0.323 \operatorname{lb}}{1 \operatorname{in}^{3}} \right) \left( \frac{83.68}{\operatorname{lb}} \right) \approx \$21.40$$
424 ANS: 2  

$$24 \operatorname{ht} \left( \frac{0.75 \operatorname{m}^{3}}{\operatorname{ht}} \right) \left( \frac{0.323 \operatorname{lb}}{1 \operatorname{in}^{3}} \right) \left( \frac{\$3.68}{\operatorname{lb}} \right) \approx \$21.40$$
425 ANS: 4  
426 ANS: 4  

$$\frac{137.8}{6^{3}} \approx 0.638 \operatorname{Ash}$$
427 ANS: 4  

$$\frac{40000}{\pi \left( \frac{51}{2} \right)^{2}} \approx 19.6 \frac{72000}{\pi \left( \frac{75}{2} \right)^{2}} \approx 16.3 \operatorname{Dish} A$$
426 ANS: 4  

$$\frac{40000}{\pi \left( \frac{51}{2} \right)^{2}} \approx 19.6 \frac{72000}{\pi \left( \frac{75}{2} \right)^{2}} \approx 16.3 \operatorname{Dish} A$$
427 ANS: 4  

$$\frac{40000}{\operatorname{rs}^{3}} \approx \frac{1 \operatorname{m}^{3}}{100000 \operatorname{cm}^{3}} = 0.528003 \operatorname{m}^{3} \cdot \frac{1920 \operatorname{kg}}{\operatorname{m}^{3}} \approx 0.528003 \operatorname{m}^{3} \approx 1013 \operatorname{kg}.$$
428 ANS: 4  

$$r S: 2 \operatorname{REF:} \operatorname{full} 11406 \operatorname{geo} \operatorname{NAT:} \operatorname{G.MG.A.2} \operatorname{TOP:} \operatorname{Density} 425 \operatorname{ANS:} \frac{1 \operatorname{m}^{3}}{1000000 \operatorname{cm}^{3}} = 0.528003 \operatorname{m}^{3} \cdot \frac{1920 \operatorname{kg}}{\operatorname{m}^{3}} \approx 0.528003 \operatorname{m}^{3} \approx 1013 \operatorname{kg}.$$
427 ANS: 4 REF: 012027 geo NAT: G.MG.A.2 TOP: Density 428 ANS: 4 \operatorname{REF:} 112027 \operatorname{geo} \operatorname{NAT:} \operatorname{G.MG.A.2} \operatorname{TOP:} \operatorname{Density} 4 \operatorname{ANS:} \frac{1}{12} \times 43 = 86
428 ANS: 7 \operatorname{re} 2 C \operatorname{REF:} 012027 \operatorname{geo} \operatorname{NAT:} \operatorname{G.MG.A.2} \operatorname{TOP:} \operatorname{Density} 4 \operatorname{AS:} \frac{1}{1 \operatorname{m}^{3}} \left| \approx 2.55 \operatorname{m} \left( \frac{1 \operatorname{m}}{1 \operatorname{m}^{3}} \right) \right| \approx 746.1 K
$$n = \frac{550,000}{\left( \frac{54.75}{\operatorname{K}} \right) (746.1 \operatorname{K})} = 14.1 \operatorname{15 trees}$$

$$h = \sqrt{16^2 - \left(\frac{12}{2}\right)^2} = \sqrt{220} \quad V = \frac{1}{3} (12)^2 \sqrt{220} \approx 712 \quad 712 \times 0.32 \approx 23$$

PTS: 4 REF: 012433geo NAT: G.MG.A.2 TOP: Density 430 ANS:

$$24 \text{ in} \times 12 \text{ in} \times 18 \text{ in} \ 2.94 \approx 3 \ \frac{24}{3} \times \frac{12}{3} \times \frac{18}{3} = 192 \ 192 \left(\frac{4}{3} \pi\right) \left(\frac{2.94}{2}\right)^3 (0.025) \approx 64$$

PTS: 4 REF: 082234geo NAT: G.MG.A.2 TOP: Density 431 ANS:  $4\pi$ 

 $\frac{4\pi}{3} \left(2^3 - 1.5^3\right) \approx 19.4 \quad 19.4 \cdot 1.308 \cdot 8 \approx 203$ 

PTS: 4 REF: 081834geo NAT: G.MG.A.2 TOP: Density 432 ANS:

$$V = \frac{1}{3}\pi \left(\frac{3}{2}\right)^2 \cdot 8 \approx 18.85 \cdot 100 = 1885 \ 1885 \cdot 0.52 \cdot 0.10 = 98.02 \ 1.95(100) - (37.83 + 98.02) = 59.15$$

PTS: 6 REF: 081536geo NAT: G.MG.A.2 TOP: Density 433 ANS:  $1 (83)^2$  1 4  $(8.3)^3$  102 0(1 + 140 602 x 222 65 cm<sup>3</sup> 333 65 x 50 = 16682.1

$$V = \frac{1}{3}\pi \left(\frac{8.3}{2}\right) (10.2) + \frac{1}{2} \cdot \frac{4}{3}\pi \left(\frac{8.3}{2}\right)^{7} \approx 183.961 + 149.693 \approx 333.65 \text{ cm}^{3} 333.65 \times 50 = 16682.7 \text{ cm}^{3}$$
  
16682.7 × 0.697 = 11627.8 g 11.6278 × 3.83 = \$44.53

PTS: 6 REF: 081636geo NAT: G.MG.A.2 TOP: Density 434 ANS:

$$\tan 47 = \frac{x}{8.5} \quad \text{Cone: } V = \frac{1}{3} \pi (8.5)^2 (9.115) \approx 689.6 \text{ Cylinder: } V = \pi (8.5)^2 (25) \approx 5674.5 \text{ Hemisphere:}$$

$$x \approx 9.115$$

$$V = \frac{1}{2} \left(\frac{4}{3} \pi (8.5)^3\right) \approx 1286.3 \quad 689.6 + 5674.5 + 1286.3 \approx 7650 \text{ No, because } 7650 \cdot 62.4 = 477,360$$

$$477,360 \cdot .85 = 405,756, \text{ which is greater than } 400,000.$$

PTS: 6 REF: 061535geo NAT: G.MG.A.2 TOP: Density 435 ANS:

$$V = \pi (10)^2 (18) = 1800\pi \text{ in}^3 \ 1800\pi \text{ in}^3 \left(\frac{1 \text{ ft}^3}{12^3 \text{ in}^3}\right) = \frac{25}{24} \pi \text{ ft}^3 \ \frac{25}{24} \pi (95.46)(0.85) \approx 266 \ 266 + 270 = 536$$

PTS: 4 REF: 061834geo NAT: G.MG.A.2 TOP: Density

C:  $V = \pi (26.7)^2 (750) - \pi (24.2)^2 (750) = 95,437.5\pi$ 95,437.5 $\pi$  cm<sup>3</sup>  $\left(\frac{2.7 \text{ g}}{\text{cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{kg}}\right) = \$307.62$ P:  $V = 40^{2}(750) - 35^{2}(750) = 281,250$ 307.62 - 288.56 = 19.06281,250 cm<sup>3</sup>  $\left(\frac{2.7 \text{ g}}{\text{cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{kg}}\right) = \$288.56$ REF: 011736geo NAT: G.MG.A.2 PTS: 6 TOP: Density 437 ANS:  $500 \times 1015 \text{ cc} \times \frac{\$0.29}{\text{kg}} \times \frac{7.95 \text{ g}}{\text{cc}} \times \frac{1 \text{ kg}}{1000 \text{ g}} = \$1170$ PTS: 2 REF: 011829geo NAT: G.MG.A.2 TOP: Density 438 ANS: 1 PTS: 2 REF: 061518geo NAT: G.SRT.A.1 **TOP:** Line Dilations 439 ANS: 4  $\frac{18}{4.5} = 4$ PTS: 2 REF: 011901geo NAT: G.SRT.A.1 TOP: Line Dilations 440 ANS: 1  $y = \frac{1}{2}x + 4$   $\frac{2}{4} = \frac{1}{2}$  $y = \frac{1}{2}x + 2$ PTS: 2 REF: 012008geo NAT: G.SRT.A.1 TOP: Line Dilations 441 ANS: 1  $\frac{9}{6} = \frac{3}{2}$ PTS: 2 REF: 061905geo NAT: G.SRT.A.1 TOP: Line Dilations 442 ANS: 1  $B: (4-3,3-4) \to (1,-1) \to (2,-2) \to (2+3,-2+4)$  $C: (2-3, 1-4) \to (-1, -3) \to (-2, -6) \to (-2+3, -6+4)$ PTS: 2 REF: 011713geo NAT: G.SRT.A.1 TOP: Line Dilations 443 ANS: 4  $A: (-3-3, 4-5) \to (-6, -1) \to (-12, -2) \to (-12+3, -2+5)$  $B: (5-3,2-5) \to (2,-3) \to (4,-6) \to (4+3,-6+5)$ **PTS: 2** REF: 012322geo NAT: G.SRT.A.1 TOP: Line Dilations

436 ANS:

444 ANS: 4  $\sqrt{(32-8)^2+(28--4)^2} = \sqrt{576+1024} = \sqrt{1600} = 40$ PTS: 2 REF: 081621geo NAT: G.SRT.A.1 **TOP:** Line Dilations 445 ANS: 4  $3 \times 6 = 18$ NAT: G.SRT.A.1 PTS: 2 **TOP:** Line Dilations REF: 061602geo 446 ANS: 2 PTS: 2 REF: 011610geo NAT: G.SRT.A.1 TOP: Line Dilations 447 ANS: 1 PTS: 2 REF: 011814geo NAT: G.SRT.A.1 **TOP:** Line Dilations 448 ANS: 3 PTS: 2 REF: 061706geo NAT: G.SRT.A.1 **TOP:** Line Dilations 449 ANS: 1 A dilation by a scale factor of 4 centered at the origin preserves parallelism and  $(0, -2) \rightarrow (0, -8)$ . PTS: 2 REF: 081910geo NAT: G.SRT.A.1 **TOP:** Line Dilations 450 ANS: 4 PTS: 2 REF: 062223geo NAT: G.SRT.A.1 **TOP:** Line Dilations 451 ANS: 3 **PTS:** 2 REF: 082212geo NAT: G.SRT.A.1 TOP: Line Dilations PTS: 2 452 ANS: 2 REF: 012416geo NAT: G.SRT.A.1 TOP: Line Dilations 453 ANS: 2 The given line h, 2x + y = 1, does not pass through the center of dilation, the origin, because the y-intercept is at (0,1). The slope of the dilated line, m, will remain the same as the slope of line h, -2. All points on line h, such as (0,1), the y-intercept, are dilated by a scale factor of 4; therefore, the y-intercept of the dilated line is (0,4) because

the center of dilation is the origin, resulting in the dilated line represented by the equation y = -2x + 4.

PTS: 2 REF: spr1403geo NAT: G.SRT.A.1 TOP: Line Dilations 454 ANS: 2

The line y = 2x - 4 does not pass through the center of dilation, so the dilated line will be distinct from y = 2x - 4. Since a dilation preserves parallelism, the line y = 2x - 4 and its image will be parallel, with slopes of 2. To

obtain the y-intercept of the dilated line, the scale factor of the dilation,  $\frac{3}{2}$ , can be applied to the y-intercept,

(0,-4). Therefore, 
$$\left(0 \cdot \frac{3}{2}, -4 \cdot \frac{3}{2}\right) \rightarrow (0,-6)$$
. So the equation of the dilated line is  $y = 2x - 6$ .

PTS: 2 REF: fall1403geo NAT: G.SRT.A.1 TOP: Line Dilations

455 ANS: 4 The line  $y = \frac{3}{2}x - 4$  does not pass through the center of dilation, so the dilated line will be distinct from  $y = \frac{3}{2}x - 4$ . Since a dilation preserves parallelism, the line  $y = \frac{3}{2}x - 4$  and its image will be parallel, with slopes of  $\frac{3}{2}$ . To obtain the y-intercept of the dilated line, the scale factor of the dilation,  $\frac{3}{4}$ , can be applied to the y-intercept, (0,-4). Therefore,  $\left(0,\frac{3}{4},-4,\frac{3}{4}\right) \rightarrow (0,-3)$ . So the equation of the dilated line is  $y = \frac{3}{2}x-3$ . PTS: 2 REF: 011924geo **TOP:** Line Dilations NAT: G.SRT.A.1 456 ANS: 4 Another equation of line t is y = 3x - 6.  $-6 \cdot \frac{1}{2} = -3$ REF: 012319geo NAT: G.SRT.A.1 TOP: Line Dilations PTS: 2 457 ANS: 2 3y = -6x + 3y = -2x + 1PTS: 2 REF: 062319geo NAT: G.SRT.A.1 **TOP:** Line Dilations 458 ANS: 1 The line 3y = -2x + 8 does not pass through the center of dilation, so the dilated line will be distinct from 3y = -2x + 8. Since a dilation preserves parallelism, the line 3y = -2x + 8 and its image 2x + 3y = 5 are parallel, with slopes of  $-\frac{2}{3}$ . REF: 061522geo PTS: 2 NAT: G.SRT.A.1 **TOP:** Line Dilations 459 ANS: 1 Since a dilation preserves parallelism, the line 4y = 3x + 7 and its image 3x - 4y = 9 are parallel, with slopes of  $\frac{3}{4}$ . PTS: 2 REF: 081710geo NAT: G.SRT.A.1 **TOP:** Line Dilations 460 ANS: 2 The slope of -3x + 4y = 8 is  $\frac{3}{4}$ . REF: 061907geo NAT: G.SRT.A.1 PTS: 2 **TOP:** Line Dilations 461 ANS: 4 The line y = 3x - 1 passes through the center of dilation, so the dilated line is not distinct. PTS: 2 REF: 081524geo NAT: G.SRT.A.1 **TOP:** Line Dilations 462 ANS: 2 The line y = -3x + 6 passes through the center of dilation, so the dilated line is not distinct. **PTS: 2** REF: 061824geo NAT: G.SRT.A.1 **TOP:** Line Dilations





 $\sqrt{(2.5-1)^2 + (-.5-1.5)^2} = \sqrt{2.25+4} = 2.5$ 

PTS: 2 REF: 081729geo NAT: G.SRT.A.1 TOP: Line Dilations

465 ANS:



The line is on the center of dilation, so the line does not change. p: 3x + 4y = 20

PTS: 2 REF: 061731geo NAT: G.SRT.A.1 TOP: Line Dilations 466 ANS:

No, The line 4x + 3y = 24 passes through the center of dilation, so the dilated line is not distinct. 4x + 3y = 24

3y = -4x + 24 $y = -\frac{4}{3}x + 8$ 

PTS: 2 REF: 081830geo NAT: G.SRT.A.1 TOP: Line Dilations 467 ANS:

Nathan, because a line dilated through a point on the line results in the same line.

468	PTS: 2 ANS: l: y = 3x - 4 m: y = 3x - 8	REF:	082331geo	NAT: G.SRT.A.1	TOP:	Line Dilations
469	PTS: 2 ANS: 1 TOP: Rotations	REF: PTS: KEY:	011631geo 2 grids	NAT: G.SRT.A.1 REF: 081605geo	TOP: NAT:	Line Dilations G.CO.A.5

 $ABC - \text{point of reflection} \rightarrow (-y, x) + \text{point of reflection} \quad \Delta DEF \cong \Delta A'B'C' \text{ because } \Delta DEF \text{ is a reflection of} \\ A(2, -3) - (2, -3) = (0, 0) \rightarrow (0, 0) + (2, -3) = A'(2, -3) \\ B(6, -8) - (2, -3) = (4, -5) \rightarrow (5, 4) + (2, -3) = B'(7, 1) \\ C(2, -9) - (2, -3) = (0, -6) \rightarrow (6, 0) + (2, -3) = C'(8, -3) \\ \Delta A'B'C \text{ and reflections preserve distance.}$ 

PTS: 4 REF: 081633geo NAT: G.CO.A.5 TOP: Rotations KEY: grids 471 ANS: 3

3 - 1 = 2

1 - 2 = -1

PTS: 2 REF: 082317geo NAT: G.CO.A.5 TOP: Reflections 472 ANS:



	PTS: 2 KEY: grids	REF:	011625geo	NAT:	G.CO.A.5	TOP:	Reflections
473	ANS: 2 TOP: Dilations	PTS:	2	REF:	012409geo	NAT:	G.SRT.A.2
474	ANS: 1 $\frac{4}{6} = \frac{3}{4.5} = \frac{2}{3}$						
475	PTS: 2 ANS: 1 $\frac{1}{3}, \frac{3}{9}, \frac{\sqrt{10}}{\sqrt{90}}$	REF:	081523geo	NAT:	G.SRT.A.2	TOP:	Dilations
	PTS: 2	REF:	082206geo	NAT:	G.SRT.A.2	TOP:	Dilations

$$x_{0} = \frac{kx_{1} - x_{2}}{k - 1} = \frac{\frac{1}{3}(-4) - 0}{\frac{1}{3} - 1} = \frac{\frac{-4}{3}}{\frac{-2}{3}} = 2 \quad y_{0} = \frac{ky_{1} - y_{2}}{k - 1} = \frac{\frac{1}{3}(0) - 2}{\frac{1}{3} - 1} = \frac{2}{-\frac{2}{3}} = -3$$
PTS: 2 REF: 062313geo NAT: G.SRT.A.2 TOP: Dilations
(-4,2)  
(-4,2)  
(-2,1) = 2
  
PTS: 2 REF: 062201geo NAT: G.SRT.A.2 TOP: Dilations
478 ANS: 4 PTS: 2 REF: 061201geo NAT: G.SRT.A.2 TOP: Dilations
479 ANS: 2 PTS: 2 REF: 061516geo NAT: G.SRT.A.2 TOP: Dilations
470 ANS: 3 (1) and (2) are false as dilations preserve angle measure. (4) would be true if the scale factor was 2.
  
PTS: 2 REF: 061805geo NAT: G.SRT.A.2 TOP: Dilations
481 ANS: 4 9 · 3 = 27, 27 · 4 = 108
  
PTS: 2 REF: 061805geo NAT: G.SRT.A.2 TOP: Dilations
482 ANS: 3 (-3^{2} = 54 + 12 · 3 = 36
  
PTS: 2 REF: 081823geo NAT: G.SRT.A.2 TOP: Dilations
483 ANS: 1 3^{2} = 9
  
PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
484 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 J^{2} = 9
  
PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
484 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 J^{2} = 9
  
PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
484 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 J^{2} = 9
  
PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
484 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 011811geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 061826geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 061826geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 061826geo NAT: G.SRT.A.2 TOP: Dilations
485 ANS: 1 PTS: 2 REF: 061826geo NAT: G.SRT.A.2 TOP: Dilations
485 A

486 ANS:



A dilation preserves slope, so the slopes of  $\overline{QR}$  and  $\overline{Q'R'}$  are equal. Because the slopes are equal, Q'R' || QR.

PTS: 4 REF: 011732geo NAT: G.SRT.A.2 TOP: Dilations

KEY: grids

487 ANS:

A dilation of 3 centered at A. A dilation preserves angle measure, so the triangles are similar.

PTS: 4 REF: 011832geo NAT: G.SRT.A.2 TOP: Dilations

488 ANS:

No, because dilations do not preserve distance.

PTS: 2 REF: 061925geo NAT: G.SRT.A.2 TOP: Dilations

489 ANS: 2

Segments drawn from the center of the regular pentagon bisect each angle of the pentagon, and create five isosceles triangles as shown in the diagram below. Since each exterior angle equals the angles formed by the segments drawn from the center of the regular pentagon, the minimum degrees necessary to carry a regular polygon onto itself are equal to the measure of an exterior angle of the regular polygon.



490	PTS: 2 ANS: 1 $\frac{360^{\circ}}{5} = 72^{\circ}$	REF: spr1402geo	NAT: G.CO.A.3	TOP: Mapping a Polygon onto Itself
491	PTS: 2 ANS: 3	REF: 062204geo	NAT: G.CO.A.3	TOP: Mapping a Polygon onto Itself
	$\frac{360^{\circ}}{5} = 72^{\circ} 216^{\circ}$ is a	a multiple of 72°		
	PTS: 2	REF: 061819geo	NAT: G.CO.A.3	TOP: Mapping a Polygon onto Itself

492 ANS: 3  $\frac{360^\circ}{6} = 60^\circ$  120° is a multiple of 60° PTS: 2 REF: 012011geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 493 ANS: 4  $\frac{360^{\circ}}{10} = 36^{\circ} 252^{\circ}$  is a multiple of  $36^{\circ}$ PTS: 2 REF: 011717geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 494 ANS: 4  $\frac{360^{\circ}}{10} = 36^{\circ} 252^{\circ}$  is a multiple of  $36^{\circ}$ PTS: 2 REF: 081722geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 495 ANS: 1 2) 90°; 3) 360°; 4) 72° PTS: 2 REF: 012311geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 496 ANS: 4  $\frac{360^{\circ}}{n} = 36$ *n* = 10 PTS: 2 REF: 082205geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 497 ANS: 1  $\frac{360^{\circ}}{45^{\circ}} = 8$ PTS: 2 REF: 061510geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 498 ANS: 3 1)  $\frac{360}{3} = 120; 2) \frac{360}{6} = 60; 3) \frac{360}{8} = 45; 4) \frac{360}{9} = 40.$  120 is not a multiple of 45. PTS: 2 REF: 062320geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 499 ANS: 4  $\frac{360}{6}$  = 60 and 300 is a multiple of 60. PTS: 2 REF: 082306geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 500 ANS: 1 PTS: 2 REF: 061707geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself PTS: 2 REF: 081505geo 501 ANS: 1 NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 502 ANS: 1 **PTS:** 2 REF: 012403geo NAT: G.CO.A.3

ID: A

TOP: Mapping a Polygon onto Itself

The *x*-axis and line x = 4 are lines of symmetry and (4,0) is a point of symmetry.

	PTS:	2	REF:	081706geo	NAT:	G.CO.A.3	TOP:	Mapping a Polygon onto Itself
504	ANS:	3	PTS:	2	REF:	081817geo	NAT:	G.CO.A.3
	TOP:	Mapping a Po	lygon o	onto Itself				
505	ANS:	3	PTS:	2	REF:	011904geo	NAT:	G.CO.A.3
	TOP:	Mapping a Po	lygon o	onto Itself		-		
506	ANS:	4	PTS:	2	REF:	061904geo	NAT:	G.CO.A.3
	TOP:	Mapping a Po	lygon o	onto Itself		C		
507	ANS:	4	PTS:	2	REF:	081923geo	NAT:	G.CO.A.3
	TOP:	Mapping a Po	lvgon o	onto Itself		U		
508	ANS:	1	PTS:	2	REF:	082209geo	NAT:	G.CO.A.3
000	TOP:	Mapping a Po	lygon o	nto Itself	10211	002203800		
509	ANS	3	PTS.	2	RFF	011815geo	ΝΑΤ·	G CO A 3
507	TOP.	Manning a Po	lvgon o	2 into Itself	KLI.	011015500	11111.	0.00.11.5
510	ANS.	Mapping a 10	iygon o					
510	360							
	$\frac{300}{6} =$	60						
	0							
	ΡΤς	2	<b>BEE</b> .	081627geo	ΝΔΤ·	G CO A 3	ΤΟΡ·	Manning a Polygon onto Itself
511	ANS.	2 A	DTC.	001027ge0	DEE.	061504gao	NAT:	G CO A 5
511	TOP	Compositions	of Trat	2 sformations	KET.	identify	INAL.	0.00.A.J
512	ANG.		DTC.	2	NLT.	081507aaa	NAT.	$C CO \Lambda 5$
312	ANS:		P15:		KEF:	08150/geo	NAI:	G.CO.A.3
512	IOP:	compositions	of frai		NEI:	al 1710	NIAT	
513	ANS:	3	PIS:	2	KEF:	011/10geo	NAI:	G.CO.A.5
	TOP:	Compositions	of I rat	nsformations	KEY:	identify		
514	ANS:	4	PTS:	2	REF:	061901geo	NAT:	G.CO.A.5
	TOP:	Compositions	of Tran	nsformations	KEY:	identify		
515	ANS:	1	PTS:	2	REF:	011608geo	NAT:	G.CO.A.5
	TOP:	Compositions	of Tra	nsformations	KEY:	identify		
516	ANS:	2	PTS:	2	REF:	061701geo	NAT:	G.CO.A.5
	TOP:	Compositions	of Trai	nsformations	KEY:	identify		
517	ANS:	2	PTS:	2	REF:	081909geo	NAT:	G.CO.A.5
	TOP:	Compositions	of Tran	nsformations	KEY:	identify		
518	ANS:	3	PTS:	2	REF:	011903geo	NAT:	G.CO.A.5
	TOP:	Compositions	of Tran	nsformations	KEY:	identify		
519	ANS:	2	PTS:	1	REF:	012017geo	NAT:	G.CO.A.5
	TOP:	Compositions	of Tran	nsformations	KEY:	identify		
520	ANS:	3						
	1) and	2) are wrong b	ecause	the orientation	of $\Delta L$	ET has change	d, imply	ying one reflection has occurred. The
	sequer	ice in 4) moves	$\Delta LET$	back to Quadi	rant II.	C		-
	-			-				
	PTS:	2	REF:	062218geo	NAT:	G.CO.A.5	TOP:	Compositions of Transformations
	KEY:	identify						
521	ANS:	1	PTS:	2	REF:	062308geo	NAT:	G.CO.A.5
	TOD	Commonitions	ofTree	afamations		-		

TOP: Compositions of Transformations

522 ANS: 2 PTS: 2 REF: 082220geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify 523 ANS:  $T_{6,0} \circ r_{x-\text{axis}}$ PTS: 2 REF: 061625geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify 524 ANS:  $T_{0,-2} \circ r_{y-\text{axis}}$ PTS: 2 REF: 011726geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 525 ANS:  $r_{y=2} \circ r_{y-axis}$ PTS: 2 REF: 081927geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 526 ANS:  $R_{(-5,2),90^{\circ}} \circ T_{-3,1} \circ r_{x-axis}$ PTS: 2 REF: 011928geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 527 ANS:  $R_{90^{\circ}}$  or  $T_{2,-6} \circ R_{(-4,2),90^{\circ}}$  or  $R_{270^{\circ}} \circ r_{x-axis} \circ r_{y-axis}$ PTS: 2 REF: 061929geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify 528 ANS:  $T_{0,5} \circ r_{y-axis}$ PTS: 2 REF: 082225geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 529 ANS: Rotate  $90^{\circ}$  clockwise about *B* and translate down 4 and right 3. PTS: 2 REF: 012326geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 530 ANS:  $T_{4-4}$ , followed by a 90° clockwise rotation about point D. PTS: 2 REF: 062326geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations

 $R_{180^{\circ}}$  about  $\left(-\frac{1}{2}, \frac{1}{2}\right)$ 

PTS: 2 REF: 081727geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify

532 ANS:

Reflection across the y-axis, then translation up 5.

PTS: 2 REF: 061827geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify

533 ANS:

rotation 180° about the origin, translation 2 units down; rotation 180° about B, translation 6 units down and 6 units left; or reflection over *x*-axis, translation 2 units down, reflection over *y*-axis

PTS: 2 REF: 081828geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify

534 ANS:



Rotate 180° about  $\left(-1,\frac{1}{2}\right)$ .

PTS: 2 REF: 082325geo NAT: G.CO.A.5 TOP: Compositions of Transformations 535 ANS: Rotate  $\triangle ABC$  clockwise about point *C* until  $\overline{DF} \parallel \overline{AC}$ . Translate  $\triangle ABC$  along  $\overline{CF}$  so that *C* maps onto *F*.

PTS: 2 REF: 061730geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify

536 ANS:



	PTS:	2 REF: 081626geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
	KEY:	grids			
537	ANS:	1 PTS: 2	REF: 012022geo	NAT:	G.SRT.A.2
	TOP:	Compositions of Transformations	KEY: grids		
538	ANS:	4 PTS: 2	REF: 061608geo	NAT:	G.SRT.A.2
	TOP:	Compositions of Transformations	KEY: grids		
539	ANS:	4 PTS: 2	REF: 081609geo	NAT:	G.SRT.A.2
	TOP:	Compositions of Transformations	KEY: grids		
540	ANS:	4 PTS: 2	REF: 081514geo	NAT:	G.SRT.A.2
	TOP:	Compositions of Transformations	KEY: grids		
541	ANS:	2 PTS: 2	REF: 011702geo	NAT:	G.SRT.A.2
	TOP:	Compositions of Transformations	KEY: grids		
542	ANS:	1 PTS: 2	REF: 081804geo	NAT:	G.SRT.A.2
	TOP:	Compositions of Transformations	KEY: grids		
C 4 2	110	1			

NYSED accepts either (1) or (3) as a correct answer. Statement III is not true if A, B, A' and B' are collinear.

PTS: 2 REF: 061714geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: basic

544 ANS:

Triangle X Y Z is the image of  $\triangle XYZ$  after a rotation about point Z such that  $\overline{ZX}$  coincides with  $\overline{ZU}$ . Since rotations preserve angle measure,  $\overline{ZY}$  coincides with  $\overline{ZV}$ , and corresponding angles X and Y, after the rotation, remain congruent, so  $\overline{XY} \parallel \overline{UV}$ . Then, dilate  $\triangle X Y Z$  by a scale factor of  $\frac{ZU}{ZX}$  with its center at point Z. Since dilations preserve parallelism,  $\overline{XY}$  maps onto  $\overline{UV}$ . Therefore,  $\triangle XYZ \sim \triangle UVZ$ .

PTS: 2 REF: spr1406geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids

545 ANS: 4 2x - 1 = 16x = 8.5PTS: 2 REF: 011902geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY**: graphics 546 ANS: 3 5x - 10 = 4x - 4 4(6) - 4 = 20x = 6PTS: 2 REF: 012408geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY:** graphics 547 ANS: 2 180 - 40 - 95 = 45PTS: 2 REF: 082201geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY**: graphics 548 ANS: 4 90 - 35 = 55  $55 \times 2 = 110$ PTS: 2 REF: 012015geo NAT: G.CO.B.6 TOP: Properties of Transformations **KEY:** graphics 549 ANS: 1 360 - (82 + 104 + 121) = 53PTS: 2 REF: 011801geo NAT: G.CO.B.6 **TOP:** Properties of Transformations KEY: graph 550 ANS: 4 The measures of the angles of a triangle remain the same after all rotations because rotations are rigid motions which preserve angle measure. PTS: 2 REF: fall1402geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY:** graphics PTS: 2 REF: 061801geo NAT: G.CO.B.6 551 ANS: 1 KEY: graphics TOP: Properties of Transformations 552 ANS: 1 The lengths of the sides of a triangle remain the same after all rotations and reflections because rotations and reflections are rigid motions which preserve distance. PTS: 2 REF: 012301geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY**: graphics **PTS: 2** 553 ANS: 4 REF: 011611geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY**: graphics 554 ANS: 3 PTS: 2 REF: 062302geo NAT: G.CO.B.6 TOP: Properties of Transformations KEY: graphics

555	ANS: 1 Distance and angle measure are preserved after a reflection and translation.						
	PTS: 2 REF: 081802geo KEY: basic	NAT: G.CO.B.6	TOP:	Properties of Transformations			
556	ANS: 3 PTS: 2	REF: 082203geo	NAT:	G.CO.B.6			
	TOP: Properties of Transformations	KEY: basic					
557	ANS:						
	M = 180 - (47 + 57) = 76 Rotations do not change angle measurements.						
	PTS: 2 REF: 081629geo	NAT: G.CO.B.6	TOP:	Properties of Transformations			
558	ANS:						
	Yes, as translations do not change angle n	neasurements.					
	PTS: 2 REF: 061825geo	NAT: G.CO.B.6	TOP:	Properties of Transformations			
	KEY: basic						
559	ANS:						
	Reflections preserve distance and angle m	easure.					
	PTS: 2 REF: 062228geo	NAT: G.CO.B.6	TOP:	Properties of Transformations			
	KEY: graphics						
560	ANS: 2 PTS: 2	REF: 081513geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: graphics					
561	ANS: 4 PTS: 2	REF: 061803geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: graphics					
562	ANS: 2 PTS: 2	REF: 081602geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: basic					
563	ANS: 3 PTS: 2	REF: 061616geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: graphics					
564	ANS: 1 PTS: 2	REF: 061604geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: graphics					
565	ANS: 4 PTS: 2	REF: 011803geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: graphics					
566	ANS: 2 PTS: 2	REF: 082322geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations						
567	ANS: 4 PTS: 2	REF: 061502geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: basic					
568	ANS: 3 PTS: 2	REF: 081502geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: basic					
569	ANS: 4 PTS: 2	REF: 011706geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: basic					
570	ANS: 4 PTS: 2	REF: 081702geo	NAT:	G.CO.A.2			
	TOP: Identifying Transformations	KEY: basic					

Since orientation is preserved, a reflection has not occurred.

PTS: 2 REF: 062205geo NAT: G.CO.A.2 TOP: Identifying Transformations KEY: graphics

572 ANS:

Rotation of 90° counterclockwise about the origin.

**PTS: 2** REF: 012428geo NAT: G.CO.A.2 **TOP:** Identifying Transformations 573 ANS:  $r_{r=-1}$  Reflections are rigid motions that preserve distance, so  $\triangle ABC \cong \triangle DEF$ . PTS: 4 REF: 061732geo NAT: G.CO.A.2 TOP: Identifying Transformations KEY: graphics 574 ANS: 3 PTS: 2 NAT: G.CO.A.2 REF: 011605geo TOP: Analytical Representations of Transformations KEY: basic 575 ANS: 4 PTS: 2 REF: 011808geo NAT: G.CO.A.2 TOP: Analytical Representations of Transformations KEY: basic 576 ANS: 3 A dilation does not preserve distance. PTS: 2 REF: 062210geo NAT: G.CO.A.2 TOP: Analytical Representations of Transformations KEY: basic 577 ANS: 2 PTS: 2 REF: 012003geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 578 ANS: 3  $\frac{12}{4} = \frac{x}{5}$  15-4 = 11 *x* = 15 PTS: 2 REF: 011624geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: basic 579 ANS: 3  $\frac{x}{10} = \frac{6}{4}$   $\overline{CD} = 15 - 4 = 11$ x = 15REF: 081612geo NAT: G.SRT.B.5 PTS: 2 TOP: Similarity KEY: basic

580 ANS: 4  $\frac{6.6}{x} = \frac{4.2}{5.25}$ 4.2x = 34.65*x* = 8.25 PTS: 2 REF: 081705geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 581 ANS: 3  $\triangle CFB \sim \triangle CAD$   $\frac{CB}{CF} = \frac{CD}{CA}$  $\frac{x}{21.6} = \frac{7.2}{9.6}$ *x* = 16.2 PTS: 2 REF: 061804geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 582 ANS: 2  $\frac{4}{x} = \frac{6}{9}$ x = 6PTS: 2 REF: 061915geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 583 ANS: 4  $\frac{12}{6.1x - 6.5} = \frac{5}{1.4x + 3} \qquad 6.1(5) - 6.5 = 24$ 16.8x + 36 = 30.5x - 32.568.5 = 13.7x5 = xPTS: 2 REF: 062211geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 584 ANS: 1  $\frac{6}{8} = \frac{9}{12}$ PTS: 2 REF: 011613geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic

585 ANS: 4  $\frac{1}{2} = \frac{x+3}{3x-1} \quad GR = 3(7) - 1 = 20$ 3x - 1 = 2x + 6*x* = 7 PTS: 2 REF: 011620geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 586 ANS: 3 1)  $\frac{12}{9} = \frac{4}{3}$  2) AA 3)  $\frac{32}{16} \neq \frac{8}{2}$  4) SAS PTS: 2 REF: 061605geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 587 ANS: 1  $\triangle ABC \sim \triangle RST$ PTS: 2 REF: 011908geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 588 ANS: 2 PTS: 2 REF: 062314geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 589 ANS: 2 PTS: 2 REF: 081519geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 590 ANS: 4 PTS: 2 REF: 011817geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 591 ANS: 3  $\frac{AB}{BC} = \frac{DE}{EF}$  $\frac{9}{15} = \frac{6}{10}$ 90 = 90REF: 061515geo NAT: G.SRT.B.5 TOP: Similarity PTS: 2 KEY: basic

592 ANS: 4  $\triangle BAC \sim \triangle YAX$ B PTS: 2 REF: 082324geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: basic 593 ANS: 2 (1) AA; (3) SAS; (4) SSS. NYSED has stated that all students should be awarded credit regardless of their answer to this question. PTS: 2 REF: 061724geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 594 ANS:  $\frac{120}{230} = \frac{x}{315}$ *x* = 164 PTS: 2 REF: 081527geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 595 ANS: C D B A  $\triangle ABC \sim \triangle AED$  by AA.  $\angle DAE \cong \angle CAB$  because they are the same  $\angle$ . E  $\angle DEA \cong \angle CBA$  because they are both right  $\angle s$ . PTS: 2 REF: 081829geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: basic

 $\frac{6}{14} = \frac{9}{21}$  SAS 126 = 126PTS: 2 REF: 081529geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 597 ANS:  $\frac{AB}{AD} = \frac{AE}{AC}$ Yes, because of SAS.  $\frac{4.1}{3.42+5.6} = \frac{5.6}{4.1+8.22}$ 50.512 = 50.512PTS: 2 REF: 012429geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 598 ANS: X 1.65 12.45 4.15  $\frac{1.65}{4.15} = \frac{x}{16.6}$ 16.6 4.15x = 27.39*x* = 6.6 PTS: 2 REF: 061531geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 599 ANS:  $\frac{16}{9} = \frac{x}{20.6} \quad D = \sqrt{36.6^2 + 20.6^2} \approx 42$  $x \approx 36.6$ PTS: 4 REF: 011632geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 600 ANS: 4  $\frac{7}{12} \cdot 30 = 17.5$ PTS: 2 REF: 061521geo NAT: G.SRT.B.5 TOP: Similarity KEY: perimeter and area

596 ANS:

601 ANS: 2  $\left(\frac{1}{4}\right)^2 = \frac{1}{16}$ PTS: 2 REF: 082216geo NAT: G.SRT.B.5 TOP: Similarity KEY: perimeter and area 602 ANS: 2  $h^2 = 30 \cdot 12$  $h^2 = 360$  $h = 6\sqrt{10}$ PTS: 2 REF: 061613geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 603 ANS: 2  $x^2 = 4 \cdot 10$  $x = \sqrt{40}$  $x = 2\sqrt{10}$ REF: 081610geo NAT: G.SRT.B.5 TOP: Similarity PTS: 2 KEY: altitude 604 ANS: 2  $x^2 = 12(12 - 8)$  $x^2 = 48$  $x = 4\sqrt{3}$ REF: 011823geo NAT: G.SRT.B.5 TOP: Similarity PTS: 2 KEY: altitude 605 ANS: 3  $x(x-6) = 4^2$  $x^2 - 6x - 16 = 0$ (x-8)(x+2) = 0x = 8PTS: 2 REF: 081807geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude

606 ANS: 3  $12^2 = 9 \cdot GM \ IM^2 = 16 \cdot 25$ GM = 16IM = 20PTS: 2 REF: 011910geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 607 ANS: 4  $x^2 = 10.2 \times 14.3$  $x \approx 12.1$ PTS: 2 REF: 012016geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 608 ANS: 3  $12x = 9^2 \qquad 6.75 + 12 = 18.75$ 12x = 81 $x = \frac{82}{12} = \frac{27}{4}$ PTS: 2 REF: 062213geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 609 ANS: 4  $x^2 = 3 \times 24$  $x = \sqrt{72}$ PTS: 2 REF: 012315geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 610 ANS: 1  $6^2 = 4x$ x = 9PTS: 2 REF: 012412geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 611 ANS: 1  $24x = 10^2$ 24x = 100 $x \approx 4.2$ PTS: 2 REF: 061823geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude

612 ANS: 2  $18^2 = 12(x+12)$ 324 = 12(x + 12)27 = x + 12*x* = 15 PTS: 2 REF: 081920geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: altitude 613 ANS: 2  $\sqrt{3\cdot 21} = \sqrt{63} = 3\sqrt{7}$ TOP: Similarity PTS: 2 REF: 011622geo NAT: G.SRT.B.5 KEY: altitude 614 ANS: 2  $12^2 = 9 \cdot 16$ 144 = 144PTS: 2 REF: 081718geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude PTS: 2 615 ANS: 1 REF: 012418geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 616 ANS: 2  $\overline{AB} = 10$  since  $\triangle ABC$  is a 6-8-10 triangle.  $6^2 = 10x$ 3.6 = xPTS: 2 REF: 081820geo **TOP:** Similarity NAT: G.SRT.B.5 KEY: altitude 617 ANS: 1 NAT: G.SRT.B.5 PTS: 2 REF: 081916geo KEY: altitude TOP: Similarity 618 ANS: If an altitude is drawn to the hypotenuse of a triangle, it divides the triangle into two right triangles similar to each other and the original triangle. PTS: 2 TOP: Similarity REF: 061729geo NAT: G.SRT.B.5 KEY: altitude 619 ANS:  $17x = 15^2$ 17x = 225 $x \approx 13.2$ PTS: 2 REF: 061930geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: altitude

 $4x \cdot x = 6^2$  $4x^2 = 36$  $x^2 = 9$ x = 3

PTS: 2 REF: 082229geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 621 ANS:

 $6^2 = 2(x+2); 16+2 = 18$ 36 = 2x + 432 = 2x16 = xPTS: 2 REF: 062330geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude

# Geometry Regents Exam Questions by State Standard: Topic Answer Section

622 ANS:  $4x \cdot x = 8^2 \quad 4 + 4(4) = 20$  $4x^2 = 64$  $x^2 = 16$ x = 4PTS: 2 REF: 082330geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 623 ANS:  $x = \sqrt{.55^2 - .25^2} \cong 0.49$  No,  $.49^2 = .25y$  .9604 + .25 < 1.5 .9604 = yPTS: 4 REF: 061534geo NAT: G.SRT.B.5 TOP: Similarity KEY: altitude 624 ANS: 1  $\sin N = \frac{\text{opposite}}{\text{hypotenuse}} = \frac{12}{20}$ PTS: 2 REF: 012307geo NAT: G.SRT.C.6 TOP: Trigonometric Ratios 625 ANS: 4  $\tan A = \frac{\text{opposite}}{\text{adjacent}} = \frac{15}{8}$ PTS: 2 REF: 011917geo NAT: G.SRT.C.6 **TOP:** Trigonometric Ratios 626 ANS: 3 PTS: 2 REF: 011714geo NAT: G.SRT.C.6 TOP: Trigonometric Ratios 627 ANS: 1 A dilation preserves angle measure, so  $\angle A \cong \angle CDE$ . PTS: 2 NAT: G.SRT.C.6 **TOP:** Trigonometric Ratios REF: 062203geo 628 ANS: 4 PTS: 2 REF: 061615geo NAT: G.SRT.C.6 **TOP:** Trigonometric Ratios 629 ANS: 2  $\triangle ABC \sim \triangle BDC$  $\cos A = \frac{AB}{AC} = \frac{BD}{BC}$ PTS: 2 REF: 012023geo NAT: G.SRT.C.6 **TOP:** Trigonometric Ratios 630 ANS: 1 PTS: 2 REF: 062312geo NAT: G.SRT.C.7 **TOP:** Cofunctions

631	ANS: 1 TOP: Cofunctions	PTS:	2	REF:	011922geo	NAT:	G.SRT.C.7
632	ANS: 2	PTS:	2	REF:	082311geo	NAT:	G.SRT.C.7
633	ANS: 1	PTS:	2	REF:	081919geo	NAT:	G.SRT.C.7
634	TOP: Cofunctions ANS: 1	PTS:	2	REF:	012304geo	NAT:	G.SRT.C.7
635	TOP: Cofunctions	PTS:	2	REF:	061512geo	NAT	G SRT C 7
(2)(	TOP: Cofunctions	DTO	2	DEE	011(00	NAT	
636	TOP: Cofunctions	P15:	Z	KEF:	011609geo	NAI:	G.SKI.C./
637	ANS: 3 Sine and cosine are c	ofuncti	ons.				
	PTS· 2	REF	062206geo	ΝΑΤ·	G SRT C 7	тор	Cofunctions
638	ANS: 4	PTS:	2	REF:	082210geo	NAT:	G.SRT.C.7
639	ANS: 1	PTS:	2	REF:	081504geo	NAT:	G.SRT.C.7
640	TOP: Cofunctions ANS: 2						
0.0	90 - 57 = 33						
641	PTS: 2	REF:	061909geo	NAT:	G.SRT.C.7	TOP:	Cofunctions
641	ANS: $3 90 - 30 = 60$						
	PTS: 2	REF:	012401geo	NAT:	G.SRT.C.7	TOP:	Cofunctions
642	ANS: 1 TOP: Cofunctions	PTS:	2	REF:	081606geo	NAT:	G.SRT.C.7
643	ANS: 3	PTS:	2	REF:	061703geo	NAT:	G.SRT.C.7
644	ANS: 4						
	40 - x + 3x = 90						
	2x = 50						
	x - 23						
645	PTS: 2 ANS: 1	REF:	081721geo	NAT:	G.SRT.C.7	TOP:	Cofunctions
	2x + 4 + 46 = 90						
	2x = 40						
	x = 20						
	PTS: 2	REF:	061808geo	NAT:	G.SRT.C.7	TOP:	Cofunctions

646 ANS: 2 2x + 7 + 4x - 7 = 906x = 90*x* = 15 REF: 081824geo PTS: 2 NAT: G.SRT.C.7 **TOP:** Cofunctions 647 ANS: 3 4x + 3x + 13 = 90 4(11) < 3(11) + 137x = 7744 < 46x = 11PTS: 2 REF: 012021geo NAT: G.SRT.C.7 TOP: Cofunctions 648 ANS: Yes, because 28° and 62° angles are complementary. The sine of an angle equals the cosine of its complement. PTS: 2 REF: 011727geo NAT: G.SRT.C.7 TOP: Cofunctions 649 ANS: The acute angles in a right triangle are always complementary. The sine of any acute angle is equal to the cosine of its complement. PTS: 2 REF: spr1407geo NAT: G.SRT.C.7 TOP: Cofunctions 650 ANS: 73 + R = 90 Equal cofunctions are complementary. R = 17PTS: 2 NAT: G.SRT.C.7 TOP: Cofunctions REF: 061628geo 651 ANS: 4x - .07 = 2x + .01 SinA is the ratio of the opposite side and the hypotenuse while  $\cos B$  is the ratio of the adjacent 2x = 0.8x = 0.4side and the hypotenuse. The side opposite angle A is the same side as the side adjacent to angle B. Therefore,  $\sin A = \cos B$ . PTS: 2 REF: fall1407geo NAT: G.SRT.C.7 **TOP:** Cofunctions 652 ANS:  $\cos B$  increases because  $\angle A$  and  $\angle B$  are complementary and  $\sin A = \cos B$ . REF: 011827geo PTS: 2 NAT: G.SRT.C.7 TOP: Cofunctions 653 ANS: 3  $\cos 40 = \frac{14}{x}$  $x \approx 18$ PTS: 2 REF: 011712geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

654 ANS: 4  $\sin 16.5 = \frac{8}{x}$  $x \approx 28.2$ PTS: 2 REF: 081806ai NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 655 ANS: 3  $\tan 34 = \frac{T}{20}$  $T \approx 13.5$ PTS: 2 REF: 061505geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: graphics 656 ANS: 1  $\sin 32 = \frac{O}{129.5}$  $O \approx 68.6$ PTS: 2 REF: 011804geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 657 ANS: 1  $\sin 10 = \frac{x}{140}$  $x \approx 24$ PTS: 2 REF: 062217geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 658 ANS: 4  $\cos 47 = \frac{50}{x}$  $x \approx 73$ PTS: 2 NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side REF: 012406geo 659 ANS: 4  $\sin 30 = \frac{x}{75}$ *x* = 37.5 PTS: 2 REF: 012411geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 660 ANS: 4  $\sin 70 = \frac{x}{20}$  $x \approx 18.8$ 

PTS: 2 REF: 061611geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: without graphics

ID: A

661 ANS: 4  $\sin 71 = \frac{x}{20}$   $x = 20 \sin 71 \approx 19$ 

PTS: 2 REF: 061721geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: without graphics
662 ANS: 1

$$\sin 32 = \frac{x}{6.2}$$
$$x \approx 3.3$$

PTS: 2 REF: 081719geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 663 ANS: 2

$$\tan 11.87 = \frac{x}{0.5(5280)}$$

$$x \approx 555$$

PTS: 2 664 ANS: 4  $sin 18 = \frac{8}{x}$ REF: 011913geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

$$x \approx 25.9$$

PTS: 2 REF: 062316geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 665 ANS: 2  $\tan 36 = \frac{x}{8}$  5.8 + 1.5  $\approx$  7

$$x \approx 5.8$$

PTS: 2 REF: 081915geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 666 ANS: 1  $\cos 65 = \frac{x}{15}$   $x \approx 6.3$ PTS: 2 REF: 081924geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 667 ANS: 2  $\tan \theta = \frac{2.4}{x}$  $\frac{3}{7} = \frac{2.4}{x}$ *x* = 5.6 REF: 011707geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side PTS: 2 668 ANS:  $\sin 70 = \frac{30}{L}$  $L \approx 32$ PTS: 2 REF: 011629geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side **KEY:** graphics 669 ANS:  $\sin 75 = \frac{15}{x}$  $x = \frac{15}{\sin 75}$  $x \approx 15.5$ PTS: 2 REF: 081631geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side **KEY:** graphics 670 ANS:  $\sin 86.03 = \frac{183.27}{x}$  $x \approx 183.71$ PTS: 2 REF: 062225geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 671 ANS:  $\cos 14 = \frac{5 - 1.2}{x}$  $x \approx 3.92$ PTS: 2 REF: 082228geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 672 ANS:  $\sin 38 = \frac{24.5}{x}$  $x \approx 40$ REF: 012026geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side PTS: 2 **KEY**: graphics
$$\cos 54 = \frac{4.5}{m} \tan 54 = \frac{h}{4.5}$$
$$m \approx 7.7 \qquad h \approx 6.2$$

PTS: 4 REF: 011834geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 674 ANS:

$$\tan 36 = \frac{x}{10} \quad \cos 36 = \frac{10}{y} \quad 12.3607 \times 3 \approx 37$$
$$x \approx 7.3 \quad y \approx 12.3607$$

PTS: 4 REF: 081833geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 675 ANS:

$$\sin 4.76 = \frac{1.5}{x} \quad \tan 4.76 = \frac{1.5}{x} \quad 18 - \frac{16}{12} \approx 16.7$$
$$x \approx 18.1 \qquad x \approx 18$$

PTS: 4 REF: 011934geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 676 ANS:  $\sqrt{(12) + 50^2 + 15^2} = 2.5$ 

$$\tan 56 = \frac{x}{1.3}$$
  $\sqrt{(1.3 \tan 56)^2 + 1.5^2} \approx 3.7$   
 $x = 1.3 \tan 56$ 

PTS: 4 REF: 012033geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

677 ANS:

$$\sin 65 = \frac{7.7}{x}. \ \tan 65 = \frac{7.7}{y}$$
$$x \approx 8.5 \qquad y \approx 3.6$$

PTS: 4 REF: 082333geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 678 ANS:

$$\tan 75 = \frac{y}{85}$$
  $\tan 35 = \frac{x}{85}$   $317.2 + 59.5 \approx 377$   
 $y \approx 317.2$   $h \approx 59.5$ 

PTS: 4 REF: 012432geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

*x* represents the distance between the lighthouse and the canoe at 5:00; *y* represents the distance between the lighthouse and the canoe at 5:05.  $\tan 6 = \frac{112 - 1.5}{x} \tan(49 + 6) = \frac{112 - 1.5}{y} \frac{1051.3 - 77.4}{5} \approx 195$  $x \approx 1051.3$   $y \approx 77.4$ 

680 ANS:

 $\tan 7 = \frac{125}{x}$   $\tan 16 = \frac{125}{y}$   $1018 - 436 \approx 582$  $x \approx 1018$   $y \approx 436$ 

PTS: 4 REF: 081532geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

$$\tan 52.8 = \frac{h}{x} \qquad x \tan 52.8 = x \tan 34.9 + 8 \tan 34.9 \ \tan 52.8 \approx \frac{h}{9} \qquad 11.86 + 1.7 \approx 13.6$$

$$h = x \tan 52.8 \qquad x \tan 52.8 - x \tan 34.9 = 8 \tan 34.9 \qquad x \approx 11.86$$

$$\tan 34.9 = \frac{h}{x+8} \qquad x(\tan 52.8 - \tan 34.9) = 8 \tan 34.9 \qquad x \approx 11.86$$

$$h = (x+8) \tan 34.9 \qquad x \approx 9$$

PTS: 6 REF: 011636geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced



PTS: 6 REF: fall1413geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

PTS: 4 REF: 061833geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

684 ANS:

$$\tan 30 = \frac{y}{440} \quad \tan 38.8 = \frac{h}{440} \quad 353.8 - 254 \approx 100$$
$$y \approx 254 \qquad h \approx 353.8$$

PTS: 4 REF: 061934geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

685 ANS:

$$\tan 15 = \frac{x}{3280}; \ \tan 31 = \frac{y}{3280}; \ 1970.8 - 878.9 \approx 1092$$
$$x \approx 878.9 \qquad x \approx 1970.8$$

PTS: 4 REF: 062332geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 686 ANS:



50 - 29 = 21

PTS: 4 REF: 082232geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

687 ANS:

Since  $\angle ABH$  is 100°,  $\angle AHB$  is 40°. An isosceles triangle has two congruent angles.  $\cos 80 = \frac{x}{85}$  $x \approx 14.8$ 

$$\tan 40 = \frac{y}{85 + 14.8}$$
$$y \approx 84$$

PTS: 4 REF: 012334geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

688 ANS:  $\tan 53 = \frac{f}{91}$  $f \approx 120.8$ PTS: 2 REF: 082327geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 689 ANS:  $\cos 68 = \frac{10}{x}$  $x \approx 27$ PTS: 2 REF: 061927geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 690 ANS:  $\tan 15 = \frac{6250}{x} \qquad \tan 52 = \frac{6250}{y} \quad 23325.3 - 4883 = 18442 \quad \frac{18442 \text{ ft}}{1 \text{ min}} \left(\frac{1 \text{ min}}{5280 \text{ ft}}\right) \left(\frac{60 \text{ min}}{1 \text{ h}}\right) \approx 210$  $x \approx 23325.3$  $v \approx 4883$ PTS: 6 REF: 061736geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced 691 ANS: 3  $\cos A = \frac{9}{14}$  $A \approx 50^{\circ}$ PTS: 2 NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle REF: 011616geo 692 ANS: 1  $\cos S = \frac{60}{65}$  $S \approx 23$ PTS: 2 REF: 061713geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 693 ANS: 4  $\sin A = \frac{13}{16}$  $A \approx 54^{\circ}$ PTS: 2 REF: 082207geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 694 ANS: 1  $\cos S = \frac{12.3}{13.6}$  $S \approx 25^{\circ}$ PTS: 2 REF: 062304geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

ID: A

695 ANS: 1  $\tan x = \frac{1}{12}$  $x \approx 4.76$ PTS: 2 NAT: G.SRT.C.8 REF: 081715geo TOP: Using Trigonometry to Find an Angle 696 ANS:  $\sin^{-1}\left(\frac{5}{25}\right) \approx 11.5$ PTS: 2 REF: 081926geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 697 ANS:  $\tan^{-1}\left(\frac{4}{12}\right) \approx 18$ PTS: 2 REF: 012327geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 698 ANS:  $\sin x = \frac{4.5}{11.75}$  $x \approx 23$ PTS: 2 REF: 061528geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 699 ANS: 2  $\cos B = \frac{17.6}{26}$  $B \approx 47$ PTS: 2 REF: 061806geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 700 ANS: 1 The man's height, 69 inches, is opposite to the angle of elevation, and the shadow length, 102 inches, is adjacent to the angle of elevation. Therefore, tangent must be used to find the angle of elevation.  $\tan x = \frac{69}{102}$ 

 $x \approx 34.1$ 

ID: A

PTS: 2 REF: fall1401geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 701 ANS: 4  $sin x = \frac{10}{12}$   $x \approx 56$ PTS: 2 REF: 061922geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 702 ANS: 3  $\cos x = \frac{8}{25}$  $x \approx 71$ PTS: 2 REF: 082303geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 703 ANS: 1  $\cos x = \frac{12}{13}$  $x \approx 23$ PTS: 2 REF: 081809ai NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 704 ANS: 1  $\cos C = \frac{15}{17}$  $C \approx 28$ PTS: 2 REF: 012007geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 705 ANS:  $\cos J = \frac{3}{5}$   $S \approx 90 - 53 = 37$  $J \approx 53$ PTS: 2 REF: 012431geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 706 ANS:  $\tan x = \frac{10}{4}$  $x \approx 68$ PTS: 2 REF: 061630geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 707 ANS:  $\cos W = \frac{6}{18}$  $W \approx 71$ REF: 011831geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle **PTS: 2** 708 ANS:  $\tan x = \frac{12}{75} \quad \tan y = \frac{72}{75} \quad 43.83 - 9.09 \approx 34.7$  $x \approx 9.09$   $y \approx 43.83$ PTS: 4 REF: 081634geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

ID: A

709 ANS:  $\tan y = \frac{1.58}{3.74}$   $\tan x = \frac{.41}{3.74}$  22.90 - 6.26 = 16.6  $y \approx 22.90$  $x \approx 6.26$ PTS: 4 REF: 062232geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 710 ANS: 3 REF: 061524geo NAT: G.CO.B.7 PTS: 2 TOP: Triangle Congruency 711 ANS: 4 d) is SSA PTS: 2 NAT: G.CO.B.7 REF: 061914geo TOP: Triangle Congruency 712 ANS: 3 NYSED has stated that all students should be awarded credit regardless of their answer to this question. PTS: 2 REF: 061722geo NAT: G.CO.B.7 TOP: Triangle Congruency 713 ANS: 3 (3) is AAS, which proves congruency. (1) is AAA, (2) is SSA and (4) is AS. **PTS: 2** REF: 012422geo NAT: G.CO.B.7 TOP: Triangle Congruency 714 ANS: Translate  $\triangle ABC$  along  $\overline{CF}$  such that point C maps onto point F, resulting in image  $\triangle A'B'C$ . Then reflect  $\triangle A'B'C$  over  $\overline{DF}$  such that  $\triangle A'B'C$  maps onto  $\triangle DEF$ . or Reflect  $\triangle ABC$  over the perpendicular bisector of  $\overline{EB}$  such that  $\triangle ABC$  maps onto  $\triangle DEF$ . REF: fall1408geo NAT: G.CO.B.7 PTS: 2 TOP: Triangle Congruency 715 ANS: The transformation is a rotation, which is a rigid motion. PTS: 2 REF: 081530geo NAT: G.CO.B.7 TOP: Triangle Congruency 716 ANS: Yes. The sequence of transformations consists of a reflection and a translation, which are isometries which preserve distance and congruency. PTS: 2 REF: 011628geo NAT: G.CO.B.7 TOP: Triangle Congruency 717 ANS: No. Since  $\overline{BC} = 5$  and  $\overline{ST} = \sqrt{18}$  are not congruent, the two triangles are not congruent. Since rigid motions preserve distance, there is no rigid motion that maps  $\triangle ABC$  onto  $\triangle RST$ . PTS: 2 REF: 011830geo NAT: G.CO.B.7 TOP: Triangle Congruency 718 ANS: Yes.  $\angle A \cong \angle X$ ,  $\angle C \cong \angle Z$ ,  $\overline{AC} \cong \overline{XZ}$  after a sequence of rigid motions which preserve distance and angle measure, so  $\triangle ABC \cong \triangle XYZ$  by ASA.  $\overline{BC} \cong \overline{YZ}$  by CPCTC. PTS: 2 REF: 081730geo NAT: G.CO.B.7 TOP: Triangle Congruency

 $\angle Q \cong \angle M \ \angle P \cong \angle N \ \overline{QP} \cong \overline{MN}$ 

PTS: 2 REF: 012025geo NAT: G.CO.B.7 TOP: Triangle Congruency

720 ANS:

Translations preserve distance. If point *D* is mapped onto point *A*, point *F* would map onto point *C*.  $\triangle DEF \cong \triangle ABC$  as  $\overline{AC} \cong \overline{DF}$  and points are collinear on line  $\ell$  and a reflection preserves distance.

PTS: 4 REF: 081534geo NAT: G.CO.B.7 TOP: Triangle Congruency

721 ANS:

Reflections are rigid motions that preserve distance.

PTS: 2 REF: 061530geo NAT: G.CO.B.7 TOP: Triangle Congruency 722 ANS:

It is given that point D is the image of point A after a reflection in line CH. It is given that CH is the perpendicular bisector of  $\overline{BCE}$  at point C. Since a bisector divides a segment into two congruent segments at its midpoint,  $\overline{BC} \cong \overline{EC}$ . Point E is the image of point B after a reflection over the line CH, since points B and E are equidistant from point C and it is given that  $\overrightarrow{CH}$  is perpendicular to  $\overline{BE}$ . Point C is on  $\overrightarrow{CH}$ , and therefore, point C maps to itself after the reflection over  $\overrightarrow{CH}$ . Since all three vertices of triangle ABC map to all three vertices of triangle DEC under the same line reflection, then  $\triangle ABC \cong \triangle DEC$  because a line reflection is a rigid motion and triangles are congruent when one can be mapped onto the other using a sequence of rigid motions.

PTS: 6 REF: spr1414geo NAT: G.CO.B.7 TOP: Triangle Congruency

723 ANS:

 $\overline{LA} \cong \overline{DN}$ ,  $\overline{CA} \cong \overline{CN}$ , and  $\overline{DAC} \perp \overline{LCN}$  (Given).  $\angle LCA$  and  $\angle DCN$  are right angles (Definition of perpendicular lines).  $\triangle LAC$  and  $\triangle DNC$  are right triangles (Definition of a right triangle).  $\triangle LAC \cong \triangle DNC$  (HL).  $\triangle LAC$  will map onto  $\triangle DNC$  after rotating  $\triangle LAC$  counterclockwise 90° about point *C* such that point *L* maps onto point *D*.

PTS: 4 REF: spr1408geo NAT: G.CO.B.8 TOP: Triangle Congruency 724 ANS: 1



 $\triangle ADC \cong \triangle BDC$  by SAS

PTS: 2 REF: 082316geo NAT: G.SRT.B.5 TOP: Triangle Congruency 725 ANS: 4

1) SAS; 2) AAS; 3) SSS

PTS: 2 REF: 062216geo NAT: G.SRT.B.5 TOP: Triangle Congruency

726 ANS: 1 PTS: 2 REF: 011703geo NAT: G.SRT.B.5

TOP: Triangle Congruency

727 ANS:

Yes. The triangles are congruent because of SSS  $(5^2 + 12^2 = 13^2)$ . All congruent triangles are similar.

PTS: 2 REF: 061830geo NAT: G.SRT.B.5 TOP: Triangle Congruency 728 ANS: 2

PTS: 2 REF: 061619geo NAT: G.CO.C.10 TOP: Triangle Proofs

729 ANS:

(2) Euclid's Parallel Postulate; (3) Alternate interior angles formed by parallel lines and a transversal are congruent; (4) Angles forming a line are supplementary; (5) Substitution

**TOP:** Triangle Proofs PTS: 4 REF: 011633geo NAT: G.CO.C.10 730 ANS: ₩ bisects ∠XYZ Given W = W  $\overline{XY} = \overline{ZY}$ by the r Ne propert LXYW - LZYW by do in of anglé bisecto ∆XYW = ∴ZYW by SAS YWX and 2 YWZ WWX -2YWZ r pairs the by CPGTC ivie suople < YWX and < YWZ suppl ntary angles that are congruent must m ute 90 degrees V YWZ is a right angle because all 90 degree angles  $\triangle XYZ, \overline{XY} \cong \overline{ZY}$ , and  $\overline{YW}$  bisects  $\angle XYZ$  (Given).  $\triangle XYZ$  is isosceles are noht engles

(Definition of isosceles triangle).  $\overline{YW}$  is an altitude of  $\Delta XYZ$  (The angle bisector of the vertex of an isosceles triangle is also the altitude of that triangle).  $\overline{YW} \perp \overline{XZ}$  (Definition of altitude).  $\angle YWZ$  is a right angle (Definition of perpendicular lines).

PTS: 4 REF: spr1411geo NAT: G.CO.C.10 TOP: Triangle Proofs

As the sum of the measures of the angles of a triangle is  $180^\circ$ ,  $m\angle ABC + m\angle BCA + m\angle CAB = 180^\circ$ . Each interior angle of the triangle and its exterior angle form a linear pair. Linear pairs are supplementary, so  $m\angle ABC + m\angle FBC = 180^\circ$ ,  $m\angle BCA + m\angle DCA = 180^\circ$ , and  $m\angle CAB + m\angle EAB = 180^\circ$ . By addition, the sum of these linear pairs is 540°. When the angle measures of the triangle are subtracted from this sum, the result is 360°, the sum of the exterior angles of the triangle.



738	ANS: 3 1) only proves AA; 2	ANS: 3 ) only proves AA; 2) need congruent legs for HL; 3) SAS; 4) only proves product of altitude and base is equal				
739	PTS: 2 KEY: statements ANS: Yes. $\triangle ABC$ and $\triangle B$ similar.	REF: 061607geo <i>DEF</i> are both 5-12-1	NAT: G.SRT.B.5 3 triangles and therefor	TOP: Triangle Proofs	riangles are	
740	PTS: 2 KEY: statements ANS: 2 Reflexive; $4 \angle BD$ and <i>D</i> are on the perp	REF: 012329geo $DA \cong \angle BDC$ ; 6 CPC pendicular bisector o	NAT: G.SRT.B.5 TC; 7 If points <i>B</i> and $\overline{AC}$ .	TOP: Triangle Proofs D are equidistant from the endpoints	of $\overline{AC}$ , then $B$	
741	PTS: 4 KEY: proof ANS: $\Delta ABE \cong \Delta CBD$ (gi $\overline{DB} \cong \overline{EB}$ (CPCTC);	REF: 081832geo (ven); $\angle A \cong \angle C$ (CP $\overrightarrow{AD} \cong \overrightarrow{CE}$ (segment	NAT: G.SRT.B.5 CTC); $\angle AFD \cong \angle CFB$ t subtraction); $\triangle AFD \cong$	TOP: Triangle Proofs $E$ (vertical angles are congruent); $\overline{AE}$ $\cong \Delta CFE$ (AAS)	$e \cong \overline{CB},$	
742	PTS: 4 KEY: proof ANS: $\triangle AEB$ and $\triangle DFC$ , by parallel lines and lines and a transversa (ASA)	REF: 081933geo $\overline{ABCD}, \overline{AE} \parallel \overline{DF}, \overline{EI}$ a transversal are con al are congruent); $\overline{BC}$	NAT: G.SRT.B.5 $\overline{B} \parallel \overline{FC}, \overline{AC} \cong \overline{DB}$ (given gruent); $\angle EBA \cong \angle FC$ $\overline{C} \cong \overline{BC}$ (reflexive); $\overline{AB}$	TOP: Triangle Proofs en); $\angle A \cong \angle D$ (Alternate interior ang $CD$ (Alternate exterior angles formed $E \cong \overline{CD}$ (segment subtraction); $\triangle EAE$	gles formed by parallel $B \cong \Delta FDC$	
743	PTS: 4 KEY: proof ANS: $\overline{RS}$ and $\overline{TV}$ bisect ear bisectors create two of (SAS); $\angle T \cong \angle V$ (Colines).	REF: 012333geo ch other at point <i>X;</i> congruent segments) CPCTC); $\overline{TR} \parallel \overline{SV}$ (a	NAT: G.SRT.B.5 $\overline{TR}$ and $\overline{SV}$ are drawn ( ; $\angle TXR \cong \angle VXS$ (verti- transversal that creates	TOP: Triangle Proofs given); $\overline{TX} \cong \overline{XV}$ and $\overline{RX} \cong \overline{XS}$ (seg cal angles are congruent); $\Delta TXR \cong$ congruent alternate interior angles co	ment ∆ <i>VXS</i> ıts parallel	
744	PTS: 4 KEY: proof ANS: Parallelogram <i>ABCD</i> parallelogram are par are congruent).	REF: 061733geo $D$ , diagonals $\overline{AC}$ and $\overline{AC}$ rallel). $\angle ACD \cong \angle C$	NAT: G.SRT.B.5 $\overline{BD}$ intersect at <i>E</i> (given <i>CAB</i> (alternate interior a	TOP: Triangle Proofs n). $\overline{DC} \parallel \overline{AB}; \overline{DA} \parallel \overline{CB}$ (opposite sidengles formed by parallel lines and a	es of a transversal	

PTS: 2 REF: 081528geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

Parallelogram ABCD,  $\overline{BF} \perp \overline{AFD}$ , and  $\overline{DE} \perp \overline{BEC}$  (given);  $\overline{BC} \parallel \overline{AD}$  (opposite sides of a  $\square$  are  $\parallel$ );  $\overline{BE} \parallel \overline{FD}$  (parts of  $\parallel$  lines are  $\parallel$ );  $\overline{BF} \parallel \overline{DE}$  (two lines  $\perp$  to the same line are  $\parallel$ ); BEDF is  $\square$  (a quadrilateral with both pairs of opposite sides  $\parallel$  is a  $\square$ );  $\angle DEB$  is a right  $\angle$  ( $\perp$  lines form right  $\angle$ s); BEDF is a rectangle (a  $\square$  with one right  $\angle$  is a rectangle).

PTS: 6 REF: 061835geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

# 746 ANS:

Quadrilateral *ABCD* with diagonals *AC* and *BD* that bisect each other, and  $\angle 1 \cong \angle 2$  (given); quadrilateral *ABCD* is a parallelogram (the diagonals of a parallelogram bisect each other);  $\overline{AB} \parallel \overline{CD}$  (opposite sides of a parallelogram are parallel);  $\angle 1 \cong \angle 3$  and  $\angle 2 \cong \angle 4$  (alternate interior angles are congruent);  $\angle 2 \cong \angle 3$  and  $\angle 3 \cong \angle 4$  (substitution);  $\triangle ACD$  is an isosceles triangle (the base angles of an isosceles triangle are congruent);  $\overline{AD} \cong \overline{DC}$  (the sides of an isosceles triangle are congruent); quadrilateral *ABCD* is a rhombus (a rhombus has consecutive congruent sides);  $\overline{AE} \perp \overline{BE}$  (the diagonals of a rhombus are perpendicular);  $\angle BEA$  is a right angle (perpendicular lines form a right angle);  $\triangle AEB$  is a right triangle (a right triangle has a right angle).

PTS: 6 REF: 061635geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

747 ANS:

Parallelogram *ABCD* with diagonal  $\overline{AC}$  drawn (given).  $\overline{AC} \cong \overline{AC}$  (reflexive property).  $\overline{AD} \cong \overline{CB}$  and  $\overline{BA} \cong \overline{DC}$  (opposite sides of a parallelogram are congruent).  $\triangle ABC \cong \triangle CDA$  (SSS).

PTS: 2 REF: 011825geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

748 ANS:

Parallelogram ABCD,  $\overline{BE} \perp \overline{CED}$ ,  $\overline{DF} \perp \overline{BFC}$ ,  $\overline{CE} \cong \overline{CF}$  (given).  $\angle BEC \cong \angle DFC$  (perpendicular lines form right angles, which are congruent).  $\angle FCD \cong \angle BCE$  (reflexive property).  $\triangle BEC \cong \triangle DFC$  (ASA).  $\overline{BC} \cong \overline{CD}$  (CPCTC). ABCD is a rhombus (a parallelogram with consecutive congruent sides is a rhombus).

PTS: 6 REF: 081535geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

749 ANS:

Parallelogram ANDR with  $\overline{AW}$  and  $\overline{DE}$  bisecting  $\overline{NWD}$  and  $\overline{REA}$  at points W and E (Given).  $\overline{AN} \cong \overline{RD}$ ,  $\overline{AR} \cong \overline{DN}$  (Opposite sides of a parallelogram are congruent).  $AE = \frac{1}{2}AR$ ,  $WD = \frac{1}{2}DN$ , so  $\overline{AE} \cong \overline{WD}$  (Definition of bisect and division property of equality).  $\overline{AR} \parallel \overline{DN}$  (Opposite sides of a parallelogram are parallel). AWDE is a parallelogram (Definition of parallelogram).  $RE = \frac{1}{2}AR$ ,  $NW = \frac{1}{2}DN$ , so  $\overline{RE} \cong \overline{NW}$  (Definition of bisect and division property of equality).  $\overline{ED} \cong \overline{AW}$  (Opposite sides of a parallelogram are congruent).  $\Delta ANW \cong \Delta DRE$ (SSS).

PTS: 6 REF: 011635geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

Isosceles trapezoid *ABCD*,  $\angle CDE \cong \angle DCE$ ,  $\overline{AE} \perp \overline{DE}$ , and  $\overline{BE} \perp \overline{CE}$  (given);  $\overline{AD} \cong \overline{BC}$  (congruent legs of isosceles trapezoid);  $\angle DEA$  and  $\angle CEB$  are right angles (perpendicular lines form right angles);  $\angle DEA \cong \angle CEB$  (all right angles are congruent);  $\angle CDA \cong \angle DCB$  (base angles of an isosceles trapezoid are congruent);  $\angle CDA = \angle DCB$  (base angles of an isosceles trapezoid are congruent);  $\angle CDA = \angle DCB$  (subtraction postulate);  $\triangle ADE \cong \triangle BCE$  (AAS);  $\overline{EA} \cong \overline{EB}$  (CPCTC);

#### $\angle EDA \cong \angle ECB$

 $\triangle AEB$  is an isosceles triangle (an isosceles triangle has two congruent sides).

PTS: 6 REF: 081735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

751 ANS:

Quadrilateral ABCD,  $\overline{AB} \cong \overline{CD}$ ,  $\overline{AB} || \overline{CD}$ , and  $\overline{BF}$  and  $\overline{DE}$  are perpendicular to diagonal  $\overline{AC}$  at points F and E(given).  $\angle AED$  and  $\angle CFB$  are right angles (perpendicular lines form right angles).  $\angle AED \cong \angle CFB$  (All right angles are congruent). ABCD is a parallelogram (A quadrilateral with one pair of sides congruent and parallel is a parallelogram).  $\overline{AD} || \overline{BC}$  (Opposite sides of a parallelogram are parallel).  $\angle DAE \cong \angle BCF$  (Parallel lines cut by a transversal form congruent alternate interior angles).  $\overline{DA} \cong \overline{BC}$  (Opposite sides of a parallelogram are congruent).  $\triangle ADE \cong \triangle CBF$  (AAS).  $\overline{AE} \cong \overline{CF}$  (CPCTC).

PTS: 6 REF: 011735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

752 ANS:

Quadrilateral *ABCD* with diagonal  $\overline{AC}$ , segments  $\overline{GH}$  and  $\overline{EF}$ ,  $\overline{AE} \cong \overline{CG}$ ,  $\overline{BE} \cong \overline{DG}$ ,  $\overline{AH} \cong \overline{CF}$ , and  $\overline{AD} \cong \overline{CB}$  (given);  $\overline{HF} \cong \overline{HF}$ ,  $\overline{AC} \cong \overline{AC}$  (reflexive property);  $\overline{AH} + \overline{HF} \cong \overline{CF} + \overline{HF}$ ,  $\overline{AE} + \overline{BE} \cong \overline{CG} + \overline{DG}$  (segment

addition);  $\triangle ABC \cong \triangle CDA$  (SSS);  $\angle EAF \cong \angle GCH$  (CPCTC);  $\triangle AEF \cong \triangle CGH$  (SAS);  $\overline{EF} \cong \overline{GH}$  (CPCTC).

 $\overline{AF} \simeq \overline{CH}$ 

 $\overline{AB} \simeq \overline{CD}$ 

PTS: 6 REF: 011935geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

753 ANS:

Quadrilateral *ABCD*, *E* and *F* are points on  $\overline{BC}$  and  $\overline{AD}$ , respectively, and  $\overline{BGD}$  and  $\overline{EGF}$  are drawn such that  $\angle ABG \cong \angle CDG$ ,  $\overline{AB} \cong \overline{CD}$ , and  $\overline{CE} \cong \overline{AF}$  (given);  $\overline{BD} \cong \overline{BD}$  (reflexive);  $\triangle ABD \cong \triangle CDB$  (SAS);  $\overline{BC} \cong \overline{DA}$  (CPCTC);  $\overline{BE} + \overline{CE} \cong \overline{AF} + \overline{DF}$  (segment addition);  $\overline{BE} \cong \overline{DF}$  (segment subtraction);  $\angle BGE \cong \angle DGF$  (vertical angles are congruent);  $\angle CBD \cong \angle ADB$  (CPCTC);  $\triangle EBG \cong \triangle FDG$  (AAS);  $\overline{FG} \cong \overline{EG}$  (CPCTC).

PTS: 6 REF: 012035geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

754 ANS:

Parallelogram PQRS,  $\overline{QT} \perp \overline{PS}$ ,  $\overline{SU} \perp \overline{QR}$  (given);  $\overline{QUR} \cong \overline{PTS}$  (opposite sides of a parallelogram are parallel; Quadrilateral QUST is a rectangle (quadrilateral with parallel opposite sides and opposite right angles is a rectangle);  $\overline{SU} \cong \overline{QT}$  (opposite sides of a rectangle are congruent);  $\overline{RS} \cong \overline{PQ}$  (opposite sides of a parallelogram are congruent);  $\angle RUS$  and  $\angle PTQ$  are right angles (the supplement of a right angle is a right angle),  $\triangle RSU \cong \triangle PQT$  (HL);  $\overline{PT} \cong \overline{RU}$  (CPCTC)

PTS: 4 REF: 062233geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

In quadrilateral ABCD,  $\overline{AB} \cong \overline{CD}$  and  $\overline{AB} \parallel \overline{CD}$ , segments CE and AF are drawn to diagonal  $\overline{BD}$  such that  $\overline{BE} \cong \overline{DF}$  (Given);  $\angle ABF \cong \angle CDE$  (Parallel lines cut by a transversal form congruent interior angles);  $\overline{EF} \cong \overline{FE}$ (Reflexive);  $\overline{BE} + \overline{EF} \cong \overline{DF} + \overline{FE}$  (Addition);  $\triangle AFB \cong \triangle CED$  (SAS);  $\overline{CE} \cong \overline{AF}$  (CPCTC).  $\overline{BF} \cong \overline{DE}$ 

PTS: 4 REF: 012434geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 756 ANS:

Quadrilateral ABCD,  $\overline{AB} \cong \overline{CD}$ ,  $\overline{AB} \parallel \overline{CD}$ , diagonal  $\overline{AC}$  intersects  $\overline{EF}$  at G, and  $\overline{DE} \cong \overline{BF}$  (given); ABCD is a parallelogram (a quadrilateral with a pair of opposite sides  $\parallel$  is a parallelogram);  $\overline{AD} \cong \overline{CB}$  (opposite side of a parallelogram are congruent);  $\overline{AE} \cong \overline{CF}$  (subtraction postulate);  $\overline{AD} \parallel \overline{CB}$  (opposite side of a parallelogram are parallel);  $\angle EAG \cong \angle FCG$  (if parallel sides are cut by a transversal, the alternate interior angles are congruent);  $\angle AGE \cong \angle CGF$  (vertical angles);  $\triangle AEG \cong \triangle CFG$  (AAS);  $\overline{EG} \cong \overline{FG}$  (CPCTC): G is the midpoint of  $\overline{EF}$  (since G divides  $\overline{EF}$  into two equal parts, G is the midpoint of  $\overline{EF}$ ).

PTS: 6 REF: 062335geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 757 ANS:

Quadrilateral *ABCD* is a parallelogram with diagonals  $\overline{AC}$  and  $\overline{BD}$  intersecting at E (Given).  $\overline{AD} \cong \overline{BC}$  (Opposite sides of a parallelogram are congruent).  $\angle AED \cong \angle CEB$  (Vertical angles are congruent).  $\overline{BC} \parallel \overline{DA}$  (Definition of parallelogram).  $\angle DBC \cong \angle BDA$  (Alternate interior angles are congruent).  $\triangle AED \cong \triangle CEB$  (AAS). 180° rotation of  $\triangle AED$  around point E.

PTS: 4 REF: 061533geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

758 ANS:

Quadrilateral *MATH*,  $\overline{HM} \cong \overline{AT}$ ,  $\overline{HT} \cong \overline{AM}$ ,  $\overline{HE} \perp \overline{MEA}$ , and  $\overline{HA} \perp \overline{AT}$  (given);  $\angle HEA$  and  $\angle TAH$  are right angles (perpendicular lines form right angles);  $\angle HEA \cong \angle TAH$  (all right angles are congruent); *MATH* is a parallelogram (a quadrilateral with two pairs of congruent opposite sides is a parallelogram);  $\overline{MA} \parallel \overline{TH}$  (opposite sides of a parallelogram are parallel);  $\angle THA \cong \angle EAH$  (alternate interior angles of parallel lines and a transversal are congruent);  $\triangle HEA \sim \triangle TAH$  (AA);  $\frac{HA}{TH} = \frac{HE}{TA}$  (corresponding sides of similar triangles are in proportion);  $TA \bullet HA = HE \bullet TH$  (product of means equals product of extremes).

PTS: 6 REF: 061935geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs



**b**  $\overrightarrow{F}$  **c** 1) Quadrilateral *ABCD*,  $\overrightarrow{AC}$  and  $\overrightarrow{EF}$  intersect at *H*,  $\overrightarrow{EF} || \overrightarrow{AD}$ ,  $\overrightarrow{EF} || \overrightarrow{BC}$ , and  $\overrightarrow{AD} \cong \overrightarrow{BC}$  (Given); 2)  $\angle EHA \cong \angle FHC$  (Vertical angles are congruent); 3)  $\overrightarrow{AD} || \overrightarrow{BC}$  (Transitive property of parallel lines); 4) *ABCD* is a parallelogram (Quadrilateral with a pair of sides both parallel and congruent); 5)  $\overrightarrow{AB} || \overrightarrow{CD}$  (Opposite sides of a parallelogram); 6)  $\angle AEH \cong \angle CFH$  (Alternate interior angles formed by parallel lines and a transversal); 7)  $\triangle AEH \sim \triangle CFH$  (AA); 8)  $\frac{EH}{FH} = \frac{AH}{CH}$  (Corresponding sides of similar triangles are proportional); 8) (*EH*)(*CH*) = (*FH*)(*AH*) (Product of means equals product of extremes).

PTS: 6 REF: 082235geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 760 ANS:

Circle *O*, secant  $\overline{ACD}$ , tangent  $\overline{AB}$  (Given). Chords  $\overline{BC}$  and  $\overline{BD}$  are drawn (Auxiliary lines).  $\angle A \cong \angle A$ ,  $\widehat{BC} \cong \widehat{BC}$  (Reflexive property).  $\mathbb{m}\angle BDC = \frac{1}{2} \mathbb{m}\widehat{BC}$  (The measure of an inscribed angle is half the measure of the intercepted arc).  $\mathbb{m}\angle CBA = \frac{1}{2} \mathbb{m}\widehat{BC}$  (The measure of an angle formed by a tangent and a chord is half the measure of the intercepted arc).  $\angle BDC \cong \angle CBA$  (Angles equal to half of the same arc are congruent).  $\triangle ABC \sim \triangle ADB$  (AA).  $\frac{AB}{AC} = \frac{AD}{AB}$  (Corresponding sides of similar triangles are proportional).  $AC \cdot AD = AB^2$ (In a proportion, the product of the means equals the product of the extremes).

PTS: 6 REF: spr1413geo NAT: G.SRT.B.5 TOP: Circle Proofs 761 ANS:

Circle *O*, chords *AB* and *CD* intersect at *E* (Given); Chords *CB* and *AD* are drawn (auxiliary lines drawn);  $\angle CEB \cong \angle AED$  (vertical angles);  $\angle C \cong \angle A$  (Inscribed angles that intercept the same arc are congruent);  $\triangle BCE \sim \triangle DAE$  (AA);  $\frac{AE}{CE} = \frac{ED}{EB}$  (Corresponding sides of similar triangles are proportional);  $AE \cdot EB = CE \cdot ED$  (The product of the means equals the product of the extremes).

PTS: 6 REF: 081635geo NAT: G.SRT.B.5 TOP: Circle Proofs 762 ANS:

Circle *O*, tangent  $\overline{EC}$  to diameter  $\overline{AC}$ , chord  $\overline{BC} \parallel$  secant  $\overline{ADE}$ , and chord  $\overline{AB}$  (given);  $\angle B$  is a right angle (an angle inscribed in a semi-circle is a right angle);  $\overline{EC} \perp \overline{OC}$  (a radius drawn to a point of tangency is perpendicular to the tangent);  $\angle ECA$  is a right angle (perpendicular lines form right angles);  $\angle B \cong \angle ECA$  (all right angles are congruent);  $\angle BCA \cong \angle CAE$  (the transversal of parallel lines creates congruent alternate interior angles);  $\Delta ABC \sim \Delta ECA$  (AA);  $\frac{BC}{CA} = \frac{AB}{EC}$  (Corresponding sides of similar triangles are in proportion).

PTS: 4 REF: 081733geo NAT: G.SRT.B.5 TOP: Circle Proofs

763 ANS: 4  $\frac{36}{45} \neq \frac{15}{18}$  $\frac{4}{5} \neq \frac{5}{6}$ PTS: 2 REF: 081709geo NAT: G.SRT.A.3 **TOP:** Similarity Proofs 764 ANS: 4 AA PTS: 2 REF: 061809geo NAT: G.SRT.A.3 **TOP:** Similarity Proofs 765 ANS: 4 Ac AA from diagram; SSS as the three corresponding sides are proportional; SAS as two corresponding sides are proportional and an angle is equal. NAT: G.SRT.A.3 **TOP:** Similarity Proofs PTS: 2 REF: 012324geo 766 ANS: A dilation of  $\frac{5}{2}$  about the origin. Dilations preserve angle measure, so the triangles are similar by AA. PTS: 4 NAT: G.SRT.A.3 **TOP:** Similarity Proofs REF: 061634geo 767 ANS:  $\overline{GI}$  is parallel to  $\overline{NT}$ , and  $\overline{IN}$  intersects at A (given);  $\angle I \cong \angle N$ ,  $\angle G \cong \angle T$  (paralleling lines cut by a transversal form congruent alternate interior angles);  $\Delta GIA \sim \Delta TNA$  (AA). PTS: 2 REF: 011729geo NAT: G.SRT.A.3 **TOP:** Similarity Proofs 768 ANS: Parallelogram ABCD,  $\overline{EFG}$ , and diagonal  $\overline{DFB}$  (given);  $\angle DFE \cong \angle BFG$  (vertical angles);  $\overline{AD} \parallel \overline{CB}$  (opposite sides of a parallelogram are parallel);  $\angle EDF \cong \angle GBF$  (alternate interior angles are congruent);  $\triangle DEF \sim \triangle BGF$ (AA).

PTS: 4 REF: 061633geo NAT: G.SRT.A.3 TOP: Similarity Proofs



F R Quadrilateral *FACT*,  $\overline{BR}$  intersects diagonal  $\overline{AT}$  at E,  $\overline{AF} \parallel \overline{CT}$ , and  $\overline{AF} \cong \overline{CT}$ (Given); *FACT* is a parallelogram (A quadrilateral with one pair of opposite sides parallel and congruent is a parallelogram);  $\overline{AC} \cong \overline{FT}$  (Opposite sides of a parallelogram are parallel);  $\angle BAE \cong \angle RTE$ ,  $\angle ABE \cong \angle TRE$ (Parallel lines cut by a transversal form alternate interior angles that are congruent);  $\triangle ABE \sim \triangle TRE$  (AA);  $\frac{AB}{AE} = \frac{TR}{TE}$  (Corresponding sides of similar triangles are proportional); (AB)(TE) = (AE)(TR) (Product of the means equals the product of the extremes).

PTS: 6 REF: 082335geo NAT: G.SRT.A.3 TOP: Similarity Proofs

#### 770 ANS:

Circle *A* can be mapped onto circle *B* by first translating circle *A* along vector  $\overline{AB}$  such that *A* maps onto *B*, and then dilating circle *A*, centered at *A*, by a scale factor of  $\frac{5}{3}$ . Since there exists a sequence of transformations that maps circle *A* onto circle *B*, circle *A* is similar to circle *B*.

PTS: 2 REF: spr1404geo NAT: G.C.A.1 TOP: Similarity Proofs